APPENDIX A

SEDIMENT CONSOLIDATION AREA (SCA) CIVIL AND GEOTECHNICAL TECHNICAL MEMORANDUM

New York State Department of Environmental Conservation Division of Environmental Remediation Remedial Bureau D, 12th Floor 625 Broadway, Albany, New York 12233-7013 Phone: (518) 402-9676 • Fax: (518) 402-9020 Website: www.dec.ny.gov



August 12, 2009

Mr. John P. McAuliffe, P.E. Program Director, Syracuse Honeywell 5000 Brittonfield Parkway, Suite 700 East Syracuse, NY 13057

Re: Onondaga Lake Bottom Subsite Onondaga County, NY SCA Technical Memorandum, Dated August 11, 2009 (734030)(SCA-14a)

Dear Mr. McAuliffe:

We have received and reviewed the above-referenced document, which was transmitted by Laura Brussel's (Parsons) August 11, 2009 email to my attention, and find that the revised document has satisfactorily addressed our previous comments. Therefore, the August 11, 2009 version of the SCA Technical Memorandum, is approved.

It is my understanding that this document will be included as an appendix to the SCA IDS and will therefore be distributed to the various document repositories, as discussed in the governing consent decree, when the SCA IDS is distributed to the various document repositories.

Sincerely,

Timothy J. Larson, P.E. Project Manager

cc: T. Milch, Esq, - Arnold & Porter
ecc: J. Gregg - NYSDEC
R. Nunes - USEPA, NYC
J. Davis - NYSDOL, Albany
M. Sergott - NYSDOH, Troy
J. Heath, Esq.
G. Jamieson, HETF/Onondaga Nation

MEMORANDUM

August 11, 2009

To:	Tim Larson, NYSDEC
From:	Ed Glaza, Parsons
Subject:	Sediment Consolidation Area (SCA) Civil and Geotechnical Technical Memorandum

This Sediment Consolidation Area (SCA) Civil and Geotechnical Technical Memorandum (Technical Memorandum) has been prepared on behalf of Honeywell International Inc. in accordance with the Remedial Design Work Plan (RDWP) for the Onondaga Lake Bottom Subsite (Parsons, 2009). The RDWP presents the activities necessary to complete design of the remedy selected in the Record of Decision issued by the New York State Department of Environmental Conservation (NYSDEC) and the United States Environmental Protection Agency Region 2 in 2005, and as set forth in the Consent Decree (United States District Court, Northern District of New York, 2007) (89-CV-815).

This Technical Memorandum is being submitted in advance of the SCA Civil and Geotechnical Initial Design Submittal (IDS) to facilitate NYSDEC's review of the IDS and achievement of the overall project schedule. Preparation and submission of this Technical Memorandum allows NYSDEC the opportunity to review and provide comments on the following documents prior to their inclusion in the IDS:

- Attachment A Basis of Design
- Attachment B Subsurface Stratigraphy Model of Wastebed 13 for the Design of Sediment Consolidation Area (i.e., the Data Package).

To further facilitate NYSDEC's IDS Review, the SCA Dewatering Evaluation Report will be submitted in advance of the IDS. The content and submittal schedule for the IDS will be in accordance with the RDWP.

REFERENCES

- NYSDEC and USEPA. 2005. Record of Decision Onondaga Lake Bottom Subsite of the Onondaga Lake Superfund Site. Town of Geddes and Salina, Villages of Solvay and Liverpool, and City of Syracuse, Onondaga County, New York.
- Parsons, 2009. Remedial Design Work Plan for the Onondaga Lake Bottom Subsite Prepared for Honeywell. March 2009.
- United States District Court, Northern District of New York. 2006. State of New York and Denise M. Sheehan against Honeywell International, Inc. Consent Decree Between the State of New York and Honeywell International, Inc. Senior Judge Scullin. Dated October 11, 2006. Filed January 4, 2007. Order Number 89-CV-815. Syracuse, New York.

PARSONS

Memorandum to: Tim Larson NYSDEC Page 2

cc: Bob Nunes (2 hard copies, 1 electronic) Bob Montione (1 hard copy, 1 electronic) Mike Spera (1 hard copy, 1 electronic) Gregg Townsend (1 hard copy, 1 electronic) Henriette Hamel (1 electronic) Ken Lynch (1 electronic) Norman Spiegel (cover memo only) Andrew Gershon (cover memo only) Margaret Sheen (cover memo only) George Shanahan (cover memo only) John McAuliffe (1 hard copy, 1 electronic) Paul Blue (1 hard copy)

ATTACHMENT A

BASIS OF DESIGN

ATTACHMENT A

CIVIL AND GEOTECHNICAL BASIS OF DESIGN

ONONDAGA LAKE SEDIMENT CONSOLIDATION AREA

CIVIL AND GEOTECHNICAL BASIS OF DESIGN

Prepared For:



5000 Brittonfield Parkway Suite 700 East Syracuse, NY 13057

Prepared By:



301 Plainfield Road, Suite 350 Syracuse, New York 13212 Phone: (315) 451-9560 Fax: (315) 451-9570

AUGUST 2009

TABLE OF CONTENTS

Page

1.0	PURPOSE AND ORGANIZATION	.1
2.0	REGULATORY REQUIREMENTS	.1
3.0	DESIGN OBJECTIVES	.2
4.0	DESIGN CRITERIA	.2
	SCA Purpose	.3
	Location	.3
	Capacity	.3
	Cells and Phased Construction	.3
	Geotechnical Stability	.3
	Settlement	.4
	Liquids Management and Liner System	.5
	Surface Water Management	.6
	Final Cover System	.7
5.0	REFERENCES	.7

ONONDAGA LAKE SEDIMENT CONSOLIDATION AREA

CIVIL AND GEOTECHNICAL BASIS OF DESIGN

1.0 PURPOSE AND ORGANIZATION

This Basis of Design (BOD) has been prepared on behalf of Honeywell International Inc. (Honeywell). The purpose of this document is to define the requirements and criteria under which the civil and geotechnical aspects of the Onondaga Lake Sediment Consolidation Area (SCA) will be designed. Additionally, the SCA design will incorporate criteria from the dredging, SCA operations, and water treatment designs. As additional information is gained or project requirements change, this BOD will be revised accordingly.

The remainder of this document is organized as follows:

- Section 2: Regulatory Requirements
- Section 3: Design Objectives
- Section 4: Design Criteria
- Section 5: References

2.0 REGULATORY REQUIREMENTS

The remedial design of the SCA will be executed in accordance with the Record of Decision (ROD) issued by the New York State Department of Environmental Conservation (NYSDEC) and the United States Environmental Protection Agency (USEPA) Region 2 in 2005 for the Onondaga Lake Bottom subsite. The design requirements for the SCA are further set forth in the Consent Decree - United States District Court, Northern District of New York, 89-CV-815 (CD). Additional design considerations will be selected based on relevant guidance documents from the United States Army Corp of Engineers (USACE) and the USEPA.

The CD states, "Honeywell shall design, operate and maintain the SCA in accordance with the substantive requirements of NYSDEC Regulations Part 360, Section 2.14(a), (industrial monofills)". In addition, the SCA will meet the requirements of NYSDEC Regulations Part 373-2.19 as set forth herein. The ROD identifies NAPL as the Principal Threat Waste and therefore any pooled NAPL encountered or collected as part of the water treatment process would be treated to meet the minimum treatment requirements defined in Part 373-2.19 or disposed at an off-site permitted facility. The CD and ROD state the following additional requirements related to the SCA design:

- "The SCA shall be constructed on Solvay Wastebed 13, located south of Ninemile Creek and west of Geddes Brook."
- "*Impermeable Liner* Honeywell shall design and install an impermeable liner system. The grading design for the SCA shall utilize the existing surface topography of Wastebed 13 as much as possible so as to limit wastebed cut and fill requirements and the associated need for a large volume of imported soil fill. Preloading and stabilization of the wastebed shall only be required to the extent necessary to ensure the integrity of the SCA components and underlying Solvay waste foundations, based upon the remedial design."
- "*Leachate Collection* The impermeable liner shall be overlain by a leachate collection system. The type of system will be determined during Remedial Design. A laterally-transmissive sand or geosynthetic liquid collection layer may be considered by DEC for inclusion in the system. The system shall convey leachate by gravity drainage to collection sumps where the leachate will be pumped via force main to a water treatment plant."
- "*SCA Cover* The SCA cover shall be designed pursuant to applicable regulations and guidance including the U.S. EPA Alternative Cover Assessment Program ("ACAP"). If appropriate based upon the Remedial Design, the SCA cover may utilize a soil layer and ecological plant community to produce evapotranspiration rates sufficient to reduce precipitation infiltration rates to acceptably low levels."

3.0 DESIGN OBJECTIVES

The SCA design objectives are:

- Design the SCA for the efficient and secure containment of sediments dredged as part of the Onondaga Lake remedy in a manner protective of human health and the environment and consistent with applicable regulations and codes.
- Incorporate dredging, SCA operations, and water treatment into the SCA civil and geotechnical design.
- Incorporate stakeholder (i.e., regulatory agencies and the community) input in the process to identify design criteria (e.g., odor mitigation, groundwater monitoring, redundancy of operations, leachate containment, dewatering, traffic, beneficial use, etc.).
- Incorporate value engineering and constructability into the design process from the earliest stages to assure overall value in the facility.

4.0 DESIGN CRITERIA

This section presents the criteria for the major aspects of the SCA civil and geotechnical design. Design criteria for the SCA operations are addressed in a separate document.

SCA Purpose

The purpose of the SCA is to receive dredged sediment from the Onondaga Lake remedial action. In addition to settling basins, alternate methods of dewatering were evaluated during the conceptual design of the SCA. As discussed in the Remedial Design Work Plan (RDWP), this evaluation included "the feasibility of using GeotubeTM technology as both structural and containment elements in basin layout development." Based on the evaluation presented in the SCA Dewatering Evaluation Report (Parsons, 2009), geotextile tubes were selected as the dewatering method for the dredged sediment within the SCA.

Location

The Onondaga Lake SCA Siting Evaluation (Parsons, 2006) was prepared to describe and evaluate potential locations for building and operating a SCA, which included Honeywell's Wastebed B and Wastebeds 1 through 15. Based on that evaluation, Wastebed 13 was selected as the SCA location. Wastebed 13 occupies approximately 163 acres and is bordered to the north by Ninemile Creek and CSX Railroad tracks; to the west by an Onondaga County Garage property, a former gravel excavation owned by Honeywell, and residential properties; and to the east and south by Wastebeds 12 and 14, respectively. Because of off-site public access areas and residences, a 500-ft buffer between active SCA operations and the western limit of existing Wastebed 13 will be considered during SCA design.

Capacity

The required capacity of the SCA has not been determined yet. For preliminary design purposes, it is assumed that the SCA will contain up to 2,653,000 cubic yards (in-lake volume) of sediment. This may be revised as the design progresses and final dredge volumes are established. Capacity will be determined based on the following design assumptions:

- Dredged slurry will be 10% solids by weight on average.
- Sediment will achieve a 1.0 bulking factor following self-weight consolidation.

Phased Construction

The SCA design will consider the potential for phased construction to facilitate the dredging schedule, odor mitigation, underlying Solvay waste consolidation, and/or enhanced final closure. The SCA design will incorporate the construction schedule necessary to meet the remedial action timing requirements of the CD.

Geotechnical Stability

Static slope stability analyses will be performed as part of the SCA design. A series of analyses will be performed to evaluate the stability of the SCA and its components (e.g., stacked geotextile tubes, perimeter dikes, final cover) for interim (i.e., during SCA construction and operation) and long-term (i.e., post-closure) conditions. The degree of stability of a slope is

PARSONS

reported in geotechnical engineering in terms of the slope stability factor of safety. A factor of safety of at least 1.0 is required for a slope to be stable. Due to the inherent variability in the engineering properties of soils, slopes are typically designed with a factor of safety greater than 1.0. Minimum acceptable factors of safety for a given set of conditions were developed for the SCA considering the criticality of the facility, the consequences of failure, and guidance provided by:

- U.S. Army Engineer Waterways Experiment Station Technical Report D-77-9 (Hammer and Blackburn, 1977); and
- U.S. Army Corps of Engineers Engineering Manual EM 1110-2-1902 (USACE, 2003).

Based on these guidance documents, a minimum acceptable factor of safety of 1.3 will be used for interim conditions (i.e., during construction and operation). In addition, a minimum acceptable factor of safety of 1.5 will be used for long-term conditions (i.e., post-closure). This factor of safety for long-term conditions is consistent with NYSDEC Regulations Section 360-2.7(b)(6), which indicates a minimum factor of safety of 1.50 for the final cover system under long-term conditions. The site is not located in a seismic impact zone; therefore, a seismic slope stability analysis is not necessary.

In terms of the dike stability analyses, both interim and long-term conditions will be evaluated using Spencer's Method (Spencer, 1973). The critical case (e.g., cross section, water level, etc.) will be defined for each cross section, and the guidance provided in Holtz and Kovacs (1981), Duncan et al. (1987), and Kulhawy and Mayne (1990) will be followed when selecting between total-stress and effective-stress analysis approaches and between unconsolidated-undrained (UU), consolidated-undrained (CU), and consolidated-drained (CD) shear strength parameters. In establishing shear strength parameters for geosynthetic interfaces, the differences between peak and large-displacement shear strength values will be considered using proven approaches that are consistent with the requirements of NYSDEC and USEPA standards and guidelines. The resulting factors of safety from these analyses will be compared with the minimum acceptable values indicated previously. If the calculated values are not acceptable, the design will be modified as necessary to achieve the required factors of safety.

Settlement

Calculations will be performed to evaluate the magnitude of SCA foundation soil settlement. Dredged sediment loadings for these calculations will be developed based on sediment characteristics established from the pre-design investigation data. Since the consolidation of the compressible foundation soils (i.e., Solvay waste) may require significant periods to reach completion, the time rate of primary consolidation settlement will also be considered.

Conventional one-dimensional (1-D) small strain primary consolidation settlement and secondary compression settlement calculation methods, such as those presented by Holtz and

Honeywell

Kovacs (1981), will be used to estimate settlement due to liner construction, geotextile tube placement and filling, and final cover installation in the SCA. Secondary settlement will be calculated for 30 years after closure of the SCA.

The time rate of primary consolidation settlement will be calculated using Terzaghi's 1-D consolidation theory, as presented in Holtz and Kovacs (1981). The parameters required to perform these calculations will be established from laboratory 1-D consolidation tests, the settlement pilot study, and/or appropriate empirical correlations.

The primary settlement as a function of time and the secondary compression will be estimated. In addition, based on those settlements, the tensile strain in the geomembrane liner will be estimated and compared to the maximum recommended tensile strain of 5% (Berg and Bonaparte, 1993). If necessary, the design, construction schedule, construction methods, SCA operations, etc. will be adjusted to accommodate the settlement.

Liquids Management and Liner System

The SCA design will include a liner and a liquids management system to collect and convey liquids draining from the dredged sediment. This liner and liquids management system will be designed in accordance with the requirements of NYSDEC Regulations Part 360, Section 2.14(a).

The bottom of the SCA (i.e., bottom of the liner system) will overlie existing Solvay waste ranging in thickness from approximately 35 ft to 90 ft. Existing site topography indicates elevation changes of up to 10 ft within the Wastebed 13 limits (i.e., the SCA site). The SCA design will use the existing site topography, to the extent possible, in designing the liner and liquid management systems. The bottom of the SCA will be designed to maintain a positive post-settlement slope toward the liquid withdrawal sumps so that liquid may be effectively removed from the SCA during and following active operations.

Following the requirements of the NYSDEC regulations and the specific conditions encountered in the SCA, the liner and liquids collection system for the SCA will be designed with the following general considerations:

- The liner system will include a geomembrane compatible with the materials to be contained within the SCA. A 24-inch (on average) gravel layer will be used for drainage and geotextile tube bedding.
- Consistent with Part 360, Section 2.14a, the intent of the design is to achieve a head no greater than 1 ft in the liquids management system; however, the facility design may allow for heads greater than 1 ft for some interim periods if it can be demonstrated that the overall performance objectives are met.
- The liner system will include a low permeability soil component immediately underlying the geomembrane. This soil component will vary in thickness to achieve

appropriate bottom slopes with the existing topography of the site, but it will not be less than 12 inches at any location and will be a minimum of 18 inches in critical areas such as sumps and drainage corridors. The soil component will exhibit a maximum hydraulic conductivity of 1×10^{-6} cm/sec in its uppermost layer (i.e., top 6 inches).

• If necessary, preloading will be used to establish or maintain positive drainage toward the sump areas. Preloading requirements will be developed using the results of the settlement evaluations.

The quantity and rate of liquids generated will be estimated for each representative step in the filling of the SCA cell, and each representative phase of the SCA development (i.e., construction, operation, closure, and post-closure). In addition, surface water run-off from active portions of the facility for the 25-year, 24-hour storm event will be considered in the liquids generation analysis. These estimates will be used to design the liquids collection system and the liquids transmission system.

Surface Water Management

Surface water management for the SCA includes the management of surface water flow over and around the SCA during construction, during operation, and after closure. The "New York State Standards and Specifications for Erosion and Sediment Control" (NYSDEC, 2005) shall be used as a guidance document for surface water design activities. Specifically, surface water management will include controlling runon, runoff, and wastewater (i.e., waters that must be contained, collected, and conveyed to the water treatment plant), as follows:

- route surface water to designated locations where it can be appropriately managed;
- protect the SCA from damage caused by precipitation and surface water runon and runoff;
- discharge surface water to existing watercourses in accordance with applicable regulatory requirements; and
- collect and route wastewater to the water treatment plant.

A surface water management system will be designed to meet the project requirements for both temporary conditions (i.e., during construction, filling, and closure of the SCA) and long-term conditions (i.e., after closure of the SCA). Design calculations for temporary and permanent surface water control structures will be performed using the 25-year, 24-hour storm event, as indicated in NYSDEC Regulations Section 360-2.7(b)(8)(ii). The system will be designed to control surface water runon to the SCA and uncontrolled surface water and wastewater runoff from the SCA, and will be integrated, to the extent possible, with existing topographic features and facilities.

Runon will be controlled and diverted away from and around the SCA using channels or diversion berms. If needed, calculations will be performed to size temporary sediment basins for

PARSONS

each contributing drainage area during each representative phase of SCA development. As per the "New York State Standards and Specifications for Erosion and Sediment Control", runoff shall be computed by the method outlined in:

- Chapter 2, Estimating Runoff, "Engineering Field Handbook" available in the Natural Resources Conservation Service offices, or
- TR-55, "Urban Hydrology for Small Watersheds" (USDA-SCS, 1986).

Runoff computations will be based upon the worst soil cover conditions expected to prevail in the contributing drainage area during the anticipated effective life of the structure. An acceptable tool for performing these calculations is the computer program "*HydroCAD*TM *Stormwater Modeling System*" (1998).

Final Cover System

The final cover system will accommodate the final height of the dewatered dredged material in the SCA. Changes in dredged material volume and actual SCA layout will determine the final height of the SCA. The final cover system components and slopes will be designed to account for settlement of the subgrade material, to promote positive drainage, and to minimize erosion.

The SCA cover may utilize a soil layer and ecological plant community to reduce precipitation infiltration rates to acceptably low levels. The design of the final cover system will balance the infiltration rates with the hydraulic conductivity of the contained sediment and the liquid management system.

5.0 REFERENCES

- Berg, R.R. and Bonaparte, R., Long-Term Allowable Tensile Stresses for Polyethylene Geomembranes, Geotextiles and Geomembranes, Vol. 12, 1993, pp. 287-306.
- Bonaparte, R. and Giroud, J.P., Waste Containment Systems for Pollution Control: Part II-Hydraulic Design and Performance, Proceedings, NATO Advanced Study Institute, Recent Advances in Ground-Water Pollution Control and Remediation, Springer-Verlag, New York, 1995.
- Duncan, J.M., Buchignani, A.L., and DeWet, M., An Engineering Manual for Slope Stability Studies, Department of Civil Engineering, Virginia Polytechnic Institute and State University, March 1987.
- Hammer, D.P., and Blackburn, E.D., Design and Construction of Retaining Dikes for Containment of Dredged Material, Technical Report D-77-9, U.S. Army Engineer Water Experiment Station, Vicksburg, Mississippi, August 1977, pp. 93.

PARSONS

- Holtz, R.D., and Kovacs, W.D., An Introduction to Geotechnical Engineering, Prentice-Hall Inc., Englewood Cliffs, N.J., 1981.
- HydroCAD. *HydroCAD*[™]: Stormwater Modeling System, Version 6, Applied Microcomputer Systems, Chocorua, New Hampshire, 1998.
- Kulhawy, F.H., and Mayne, P.W., Manual on Estimating Soil Properties for Foundation Design, Report No. EL-6800 Electric Power Research Institute, Palo Alto, California, 1990.
- NYSDEC and USEPA. 2005. Record of Decision Onondaga Lake Bottom Subsite of the Onondaga Lake Superfund Site. Town of Geddes and Salina, Villages of Solvay and Liverpool, and City of Syracuse, Onondaga County, New York.
- NYSDEC, 2005. New York State Standards and Specifications for Erosion and Sediment Control.
- Parsons, 2006. Onondaga Lake Sediment Consolidation Area (SCA) Siting Evaluation. Prepared for Honeywell.
- Parsons, 2009. Remedial Design Work Plan for the Onondaga Lake Bottom Subsite Prepared for Honeywell.
- Parsons, 2009. Onondaga Lake Sediment Consolidation Area (SCA) Dewatering Evaluation. Prepared for Honeywell.
- Spencer, E., The Thrust Line Criterion in Embankment Stability Analysis, Géotechnique, Vol. 23, No.1, pp.85-100, March 1973.
- United States District Court, Northern District of New York. 2006. State of New York and Denise M. Sheehan against Honeywell International, Inc. Consent Decree Between the State of New York and Honeywell International, Inc. Senior Judge Scullin. Dated October 11, 2006. Filed January 4, 2007. Order Number 89-CV-815. Syracuse, New York.
- U.S. Army Corps of Engineers (USACE), Engineering and Design Slope Stability, Engineering Manual EM 1110-2-1902, October 2003, pp. 3-2.
- U.S. Army Corps of Engineers, Settlement Analysis, Engineer Manual 1110-1-1904, Washington, DC, September 1990.
- U.S. Department of Agriculture-Soil Conservation Service (USDA-SCS), Urban Hydrology for Small Watersheds, Technical Release 55 (TR55), U.S. Department of Agriculture, Soil Conservation Service, Washington, D.C., 2nd Edition, 1986.

ATTACHMENT B

DATA PACKAGE

ATTACHMENT B

SUBSURFACE STRATIGRAPHY MODEL OF WASTEBED 13 FOR THE DESIGN OF SEDIMENT CONSOLIDATION AREA

						Geosy	/nte	ecv
					consu			nts
					Page	2	of	129
Written by: <u>Ming Zhu</u> Date:		Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date:	03/0	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Task	No.:	04

5

SUBSURFACE STRATIGRAPHY MODEL OF WASTEBED 13 FOR THE DESIGN OF SEDIMENT CONSOLIDATION AREA

1. INTRODUCTION

This Subsurface Stratigraphy Model of Wastebed 13 for the Design of Sediment Consolidation Area (SCA) (referred to as the Data Package) was prepared in support of the design of the SCA for the Onondaga Lake Bottom Site, which will be constructed on Honeywell's Solvay Wastebed 13 (WB-13). Specifically, the purpose of the package is to provide:

- a summary of the site investigation activities conducted in WB-13 to date;
- interpretation of material characteristics and subsurface stratigraphy in WB-13 based on the results of the site investigations;
- interpretation of material properties (i.e., index properties, shear strength, and compressibility) based on the results of the laboratory tests, the field test, and the empirical correlations;
- recommendation on material properties to be used for the SCA design; and
- verification of the interpreted subsurface model and compressibility of Solvay waste (SOLW) using the field settlement test results.

2. SITE INVESTIGATIONS

Historical information indicates that three large pits (i.e., Pits A, C, and D as shown in Figure 1) were excavated in the WB-13 area. These pits, along with the entire WB-13 area contained within constructed berms, were filled with Solvay waste during the period from 1973 to 1985. Numerous site investigations were conducted at WB-13 from 1985 to 2007. This section provides a brief summary of the recent site investigations between 2004 and 2007.

2.1 <u>2004 Investigation Program</u>

The 2004 investigation was performed in June and July 2004 to characterize the geotechnical properties of the subsurface materials within and surrounding WB-12 and WB-13. Activities relevant to WB-13 included 20 cone penetration tests (CPTs) and 17 borings with standard penetration tests (SPTs). Samples were taken during the investigation for laboratory testing of material properties (see Section 5). The locations of the CPTs and borings are shown in Figure 2. A detailed description of the investigation was presented in *Appendix A – Data Summary Report Geotechnical Characterization of*

						Geos	ynte	ec⊳
						CO	ints	
					Page	3	of	129
Written by: <u>Ming Zhu</u> Date:		03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date:	03/	06/2008	
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Tasl	c No.:	04

Wastebed 13 of "Onondaga Lake Pre-Design Investigation: Wastebed 13 Settlement Pilot Study Data Summary Report" [Parsons and Geosyntec, 2008a]. For the remainder of this data package, this investigation will be referred to as the 2004 Investigation.

2.2 <u>Phase I Investigation Program</u>

The Phase I investigation was performed between August and October 2005 as a part of the pre-design investigation (PDI) program to support the WB-13 settlement pilot study. The purpose of the pilot study was to evaluate the settlement of SOLW under a constructed test fill. Activities performed during this investigation included 18 CPTs, 30 borings (10 of them with SPTs), and 2 test pits. Samples were taken during the investigation for laboratory testing of material properties (see Section 5). The locations of the CPTs and borings are shown in Figures 2 and 3. A detailed description of the investigation was presented in the report titled "Onondaga Lake Pre-Design Investigation: Wastebed 13 Settlement Pilot Study Data Summary Report, Onondaga County, New York" [Parsons and Geosyntec, 2008a]. Monitoring data for 2007 is provided in "Wastebed 13 Settlement Pilot Study Monitoring Data – Year 2" [Parsons, 2008b]. For the remainder of this data package, this investigation will be referred to as the Phase I Investigation.

2.3 <u>Phase II Investigation Program</u>

The Phase II investigation was performed between September and November 2006 as a part of the PDI program to further characterize the geotechnical properties of the subsurface materials at WB-13. Activities performed during this investigation included 113 CPTs and 30 borings with SPTs. Samples were taken during the investigation for laboratory testing of material properties (see Section 5). The locations of the CPTs and borings are shown in Figure 4. A detailed description of the investigation was presented in the report titled "*Onondaga Lake Pre-Design Investigation: Phase II Data Summary Report*" [Parsons, 2008c]. For the remainder of this data package, this investigation will be referred to as the Phase II Investigation.

2.4 Phase III Investigation Program

The Phase III investigation was performed in October 2007 as a part of the PDI program to further investigate the buried berms between Pits A, C, and D and to characterize the geotechnical properties of SOLW at WB-13. Activities performed during this investigation included 28 CPTs and 23 borings with SPTs. Samples were taken during the investigation for laboratory testing of material properties (see Section 5). The locations of the CPTs and borings are shown in Figure 5. A detailed description of the investigation was presented in *Appendix E – Phase III SCA Data Summary Report* of the "Onondaga Lake Pre-Design Investigation Phase III Data Summary Report" [Parsons, 2009]. For the remainder of this data package, this investigation will be referred to as the Phase III Investigation.

						Geos	synte	ec⊳		
						СС	consultants			
					Page	4	of	129		
Written by: <u>Ming Zhu</u> Date:		Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date:	03/	06/2008		
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Tas	sk No.:	04		

3. SUBSURFACE STRATIGRAPHY

Schematics of the subsurface profiles at four cross sections in WB-13 were developed based on the previous site investigation results. The locations of these cross sections are shown in Figure 6 and the subsurface profiles are illustrated in Figures 7, 8, 9, and 10. The subsurface stratigraphy consists primarily of three types of material: SOLW, the dike soil, and the foundation soil. The dike was determined to be approximately 40 ft high based on topographic contours for dikes and surrounding areas outside the dikes on the north and west sides. The eastern and southern dikes of WB-13 are also the northwestern and northern dikes of Wastebeds 12 and 14, respectively. The natural soil beneath the dike and the SOLW was considered as the foundation soil.

3.1 <u>SOLW</u>

SOLW is a by-product of sodium carbonate (soda ash) production via the Solvay process (i.e., process by which soda ash is formed from salt, limestone, carbon dioxide, and ammonia). It is a combination of process residuals, unreacted material, and mineral salts that was deposited in slurry exhibiting a very high pH. The thickness of SOLW varies across WB-13 and is related to the shape of the three original pits. The native materials that were left in place between the pits formed "berms" that were buried during wastebed filling activities. Figure 11 shows the bottom elevation contours of SOLW that were developed based on the estimated SOLW thickness from CPTs and borings presented in Attachment 1, as well as the additional information regarding the buried berms obtained from the Phase III investigation. The SOLW thickness ranges between approximately 50 ft and 90 ft in the central areas of the three original pits.

SOLW in WB-13 can be divided into three zones based on different characteristics indicated by the results of CPTs (Figures 12, 13, and 14) and SPT blow counts (N values) (Figure 15) in different areas of WB-13:

- Zone 1 is defined as the "ring" area that is within approximately 150 ft from the inner edge of the WB-13 dike. SOLW in Zone 1 was generally described in the boring logs as gray, soft to medium dense, silt- and sand-sized particles in paste-like or semi-cemented matrix. CPT profiles of SOLW in Zone 1 show relatively high tip resistance, high sleeve friction, and small excess porewater pressure, which are characteristics of dense coarse grained material (Figure 12). Results of borings show much larger SPT N values for SOLW in Zone 1 than SOLW in the other two zones (Figure 15). During the operation of WB-13, SOLW was placed mainly from pipes placed along the dikes. The coarser particles of SOLW would have settled out first which can explain the observed matrix in Zone 1.
- Zone 2 is defined as the original Pit D area and the top 40 ft of the original Pit A and Pit C areas that are beyond the limit of Zone 1. The depth of 40 ft is selected as the boundary of

consultants

					Page	5	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date: 0.	3/06/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

Zone 2 in the Pit A and Pit C areas because the profiles of CPT (Figure 14) and SPT N values (Figure 15) generally show sudden increase at this depth. SOLW in Zone 2 was generally described in the boring logs as white to gray, very soft to soft, silt-sized particles in paste-like matrix. CPT profiles of SOLW in Zone 2 generally show relatively low tip resistance, low sleeve friction, and large excess porewater pressure, which are characteristics of soft fine grained material (Figures 13 and 14). Results of borings indicate zero to very small SPT N values for SOLW in Zone 2 (Figure 15).

Zone 3 is defined as the area from 40 ft below ground surface (bgs) to the top of foundation soil in the original Pit A and Pit C areas that are beyond the limit of Zone 1. Unlike SOLW in Zone 2 that is relatively uniform, SOLW in Zone 3 varied from very soft to dense silt-sized particles according to the boring logs. Inter-layered soft and hard layers of SOLW in Zone 3 result in a wider range of the tip resistance and the sleeve friction (Figure 14) and the SPT N values (Figure 15) than SOLW in Zone 2. The reason for the apparent absence of Zone 3 in Pit D is currently unknown. It is also unknown why Zone 3 material has unique characteristics as compared to Zone 2 material.

A summary of the SPT N values of SOLW in the three zones obtained from the site investigations between 2004 and 2007 is presented in Table 1. As indicated in the table, the SPT N value of SOLW in Zone 1 ranges from 0 to 74 with an average value of 17; the SPT N value of SOLW in Zone 2 ranges from 0 to 18 with an average value of 1; and the SPT N value of SOLW in Zone 3 ranges from 0 to 68 with an average value of 8. The SPT N values of SOLW in the three zones are also plotted in Figure 16 as a function of depth.

Using the correlations between the SPT N values and the consistency for cohesive soils shown in Table 2, SOLW in Zone 1, Zone 2, and Zone 3 can be classified as "very stiff", "very soft", and "medium stiff", respectively, based on the calculated average SPT N values. The classification is consistent with the observations from the CPTs and the borings.

3.2 Dike Soil

Based on the observations during previous investigations, it appears that native material underneath the footprint of WB-13 was used to construct the dikes. Results of borings indicate that the dike soil consists of a mixture of clay, silt, sand, and gravel. Borings in the exterior dike of WB-13 indicate no SOLW underneath the dike. However, SOLW was encountered in borings drilled in the inter-cell dike between WB-13 and Wastebeds 12 and 14 at depths of approximately between 15 ft and 50 ft bgs as shown in Figure 17. It appears that part of the inter-cell dike was constructed on top of SOLW filled in Wastebeds 12 and 14.

consultants

					Page	6	0	f 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

A summary of the SPT N values of the dike soil (not including the SOLW under the inter-cell dike between WB-13 and Wastebeds 12 and 14) obtained from the site investigations between 2004 and 2007 is presented in Table 1. As indicated in the table, the SPT N value of the dike soil ranges from 5 to 127 with an average value of 36. The SPT N values of the dike soil are also plotted in Figure 18 as a function of depth.

Using the correlations between the SPT N values and the relative density for granular soils shown in Table 3, the dike soil can be classified as "dense" based on the calculated average SPT N value. The classification is consistent with the observations from the borings.

3.3 Foundation Soil

The foundation soil is the native material underneath the footprint of WB-13. Results of borings indicate that the foundation soil consists primarily of dense sand and gravel. A summary of the SPT N values of the foundation soil obtained from the site investigations between 2004 and 2007 is presented in Table 1. As indicated in the table, the SPT N value of the foundation soil ranges from 2 to 120 with an average value of 40, which is very similar to the value of the dike soil. The SPT N values of the foundation soil are plotted in Figure 18 as a function of depth along with the dike soil.

Using the same correlations shown in Table 3, the foundation soil can also be classified as "dense" based on the calculated average SPT N value. The classification is consistent with the observations from the borings.

4. GROUNDWATER TABLE

Information about the groundwater table (GWT) in WB-13 is available from: (i) piezometer measurements; (ii) CPT porewater dissipation tests, and (iii) borings.

4.1 <u>GWT From Piezometers</u>

The GWT has been monitored by the piezometers installed in November 2006. Figure 19 shows the locations of these piezometers. The data collected between November 30, 2006 and December 28, 2007 was provided to Geosyntec by Parsons and is presented in Attachment 2. The average GWT elevations and the average GWT depths during the monitoring period were calculated for each piezometer and the results are presented in Table 4. It is noted that the piezometers installed in the test pad area in September 2005 were not included in this evaluation, because the measured GWT has been affected by the excess water pressure generated due to the load of the test fill.

There are six locations inside WB-13 where the GWT has been monitored. At each location, 3 or

consultants

					Page	7	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date: ()3/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No.	: 04

4 piezometers were installed and were screened at different depths ranging approximately from 15 ft to 64 ft bgs. Among these piezometers, 5 piezometers (i.e., SB915-PZ13-01N, -02N, -04N, -05N, and -06N) were screened in the natural soil underneath SOLW. The data collected from the piezometers indicate both shallow water levels recorded by the piezometers screened in SOLW and deep water levels recorded by the piezometers screened in the natural soil. Figure 20 presents the average measured groundwater table elevations with respect to the piezometer tip elevations. The average measured groundwater elevations along two cross sections shown on Figure 21 are plotted in Figures 22 and 23.

The results imply that "perched" groundwater exists in SOLW above the "real" GWT. The "perched" GWT is affected by precipitation and therefore fluctuates seasonally. In general, the seasonal high "perched" GWT occurs in April or May with depths of about 6 to 11 ft below the ground, except at the lowest point of WB-13 where the seasonal high "perched" GWT can be as high as 0.4 ft below the ground.

Three of the five piezometers screened in the natural soil indicate that the "real" GWT elevation in WB-13 is around 375 ft, while the other two (i.e., SB915-PZ13-02N and -05N, which are located near the WB-13 perimeter dike) indicate a relatively higher GWT elevation around 385 ft. A further review of the data from these two piezometers found that the measured groundwater levels by these two piezometers have experienced more fluctuation than the other three piezometers that were screened in the natural soil (See Table 4). Recently, the groundwater level at SB915-PZ13-02N has been below the piezometer tip elevation at 380.34 ft (Table 5) and the groundwater level at SB915-PZ13-05N has been below or very close to the piezometer tip elevation at 376.94 ft (Table 6). Based on the observations discussed above, the GWT in WB-13 was interpreted to be at the elevation of 375 ft. As compared to the interpreted GWT in WB-13, the water table in the adjacent Ninemile Creek is at approximately 372 ft.

The GWT in WB-13 has also been monitored by ten piezometers installed in or outside the WB-13 dike. However, the tip elevations of these piezometers are higher than the anticipated GWT elevation except for piezometer SB915-PZ13-10, which is located outside the WB-13 perimeter dike. The average GWT elevation measured by SB915-PZ13-10 is 373.2 ft, which confirms the interpretation of GWT presented in the preceding paragraph.

4.2 <u>GWT From CPT Porewater Dissipation Tests</u>

The GWT in WB-13 was estimated from the CPT porewater dissipation tests during the 2004, Phase I, and Phase II investigations. The test results are presented in Tables 7, 8, and 9. The GWT depth was estimated from the 2004 tests to range from 41.4 ft to 52.6 ft with an average depth of 50 ft bgs (excluding the test results at shallow depths of two CPT locations, PW-13A and PW-119). The

Geosyntec^D consultants 8 of 129 Page Date: 03/06/2008 Date: 03/06/2008 Reviewed by: R. Kulasingam/Jay Beech Written by: Ming Zhu Client: Honeywell Project: **Onondaga Lake SCA IDS** Project/ Proposal No.: GD3944 Task No.: 04

GWT depth was estimated from the Phase I tests to range from 41.2 ft to 59.4 ft with an average depth of 55 ft bgs (excluding the test results at shallow depths of one CPT location, SB915-CPT-A3). In the Phase II tests, only the tests with depth greater than 45 ft were considered for the estimation of the GWT. The GWT depth was estimated from the Phase II tests to range from 33.1 ft to 65.9 ft with an average depth of 51.8 ft bgs. The results of the CPT porewater dissipation tests are in general consistent with the monitoring data from the piezometers. A 50 to 55 ft depth corresponds to a GWT elevation of approximately 370 to 375 ft.

4.3 <u>GWT From Borings</u>

The GWT was measured during boring activities in the 2004 Investigation and the results are summarized in Table 10. Because of the existence of the "perched" groundwater in SOLW, some of the borings inside WB-13 and near the crest of WB-13 dike recorded shallow GWTs or several different GWTs. The GWTs measured in the borings at the toe of the WB-13 dike range from 44.5 ft to 63.3 ft below the WB-13 ground surface. The deep GWTs measured in the borings inside WB-13 and near the crest of WB-13 ft below the UB-13 dike range between 38 ft and 73.5 ft bgs. The results are consistent with the GWTs estimated from the piezometers and the CPT pore water dissipation tests.

Based on the data collected from the piezometers, the results of the CPT porewater dissipation tests, and the measurements during borings, the "real" GWT was estimated to be at the elevation of approximately 375 ft in WB-13, which is equivalent to approximately 50 ft bgs assuming that the average elevation of the existing WB-13 ground is 425 ft, for the purpose of geotechnical analyses. The piezometer data indicates there are zones of perched water within the wastebed.

5. MATERIAL PROPERTIES

Material properties were obtained from laboratory tests or empirical correlations. Laboratory tests were performed on samples taken during the site investigations.

Laboratory tests include:

- Index property tests (i.e., water content, grain size, Atterberg limits, specific gravity, and density); and
- Performance tests (i.e., unconsolidated undrained (UU) triaxial compression tests, consolidated undrained (CU) triaxial compression tests with porewater pressure measurement, one-dimensional consolidation tests, and hydraulic conductivity tests).

						Geosy	/nte	ec
						con	nts	
					Page	9	of	129
Written by: <u>Ming Zhu</u> Date:		03/06/2008	Reviewed by:	R. Kulasingam/Jay Beec	h Date:	03/0	06/2008	
Client: Honeywell Project: Onor		Onondaga La	ake SCA IDS	Project/ Proposal No .:	GD3944 Task	No.:	04	

Summary tables of the lab test results were provided to Geosyntec by Parsons and are presented in Attachment 3.

5.1 Index Properties

5.1.1 Water Content

Water contents were measured for the index property tests performed during the 2004, Phase I, Phase II investigations, and for the UU tests, and the CU tests performed during the 2004, Phase I, and Phase II investigations. The data is plotted with respect to depth in Figure 24 for SOLW in three zones and in Figure 25 for the dike soil and the foundation soil. The results of the measured water contents are summarized in Table 11. As indicated in the table, the water content of SOLW covers a wide range between 5% and 912%. The average water content was calculated to be 166%, 227%, and 172% for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The dike soil and the foundation soil, which consist primarily of sand and gravel, have much lower water contents than SOLW. The average water content was calculated to be 13% and 16% for the dike soil and the foundation soil, respectively. The calculated average water content for each material is recommended to be used for design.

5.1.2 Grain Size

The fine size particle content (i.e., clay size and silt size particles) was measured as part of the laboratory index property tests during all four investigations. Hydrometer tests were performed during the Phase II and Phase III investigations to further measure the clay size particle content (i.e., particle size less than 0.002 mm). Based on the lab results, the average fine size particle content was calculated to be 50.5%, 83.6%, and 65.7% for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The average fine size particle content was calculated to be 4.9%, 15.9%, and 8.7% for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The average fine size particle content was calculated to be 63.1% and 33.3% for the dike soil and the foundation soil, respectively. The average clay size particles content was calculated to be 21.8% and 7.7% for the dike soil and the foundation soil, respectively.

5.1.3 Atterberg Limits

The Atterberg limits were measured from the index property tests performed during all four investigations. The results of the plastic limit, the liquid limit, and the plasticity index are summarized in Table 12.

As indicated in Table 12, the plastic limit of SOLW ranges from 62 to 245. The average plastic limit was calculated to be 109, 139, and 130 for SOLW in Zone 1, Zone 2, and Zone 3, respectively.

consultants

					Page	10		of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

The plastic limit of the dike soil ranges from 11 to 49 with a calculated average value of 20. The plastic limit of the foundation soil ranges from 10 to 53 with a calculated average value of 26.

The liquid limit of SOLW ranges from 80 to 241. The average liquid limit was calculated to be 145, 168, and 150 for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The liquid limit of the dike soil ranges from 10 to 66 with a calculated average value of 19. The liquid limit of the foundation soil ranges from 13 to 57 with a calculated average value of 29.

The results of the plasticity index (i.e., the difference between the liquid limit and the plastic limit) are plotted with respect to depth in Figure 26 for SOLW in three zones and in Figure 27 for the dike soil and the foundation soil. The plasticity index of SOLW ranges from 12 to 138. The average plasticity index was calculated to be 36, 55, and 69 for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The dike soil and the foundation soil, which consist primarily of sand and gravel, have much lower plasticity indices than SOLW. The plasticity index of the dike soil ranges from 6 to 17 with a calculated average of 10. The plasticity index of the foundation soil ranges from 3 to 30 with a calculated average of 11.

The calculated average plastic limit, liquid limit, and plasticity index for each material are recommended to be used for design.

5.1.4 Specific Gravity

The specific gravity was measured as part of the index property tests performed during all four investigations. The average specific gravity was calculated to be 2.57, 2.50, and 2.47 for SOLW in Zone 1, Zone 2, and Zone 3, respectively. Because these three average values are very close, a uniform specific gravity of 2.51 is recommended for design, which represents the average specific gravity of SOLW in all three zones. The average specific gravity was calculated to be 2.71 and 2.65 for the dike soil and the foundation soil, respectively. It is noted that the unit weights of the materials were measured from bulk density tests or calculated using measured water content and dry density. Therefore, the specific gravity values were not used to estimate any design parameters.

5.1.5 Unit Weight

The total unit weight of SOLW was measured from the index property tests performed during the 2004, Phase I, Phase II, and Phase III investigations or calculated using the initial water content and the dry density measured from the UU and CU tests performed during the 2004, Phase I, and Phase II investigations. The data is plotted with respect to depth in Figure 28. The results of the measured total unit weight are summarized in Table 13. As indicated in the table, the total unit weight of SOLW ranges from 55 pcf to 139 pcf. The average total unit weight was calculated to be 84 pcf, 82 pcf, and 82 pcf for SOLW in Zone 1, Zone 2, and Zone 3, respectively. Because these three average values are

GA090382/Attach B - Data package_Final_071409.doc

consultants

					Page	11		of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/00	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04

very close, a uniform total unit weight of 82 pcf is recommended for design, which represents the average total unit weight of SOLW in all three zones.

The total unit weight of the foundation soil was calculated using the initial water content and the dry density measured from the Phase II CU tests. The results are presented in Table 13 and also plotted in Figure 28. The total unit weight of the foundation soil ranges from 118 to 124 with a calculated average of 121. A value of 120 pcf is recommended for design.

Since undisturbed samples of dike material could not be collected in the field, the total unit weight of the dike soil could not be measured in the lab. The total unit weight of the dike soil is assumed to be 120 pcf.

5.2 <u>Compressibility Parameters</u>

5.2.1 Preconsolidation Pressure and Overconsolidation Ratio

The preconsolidation pressure (p_c) of SOLW was estimated from the 2004, Phase I, Phase II, and Phase III one-dimensional consolidation test results. The results of p_c (see Attachment 3) are plotted with respect to depth in Figure 29. The profile of the in-situ vertical effective stress is also plotted in the same figure using the total unit weight of 82 pcf for SOLW and the GWT at 50 ft bgs as discussed in the previous sections. Figure 29 shows a wide scatter of p_c values. However, the profiles of p_c and the in-situ vertical effective stress are consistent with overconsolidation of soil in shallow depths by desiccation.

The overconsolidation ratio (OCR), which is the ratio of p_c to the in-situ vertical effective stress, was calculated and is plotted in Figure 30 as a function of depth. Based on the plot, SOLW above 20 ft is considered to be overconsolidated and SOLW below 20 ft is considered to be normally consolidated. The average OCR above 10 ft was calculated to be 4.5. The average OCR between 10 ft and 20 ft was calculated to be 2.0. The OCR for the normally consolidated SOLW below 20 ft is 1.0. The recommended OCR for design is also plotted in Figure 30.

5.2.2 Modified Compression Index

The modified compression index ($C_{c\varepsilon}$) of SOLW was measured from the 2004, Phase I, Phase II and Phase III one-dimensional consolidation test results. The results of $C_{c\varepsilon}$ are plotted with respect to depth in Figure 31. A summary of the test results are presented in Table 14.

consultants

					Page	12		of 12	9
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/200	08
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.: 04	ļ

The $C_{c\varepsilon}$ for SOLW in Zone 1 ranges between 0.15 and 0.50 with an average value of 0.34 based on seven consolidation tests. The $C_{c\varepsilon}$ for SOLW in Zone 2 ranges between 0.21 and 0.71 with an average value of 0.46 based on twenty-five consolidation tests. The $C_{c\varepsilon}$ for SOLW in Zone 3 ranges between 0.21 and 0.46 with an average value of 0.38 based on five consolidation tests. The results indicate the compressibility of SOLW in Zone 2 is in general greater than the compressibility of SOLW in Zone 1 and Zone 3.

The calculated average $C_{c\varepsilon}$ of SOLW in each zone is recommended to be used for design.

5.2.3 Modified Recompression Index

The modified recompression index $(C_{r\varepsilon})$ of SOLW was measured from the 2004, Phase I, Phase II, and Phase III one-dimensional consolidation tests. The results of $C_{r\varepsilon}$ are plotted with respect to depth in Figure 32. A summary of the test results are presented in Table 15.

The $C_{r\varepsilon}$ for SOLW in Zone 1 ranges between 0.01 and 0.02 with an average value of 0.015 based on seven consolidation tests. The $C_{r\varepsilon}$ for SOLW in Zone 2 ranges between 0.004 and 0.025 with an average value of 0.014 based on twenty-five consolidation tests. The $C_{r\varepsilon}$ for SOLW in Zone 3 ranges between 0.003 and 0.034 with an average value of 0.021 based on five consolidation tests.

The calculated average $C_{r\varepsilon}$ of SOLW in each zone is recommended for SCA design.

5.2.4 Modified Secondary Compression Index

The modified secondary compression index $(C_{a\varepsilon})$ of SOLW was interpreted from the 2004, Phase I, Phase II, and Phase III one-dimensional consolidation tests. The results of $C_{a\varepsilon}$ are plotted as a function of the stress ratio σ_v'/P_c' , where σ_v' is the vertical effective stress, in Figures 33, 34, and 35 for SOLW in Zone 1, Zone 2, and Zone 3, respectively. The plots indicate that the values of $C_{a\varepsilon}$ are affected by the stress history. Larger values of $C_{a\varepsilon}$ were obtained for stress levels greater than p_c' (i.e., at stresses corresponding to virgin compression).

The average value of $C_{a\varepsilon}$ for SOLW in Zone 1 was calculated to be 0.13% for σ'_v/P_c less than or equal to 1 and 0.83% for σ'_v/P_c greater than 1 based on seven consolidation tests. The average value of $C_{a\varepsilon}$ for SOLW in Zone 2 was calculated to be 0.11% for σ'_v/P_c less than or equal to 1 and 0.91%

consultants

					Page	13		of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04

for σ_v'/P_c' greater than 1 based on twenty-five consolidation tests. The average value of $C_{a\varepsilon}$ for SOLW in Zone 3 was calculated to be 0.07% for σ_v'/P_c' less than or equal to 1 and 0.70% for σ_v'/P_c' greater than 1 based on five consolidation tests.

The calculated average value of $C_{a\varepsilon}$ for SOLW in each zone is recommended to be used for design. The final effective stress in SOLW after primary consolidation is completed should be evaluated in order to assess the value of $C_{a\varepsilon}$, because the $C_{a\varepsilon}$ is dependent on the stress level.

5.2.5 Coefficient of Consolidation

The coefficient of consolidation (c_v) of SOLW was interpreted from the 2004, Phase I, Phase II, and Phase III laboratory one-dimensional consolidation tests as well as the Phase I field settlement test.

c_{v} from Laboratory Tests

The coefficient of consolidation (c_v) of SOLW was interpreted from the 2004, Phase I, Phase II, and Phase III one-dimensional consolidation tests. The results of c_v are plotted as a function of the stress ratio σ'_v/P'_c in Figures 36, 37, and 38 for SOLW in Zone 1, Zone 2, and Zone 3, respectively. Similar to the $C_{a\varepsilon}$, the plots indicate that the values of c_v are also affected by the stress history. Larger values of c_v were obtained for stress levels smaller than p'_c (i.e., at stresses corresponding to recompression).

The average value of c_v for SOLW in Zone 1 was calculated to be 0.047 cm²/s for $\sigma'_v/P_c^{'}$ less than or equal to 1 and 0.029 cm²/s for $\sigma'_v/P_c^{'}$ greater than 1 based on seven consolidation tests. The average value of c_v for SOLW in Zone 2 was calculated to be 0.046 cm²/s for $\sigma'_v/P_c^{'}$ less than or equal to 1 and 0.009 cm²/s for $\sigma'_v/P_c^{'}$ greater than 1 based on twenty-five consolidation tests. The average value of c_v for SOLW in Zone 3 was calculated to be 0.024 cm²/s for $\sigma'_v/P_c^{'}$ less than or equal to 1 and 0.008 cm²/s for $\sigma'_v/P_c^{'}$ greater than 1 based on five consolidation tests.

The calculated average value of c_v for SOLW in each zone is recommended to represent the c_v from the lab test. The final effective stress in SOLW under the load should be evaluated in order to assess the value of c_v , because the c_v is dependent on the stress level.

consultants

					Page	14	c	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech]	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

c_v from Field Settlement Test

The WB-13 settlement pilot study was conducted in 2005 to evaluate the settlement of SOLW under the constructed test fill. Field monitoring data collected by the piezometers and the settlement plates installed in the test pad were interpreted, and the results are presented in Attachment 4 of this package. The c_v of SOLW obtained from the field settlement test is plotted in Figure 39 as a function of time. The results indicate that the c_v of SOLW decreases with time from an upper range of 0.2 to 0.76 cm²/s to a lower range of 0.06 to 0.13 cm²/s. The average value of the c_v after 40 days, i.e., the relatively flat portion of the curve in Figure 39, was calculated to be 0.14 cm²/s and is recommended to represent the c_v for SOLW in all three zones based on the field settlement test.

Comparison of c_v from Field Settlement Test and Lab Test

The results of c_v of SOLW from the field settlement test are about an order of magnitude higher than the lab values. The difference may be attributed to the fact that in the field test the drainage of water from SOLW may have been in both vertical and horizontal directions, while in the lab test the water was only allowed to drain vertically. The quicker the water was drained, the larger the value of c_v . Therefore, use of the c_v from the field test or the lab test in design depends on the actual loading condition. If the footprint of the load is relatively large and the consolidation of SOLW under the load can be considered one-dimensional (i.e., vertical drainage only), the c_v from the lab test is recommended for use in design. On the other hand, if the load is applied to a relatively small footprint and the drainage of water from SOLW can take place both vertically and horizontally, the c_v from the field test is recommended for use in design.

5.3 Shear Strength Parameters

5.3.1 Undrained Shear Strength Ratio

The undrained shear strength ratio (S_u/σ_3) , where σ_3 is the effective confining stress, was calculated based on the 2004, Phase I, and Phase II CU tests for SOLW. The results of S_u/σ_3 are plotted with respect to σ_3 measured from the lab in Figure 40. The lower bound of the S_u/σ_3 is estimated to be approximately 0.3 and the upper bound is estimated to be approximately 0.8 for SOLW in the three zones.

						Geosy	Geosyntec ^D				
						consu		litants			
					Page	15	of	129			
Written by:	Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Beech	Date:	03/0	06/2008			
Client: I	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.: G	D3944 Task	No.:	04			

5.3.2 Undrained Shear Strength

The undrained shear strength (S_u) of SOLW was measured from the 2004, Phase I, and Phase II UU tests. The measured S_u is plotted with respect to depth in Figure 41 for SOLW in the three zones. The results are summarized in Table 16.

The S_u varies with depth. As indicated in Table 16, the average S_u was calculated to be 592 psf and 633 psf for SOLW in Zone 1 and Zone 2, respectively, at depths above 20 ft. The average S_u was calculated to be 1113 psf and 780 psf for SOLW in Zone 1 and Zone 2, respectively, at depths between 20 ft and 40 ft. The average S_u was calculated to be 719 psf and 899 psf for SOLW in Zone 2 and Zone 3, respectively, at depths below 40 ft. It is noted that the S_u values greater than 2000 psf were conservatively not included in the calculation of the average values.

An empirical correlation was also used to estimate the S_u . The equation of this empirical correlation [Kulhawy and Mayne, 1990] can be written as:

$$S_{u} = \left(\frac{S_{u}}{\sigma_{v}}\right)_{NC} \cdot OCR^{0.8} \cdot \sigma_{v}$$

where, $\left(\frac{S_u}{\sigma_v}\right)_{NC}$ is the undrained shear strength ratio for normally consolidated soil. Using the OCR

recommended in the previous section and $\left(\frac{S_u}{\sigma_v}\right)_{NC}$ equal to 0.3, it appears that this empirical correlation predicts the measured S_u well for SOLW above approximately 45 ft, but it over-predicts the S_u below 45 ft.

Based on the measured S_u from the UU tests and the estimated S_u from the empirical correlation, the S_u for design (as shown in Figure 41) is recommend to be 600 psf for SOLW above 20 ft and 700 psf for SOLW between 20 ft and 30 ft. The S_u increases linearly to 1200 psf at a depth of 50 ft and 1400 psf at a depth of 80 ft.

5.3.3 Effective Stress Friction Angle

The effective stress friction angle (ϕ') was measured from the 2004, Phase I, and Phase II CU tests for SOLW. The calculated average ϕ' based on the lab test results is presented in Table 17. The GA090382/Attach B - Data package_Final_071409.doc

consultants

					Page	16	о	f 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech l	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

effective stress cohesion c' was conservatively considered to be zero for SOLW. Based on the calculated average ϕ' , a uniform value of ϕ' equal to 34° is conservatively recommended for design for SOLW in all three zones.

Only one CU test was performed on the foundation soil. The ϕ' was reported to be 18° and the *c* was reported to be 1420 psf as shown in Table 17. As an alternative method, the empirical relationship between the ϕ' and the SPT N value shown in Table 18 [Kulhawy and Mayne, 1990] was used to estimate the ϕ' . Using an average SPT N value of 40 recommended in the previous section, the ϕ' of the foundation soil was estimated to be approximately 37°.

The ϕ' for the dike soil was also estimated by the same empirical relationship shown in Table 18. Using an average SPT N value of 36 recommended in the previous section, the ϕ' of the dike soil was estimated to be approximately 37°.

5.4 <u>Hydraulic Conductivity</u>

Five laboratory hydraulic conductivity tests were performed on SOLW samples during the 2004 investigation. In addition, four in-situ permeability tests (slug tests) were conducted in WB-13 during the 2004 investigation. The lab and field test results are presented together in Table 19.

The measured hydraulic conductivities for SOLW in Zone 2 and Zone 3 vary from 1.30×10^{-6} cm/s to 1.83×10^{-5} cm/s and the values are within the typical range of hydraulic conductivity for silt and silty clay materials (i.e., 10^{-7} to 10^{-9} m/s or 10^{-5} to 10^{-7} cm/s) as shown in Table 20. The average hydraulic conductivity was calculated to be 4.3×10^{-6} cm/s and 2.2×10^{-6} cm/s for SOLW in Zone 2 and Zone 3, respectively, based on the test results. The hydraulic conductivity of SOLW in Zone 1 is not available. Based on the observation that SOLW in Zone 1 consists of coarse particles and the excess water pressure dissipates relatively quickly during CPT, its hydraulic conductivity was estimated to be 10^{-5} cm/s, which is the lower bound for the silty sand material as shown in Table 20.

5.5 <u>Recommended Material Properties For Design</u>

Based on the discussion of material properties presented above, the recommended index properties, compressibility parameters, shear strength parameters, and hydraulic conductivity of SOLW, the dike soil, and the foundation soil for the SCA design are summarized in Table 21.

					Geosyn					
					consu			ultants		
					Page	17	of	129		
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech Date:	03/0	06/2008		
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944 Tasl	« No.:	04		

6. VERIFICATION OF SUBSURFACE MODEL AND DESIGN PARAMETERS

The subsurface model and the design material properties (i.e., unit weight and compressibility parameters) of SOLW were verified using the results of the WB-13 settlement pilot test performed in 2005.

The predicted primary consolidation settlement is plotted in Figure 42 with respect to the settlement measured on January 10, 2008 (i.e., approximately 2.3 years after the placement of the test fill) from the field test as presented in Attachment 4. The plotted data points are in general close to the 45 degree line, indicating a good agreement between the predicted settlement and the settlement from the field test. In addition, the time rate of the consolidation settlement was also evaluated using the average c_v value from the field measurements. It is noted that this value is an order of magnitude higher than the c_v values from lab tests. The results of the predicted primary settlement are plotted with respect to time and compared with the field monitoring data in Figures 43, 44, 45, and 46 at four different locations. The comparison also shows a good agreement between the predicted and field measured time rate of the consolidation settlement. Detailed descriptions of the methodology and the engineering calculation of the primary consolidation settlement and the time rate consolidation are presented in Attachment 4.

consultants

					Page	18		of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04

7. **REFERENCE**

- AASHTO (1988). "Manual on Subsurface Investigations", Washington, D.C., American Association of State Highway Transportation Officials.
- Kulhawy, F.H. and Mayne, P.W. (1990). "Manual on Estimating Soil Properties for Foundation Design", EPRI EL-6800, Project 1493-6, August 1990.
- Parsons and Geosyntec (2008a). "Onondaga Lake Pre-Design Investigation: Wastebed 13 Settlement Pilot Study Data Summary Report", Onondaga County, New York.
- Parsons (2008b). "Wastebed 13 Settlement Pilot Study Monitoring Data Year 2".
- Parsons (2008c). "Draft Onondaga Lake Pre-Design Investigation: Phase II Data Summary Report".
- Parsons (2009). "Draft Onondaga Lake Pre-Design Investigation Phase III Data Summary Report".

consultants

					Page	19)	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04

Tables
					Page	20	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech I	Date: 03	3/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

		SPT N Values					
Mat	erial			Standard			
1viu	Ullul	Range	Average	Deviatio			
				n			
	Zone 1	0 - 74	17	16			
SOLW	Zone 2	0 - 18	1	2			
	Zone 3	0 - 68	8	11			
Dike	e Soil	5 - 127	36	22			
Founda	tion Soil	2 - 120	40	23			

Table 1. Summary of SPT N Values

					Page	21	0	f 129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech D	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	.: 04

Table 2. Correlation of Consistency for Cohesive Soils [AASHTO, 1988]

SPT N Value	Consistency
0~1	Very soft
2~4	Soft
5~8	Medium Stiff
9~15	Stiff
16~30	Very Stiff
31~60	Hard
>60	Very hard

					Page	22	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date	e: <u>03/</u>	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 T	ask No.:	04

Table 3. Correlation of Relative Density for Granular Soils [AASHTO, 1988]

SPT N Value	Relative Density
0~4	Very loose
5~10	Loose
11~24	Medium Dense
25~50	Dense
>50	Very dense

consultants

					Page	23	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech I	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No.	.: 04

Table 4. Summary of GWT Data from Piezometers [Based on data provided in Attachment 2]

Piezometer Location	Serial Number	Date Installed	Depth to Piezometer Tip from Ground Surface (ft)	Initial Ground Surface Elevation (ft)	Piezometer Tip Elevation (ft)	Туре	Average GWT Depth (ft, bgs)	Average GWT Elevation (ft)	GWT Variation (ft)
Wastebed Piezometers									
SB915-PZ13-01S	06-20309	11/10/2006	19.5	430.89	411.39	Typ VW	16.4	414.5	>9.5
SB915-PZ13-01D	06-19784	11/10/2006	39.5	430.89	391.39	Typ VW	30.8	400.1	N/A
SB915-PZ13-01N	06-19773	11/9/2006	63.5	430.89	367.39	Typ VW	57.4	373.5	3.6
SB915-PZ13-02I	06-20310	11/8/2006	19.9	430.34	410.44	Typ VW	16.4	414.0	>11.4
SB915-PZ13-02D	06-20305	11/8/2006	36.5	430.34	393.84	Typ VW	35.7	394.7	>1.5
SB915-PZ13-02N	06-19778	11/7/2006	50	430.34	380.34	Typ VW	44.3	386.0	>10.6
SB915-PZ13-03S	06-20308	11/14/2006	20.5	429.17	408.67	Typ VW	11.1	418.1	>12.3
SB915-PZ13-03I	06-19786	11/13/2006	40.2	429.17	388.97	Typ VW	24.8	404.3	23.8
SB915-PZ13-03D	06-19775	11/13/2006	59.5	429.17	369.67	Typ VW	28.8	400.3	29.2
SB915-PZ13-04S	06-19781	11/20/2006	15.5	419.10	403.60	Typ VW	6.1	413.0	>14.1
SB915-PZ13-04I	06-19774	11/20/2006	35.5	419.10	383.60	Typ VW	11.8	407.3	25.4
SB915-PZ13-04D	06-19776	11/17/2006	52.5	419.10	366.60	Typ VW	14.2	404.9	24.6
SB915-PZ13-04N	NA	11/16/2006	113	418.6	305.6	SP	44.2	374.4	3.1
SB915-PZ13-05S	06-20311	11/6/2006	14.8	432.94	418.14	Typ VW	11.8	421.1	N/A
SB915-PZ13-05I	06-19785	11/3/2006	35	432.94	397.94	Typ VW	30.8	402.1	>6.8
SB915-PZ13-05N	06-19772	11/3/2006	56	432.94	376.94	Typ VW	47.4	385.5	>13.4
SB915-PZ13-06S	06-20307	11/7/2006	19.5	428.67	410.5	Typ VW	13.4	415.2	>9.1
SB915-PZ13-06I	06-20306	11/6/2006	34.5	428.67	395.5	Typ VW	19.7	409.0	>10.7
SB915-PZ13-06D	06-19771	11/6/2006	49.5	428.67	380.5	Typ VW	28.6	400.1	29.7
SB915-PZ13-06N	06-19769	11/3/2006	64	428.67	366	Typ VW	53.8	374.8	4.6
Dike Piezometers									
SB915-PZ13-07	06-19782	11/14/2006	54	438.23	384.23	Typ VW	53.1	385.1	0.8
SB915-PZ13-08	NA	11/27/2006	40	431.35	391.35	SP	39.8	391.5	>0.0
SB915-PZ13-09	06-19783	11/16/2006	36.5	432.48	395.98	Typ VW	36.1	396.4	>0.8
SB915-PZ13-10	NA	11/29/2006	32	397.45	365.45	SP	24.3	373.2	4.0
SB915-PZ13-11	06-19787	11/17/2006	41	432.44	391.44	Typ VW	40.7	391.7	>0.4
SB915-PZ13-12	NA	11/28/2006	25	431.51	406.51	SP	22.9	408.7	>9.9
SB915-PZ13-13	06-19779	11/21/2006	30	434.26	404.26	Typ VW	26.2	408.0	5.2
SB915-PZ13-14	06-19780	11/27/2006	30	443.67	413.67	Typ VW	19.8	423.9	15.1
SB915-PZ13-15	06-19770	11/29/2006	30	446.56	416.56	Typ VW	22.6	423.9	13.1
SB915-PZ13-16	NA	11/22/2006	30	441.08	411.08	SP	17.1	424.0	10.4

Notes: Typ VW = Typical Vibrating Wire Piezometer (GeoKon model 4500S) SP = Standpipe NA = Not Applicable

Notes:

- 1. Piezometers inside WB-13 that were screened in natural soil underneath SOLW are highlighted in the table.
- 2. Piezometers inside WB-13 with S (shallow), I (intermediate), and D (deep) at the end of their names were screened in SOLW and with N (native) at the end of their names were screened in the natural soil underneath SOLW.
- 3. Results of GWT depths and elevations presented in this table were calculated based on the piezometer data as of December 28, 2007.

consultants

							conound	1100
					Page	24	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Da	ite: 03/0)6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

Table 5. Record of Groundwater Level Elevations Measured at Piezometer SB915-PZ13-02N

SB915-PZ13-02N Typical Vibrating Wire Piezometer	Serial #	06-19778
Date Installed: 11/7/2006		
Bentonite Seal =	0 to 48.1	ft
Sandpack =	48.1 to 50.5	ft
Depth to Piezometer Tip from Ground Surface =	50	ft
Ro =	8954.3	
To =	11.6	degrees Celsius
Linear Gage Factor (psi) =	0.01583	psi/digit
Thermal Factor =	0.00182	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	430.34	ft
Piezometer Tip Elevation =	380.34	ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
12/7/06 13:16	8921	11.9	0.5	1.2	48.8	381.6
12/14/06 11:21	8900	11.9	0.9	2.0	48.0	382.3
12/21/06 12:01	8863.5	11.9	1.4	3.3	46.7	383.7
12/28/06 11:56	8839.3	11.9	1.8	4.2	45.8	384.5
1/11/07 13:08	8786.6	11.9	2.7	6.1	43.9	386.5
2/8/07 11:49	8807.4	11.9	2.3	5.4	44.6	385.7
3/9/07 9:48	8811.7	11.8	2.3	5.2	44.8	385.5
4/12/07 10:26	8643.3	11.8	4.9	11.4	38.6	391.7
5/10/07 14:41	8630.8	11.7	5.1	11.8	38.2	392.2
6/21/07 11:43	8755	11.7	3.2	7.3	42.7	387.6
7/12/07 11:24	8769.5	11.7	2.9	6.8	43.2	387.1
8/15/07 11:46	8847.2	11.7	1.7	3.9	46.1	384.2
9/21/07 11:31	8977.5	11.7	-0.4	-0.8	>=50 ft	
10/26/07 11:55	8981.5	11.7	-0.4	-1.0	>=50 ft	
11/28/07 10:16	8982.7	11.7	-0.4	-1.0	>=50 ft	
12/28/07 11:30	8966.1	11.7	-0.2	-0.4	>=50 ft	

consultants

					Page	25	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Date	: 03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Ta	ask No.: 04

Table 6. Record of Groundwater Level Elevations Measured at Piezometer SB915-PZ13-05N

SB915-PZ13-05N	Serial #	06-19772
Typical Vibrating Wire Piezometer		
Date Installed: 11/3/2006		
Bentonite Seal =	0 to 54	ft
Sandpack =	54 to 56.5	ft
Depth to Piezometer Tip from Ground Surface =	56	ft
Ro =	9073.3	
To =	6	degrees Celsius
Linear Gage Factor (psi) =	0.01666	psi/digit
Thermal Factor =	0.01085	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	432.94	ft
Piezometer Tip Elevation =	376.94	ft
Nete		

Note:

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
12/7/06 14:03	8837.8	11.3	4.0	9.2	46.8	386.1
12/14/06 11:53	8814.6	11.3	4.4	10.1	45.9	387.0
12/21/06 12:44	8818.3	11.3	4.3	9.9	46.1	386.9
12/28/06 12:24	8797.6	11.3	4.7	10.7	45.3	387.7
1/11/07 13:42	8696	11.5	6.3	14.6	41.4	391.6
2/8/07 12:03	8713.2	11.3	6.1	14.0	42.0	390.9
3/9/07 10:04	9034.3	11.3	0.7	1.6	54.4	378.6
4/12/07 10:46	8735.7	11.3	5.7	13.1	42.9	390.1
5/10/07 15:05	8733	11.3	5.7	13.2	42.8	390.2
6/21/07 12:32	8978.9	11.3	1.6	3.8	52.2	380.7
7/12/07 12:27	9044.4	11.3	0.5	1.2	54.8	378.2
8/15/07 12:36	9118.5	11.3	-0.7	-1.6	>=56 ft	
9/21/07 12:02	9117	11.3	-0.7	-1.5	>=56 ft	
10/26/07 12:23	9121.3	11.1	-0.7	-1.7	>=56 ft	
11/28/07 10:46	9126.1	11.1	-0.8	-1.9	>=56 ft	
12/28/07 10:55	9034.2	11.1	0.7	1.6	54.4	378.6

consultants

					Page	26	i	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/00	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04

Table 7. Summary of 2004 CPT Porewater Dissipation Tests [Parsons and Geosyntec, 2008a]

ESTIMATED WATER TABLE ELEVATIONS FROM PORE WATER DISSIPATION TESTS

CPT Location	Measurement Depth	Estimated Water Table Depth	CPT Location	Measurement Depth	Estimated Water Table Depth
	(ft below waste surface)	(ft below waste surface)		(ft below waste surface)	(ft below waste surface)
PW-128	68.9	49.6	PW-13D	86.5	49.6
PW-107	67.1	49.6	PW-12B	66.4	49.6
PW-140	49.4	49.6	PW-131	79.4	49.6
PW-13A	14.3 35.3 80.2	8 18.1 52.6	PW-12E	61.7	49.6
PW-11D	78.7	49.6	PW-113	Not Available	Not Available
PW-10B	Not Available	Not Available	PW-119	20.5 36.6 50.0 56.0	9.3 15.6 46.2 48.5
PW-122	52.8	41.4	PW-10A	64.0	52.1
PW-11F	64.6	50.4	PW-11C	Not Available	Not Available
PW-134	44.3	49.6	PW-125	75.1	50.8
PW-116	Not Available	Not Available	PW-137	80.2	51.9

Note: The water table depths listed were estimated by ConeTec, and at many locations the depth to water represents perched water, and not the regional water table.

consultants

					Page	27	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Date	. 03/	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Ta	isk No.:	04

Table 8. Summary of Phase I CPT Porewater Dissipation Tests [Parsons and Geosyntec, 2008a)]

Phase I Pre-Design Investigation Estimated Water Table Levels from CPT Pore Water Pressure Dissipation Tests

CPTu Location	Measurement Depth (ft below waste surface)	Estimated Water Table Depth (ft below waste surface)
SB915-CPT-2	80.05	58.59
SB915-CPT-3	80.05	58.96
	15.09	16.58
SP015 CDT A2	27.07	21.93
3B915-CF1-A3	30.02	26.54
	79.4	58.98
SB915-CPT-A4	80.05	59.04
SB915-CPT-A5	45.44	41.27
SB915-CPT-A7	73.82	59.37
SB915-CPT-A8	80.05	57.69
SB915-CPT-A9	80.05	58.56
SB915-CPT-A11	46.42	41.22

Note:

The water table depths listed were estimated by ConeTec, and at many locations the depth to water represents perched water, and not the regional water table.

					Geosy	ntec ^{>}
				Page	28	of 129
Written by: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Beec	h Date:	03/06/2008
Client: Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	G D3944 Task I	No.: 04

Table 9. Summary of Phase II CPT Porewater Dissipation Tests [Parsons, 2008c]

Location	Dissipation Test Depth (ft)	Estimated Water Head at Equilibrium (ft)	Estimated Water Table Depth (ft) ¹
SB915-CPT-17	15 42	0.00	15.42
SB915-CPT-17	30.68	0.00	30.68
SB915-CPT-17	40.52	0.00	40.52
SB915-CPT-22	15.09	0.83	14.26
SB915-CPT-22	30.02	0.60	29.42
SB915-CPT-22	45.11	4 73	40.38
SB915-CPT-22	54 79	7.37	47 42
SB915-CPT-27	15.09	0.61	14 48
SB915-CPT-27	30.02	2.42	27.6
SB915-CPT-27	41.5	NA ²	NA ²
SB915-CPT-28	16.57	0.00	16.57
SB915-CPT-28	27.89	0.00	27.89
SB915-CPT-33	15.09	0.00	15.09
SB915-CPT-33	30.02	0.72	29.3
SB015-CPT-33	45.11	NA ²	NA ²
SB915-CPT-33	54.63	0.30	54 33
SB915-CPT-40	15.09	0.00	15.09
SB015-CPT-40	30.02	NA ²	NA ²
SB915-CF1-40	30.02	NA ²	NA ²
	40.1		
SB915-CP1-45	15.09	NA 1.00	NA
SB915-CP1-45	30.02	1.06	28.96
SB915-CP1-45	45.11	5.00	40.11
SB915-CP1-45	65.29	3.00	01.09
SB915-CP1-49	15.09	1.21	13.66
SP015 CPT 49	30.02	4.00	20.02
SP015 CPT 40	45.11	9.00	57.02
SP015 CPT 50	73.90	18.20	57.92 60.05
3B915-CF1-30	18.23	18.20 NA ²	NIA ²
SB915-CP1-51	15.38	1.05	20.12
SB915-CP1-51	31.17	1.05	30.12
3B915-CF1-31	49.21	0.00	49.21
SB915-CP1-51	55.77	7.59	E8.04
SB915-CFT-51 SB015-CPT-53	73.92	17.00	56.92
SB915-CFT-55	01.86	32.76	50.02
SB915-CPT-50	25.43	2.63	22.8
SB015-CPT-50	40.35	6.00	34.35
SB015-CPT-50	55.94	6.67	/0.27
SB915-CPT-59	89.73	24.09	65.64
SB915-CPT-59A	93.5	27.58	65.92
SB915-CPT-64	15.09	0.60	14 49
SB915-CPT-64	30.18	10,00	20.18
SB915-CPT-64	45.11	12.00	33.11
SB915-CPT-64	73.65	21.52	52.13
SB915-CPT-71	15.09	0.00	15.09
SB915-CPT-71	30.02	10.00	20.02
SB915-CPT-71	45.11	NA ²	NA ²
SB915-CPT-71	67.42	21.82	45.6
SB915-CPT-74	80.54	22.42	58.12
SB915-CPT-78	15.09	1.43	13.66
SB915-CPT-78	30.02	3.00	27.02
SB915-CPT-78	45.11	8.00	37.11
SB915-CPT-78	75.79	21.25	54.54
SB915-CPT-80	63.16	13.75	49.41
SB915-CPT-81	55.12	0.00	55.12
SB915-CPT-82	15.09	NA ²	NA ²
SB915-CPT-82	30.02	1.52	28.5
SB915-CPT-82	45.6	0.00	45.6
SB915-CPT-82	62.01	8.40	53.61
SB915-CPT-86	64.3	8.03	56.27
SB915-CPT-87	74.31	17.27	57.04

Phase II Pre-Design Investigation
Estimated Water Table Elevations from Pore Water Pressure Dissipation Tests

Notes:
1. The water table depths were estimated from the water heads at equilibrium, which were interpreted from the pore water dissipation tests. It should be noted that in many cases a perched water zone, not the regional water table, is identified through this interpretation process.

2. NA indicates the water table depth is not available because the pore water pressure did not reach equilibrium within a reasonable timeframe (i.e., by the end of the test) or the water head at equilibrium was negative (i.e., the probe was above the water table).

consultants

					Page	29	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech Da	ate: 03	/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

Table 10. Summary of GWT Data Measured from Borings in WB-13 during 2004 Investigation

Poring ID	Poring Logation	Boring Depth	GWT Depth
Bornig ID	Dorning Location	(ft, bgs)	$(ft, bgs)^{[1]}$
SB915-SB-01	Toe of WB-13 dike	30	4.5
SB915-SB-02	Crest of WB-13 dike	50	18, 28, 36, 38
SB915-SB-03	Toe of WB-13 dike	30	23.3
SB915-SB-04	Crest of WB-13 dike	66	4, 54
SB915-SB-05	Toe of WB-13 dike	62	N/A
SB915-SB-06	Crest of WB-13 dike	68	38, 56
SB915-SB-07	Toe of WB-13 dike	30	6, 20
SB915-SB-08	Crest of WB-13 dike	68	28, 56.6
SB915-SB-09	Toe of WB-13 dike	30	18
SB915-SB-10	Crest of WB-13 dike	68	60
SB915-SB-21	In WB-13	52.4	N/A
SB915-SB-22	In WB-13	76	1
SB915-SB-23	Crest of WB-13 dike	50	N/A
SB915-SB-24	Crest of WB-13 dike	46	N/A
SB915-SB-25	Crest of WB-13 dike	50	N/A
SB915-PZ-01	In WB-13	60	10
SB915-PZ-02	In WB-13	86	10, 73.5

Note:

[1]. The GWT depth at the toe of WB-13 dike is measured with respect to the ground surface at the toe, which is approximately 40 ft lower than the ground surface at the crest of WB-13 and in WB-13. Therefore, for an example, the GWT depth measured at Boring SB915-SB-01 (i.e., 4.5 ft) would become 44.5 ft with respect to ground surface in WB-13.

consultants

					Page	30	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech D	ate: 0	3/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

		Water Content (%)				
Ν	Material		Average	Standard Deviatio		
				n		
	Zone 1	64 - 367	166	80		
SOLW	Zone 2	10 - 912	227	103		
SOLW	Zone 3	5 - 294	172	63		
	All 3 Zones	5 - 912	212	99		
Dike Soil		3 - 83	13	10		
Foundation Soil		4 - 66	16	12		

Note:

The water contents in this table include the water contents from the index property tests, the UU tests, and the CU tests.

					Page	31	. (of 129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04

Plastic Limit Plasticity Index Liquid Limit Standard Standard Standard Material Deviatio Deviatio Deviatio Range Average Range Average Range Average n n n Zone 1 68 - 167 109 27 80 - 241 145 41 12 - 74 36 16 62 - 245 139 36 89 - 227 168 35 27 - 127 55 Zone 2 20 SOLW Zone 3 89 - 199 130 38 91 - 234 150 53 22 - 138 69 41 All 3 Zones 62 - 245 131 36 80 - 241 160 40 12 - 138 53 26 Dike Soil 11 - 49 20 10 - 66 19 11 6 - 17 10 8 3 **Foundation Soil** 10 - 53 26 11 13 - 57 29 15 3 - 30 11 7

Table 12. Summary of Atterberg Limits

					Page	32	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech Date	: 03/	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Ta	ask No.:	04

Table 13. Summary of Total Unit Weight from Lab Tests

		Total U	Unit Weigh	nt (pcf)			
	Soil		Average	Standard Deviatio			
				n			
	Zone 1	69 - 108	84	10			
SOLW	Zone 2	55 - 139	82	13			
SOLW	Zone 3	68 - 101	82	8			
	All 3 Zones	55 - 139	82	12			
Foundation Soil		118 - 124	121	3			

					Page	33	of	129
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date:	03/0	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Tas	k No.:	04

Table 14. Summary of Modified Compression Index of SOLW ($C_{\scriptscriptstyle C\varepsilon}$)

SOI W	Modified Compression Index					
SOLW	Number of tests	umber of tests Range				
Zone 1	7	0.15~0.50	0.34			
Zone 2	25	0.21~0.71	0.46			
Zone 3	5	0.21~0.46	0.38			

					Page	34	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch Date	03/	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Ta	isk No.:	04

Table 15. Summary of Modified Recompression Index of SOLW (C_{re})

SOLW	Modified Recompression Index					
SOLW	Number of tests	Range	Average			
Zone 1	7	0.010~0.020	0.015			
Zone 2	25	0.004~0.025	0.014			
Zone 3	5	0.003~0.034	0.021			

consultants

					Page	35	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech I	Date: ()3/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.	: 04

Table 16. Summary of Undrained Shear Strength of SOLW from UU Tests

		Undraine	ed Shear Strei	ngth of SO	LW (psf)			
Depth	Zone 1		Zone 2		Zone 3			
	Range	Average	Range	Average	Range	Average		
0~20 ft	444~767	592	527~748	633	N/A	A		
20~40 ft	916~1431	1113	419~1353	780	N/A			
>40 ft	N/A	Α	719	719	320~1479	899		

Note:

Undrained shear strength values that are greater than 2000 psf are not included in this table.

					Page	36	0	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Table 17. Summary of Average Effective Stress Friction Angles

Μ	laterial	Effective Stress	Effective Stress
		Friction Angle (degree)	Cohesion (psf)
SOLW	Zone 1	34	0
	Zone 2	42	0
(Lab Tests)	Zone 3	46	0
Foundation Soil	Lab (one test)	18	1420
Foundation Soll	Correlation (SPT N)	37 (N=40)	0
Dike Soil	Correlation (SPT N)	37 (N=36)	0

consultants

					Page	37	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech Dat	te: <u>03</u> /	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Гask No.:	04

Table 18. Empirical Relationship Between ϕ' and SPT N value [Kulhawy and Mayne, 1990]

N Value	Relative	Approximate	Approximate $\bar{\phi}_{tc}$ (degrees)			
(blows/ft or 305 mm)	Density	(a)	(b)			
0 to 4	very loose	< 28	< 30			
4 to 10	loose	28 to 30	30 to 35			
10 to 30	medium	30 to 36	35 to 40			
30 to 50	dense	36 to 41	40 to 45			
> 50	very dense	> 41	> 45			

a - Source: Peck, Hanson, and Thornburn (<u>12</u>), p. 310. b - Source: Meyerhof (<u>13</u>), p. 17.

consultants

					Page	38	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech I	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.	: 04

Table 19. Hydraulic Conductivity of SOLW [Parsons and Geosyntec, 2008a]

		Boring Location	Sample Depth (ft)	Hydraulic Conductivity (cm/s)	Average Hydraulic Conductivity ^[1] (cm/s)
		PZ-01	10 - 12	1.54E-05	
	Lab Test	PZ-02	56 - 58	3.34E-06	
		SB-21	10 - 12	8.58E-06	
Zono 2		SB-22	20 - 22	1.83E-05	1 3E-06
ZONEZ		PZ-02 I	N/A	1.30E-06	4.50-00
	Field Test	PZ-02 D	N/A	1.30E-06	
	FIEIU TESI	PZ-13 P3-1	N/A	1.40E-06	
		PZ-13 C-1	N/A	6.30E-06	
Zone 3	Lab Test	PZ-01	44 - 46	2.24E-06	2.2E-06

Note:

[1]. Logarithmic average value was calculated.

<u>____</u>

consulta	nts
----------	-----

					Page	39		of 12	9
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech]	Date:	03/06/200	08
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.: 04	

Table 20. Typical Value of Hydraulic Conductivity [Kulhawy and Mayne, 1990]

Soil	Coefficient of Permeability, k (m/sec)	Relative Permeability
gravel	> 10 ⁻³	high
sandy gravel, clean sand, fine sand	10 ⁻³ to 10 ⁻⁵	medium
sand, dirty sand, silty sand	10^{-5} to 10^{-7}	low
silt, silty clay	10^{-7} to 10^{-9}	very low
clay	< 10 ⁻⁹	practically impermeable

COEFFICIENT OF PERMEABILITY

Source: Based on Terzaghi and Peck (1).

Note: The unit of hydraulic conductivity in this table is m/s.

consultants

					Page	40	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech I	Date: 03	/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

Table 21. Recommended Material Properties for SCA Design

			Index Property					Shear Strength		Compressibility							
Mate	erial	Water	Liquid	Plastic	Plasticity	Specific	Total Unit	Effective Stress	ive S Undrained Shear	Overconsolidation	Modified Compression R Index	Modified Recompression Index	Coefficient of	Coefficient of Consolidation (cm ² /s) ^[1]		SPT N Value	Hydraulic Conductivity (cm/s)
		Content (%)	Limit	Limit	Index	Gravity	Weight (pcf)	Friction Angle (degree)	Strength (psf)	Ratio			Secondary Compression	From Lab Tests	From Field Test		(0
	Zone 1	166	145	109	36				600 for $D \le 20$ ft 700 for D=20-30 ft Increases linearly to 1,200 at D=50 ft and 1,400 at D=80 ft	$0 \text{ for } D \leq 20 \text{ ft}$	0.34	0.015	0.13% for $\sigma_v'/P_c' \le 1.0$ 0.83% for $\sigma_v'/P_c' > 1.0$	0.047 for $\sigma_v' / P_c' \le 1.0$ 0.029 for $\sigma_v' / P_c' > 1.0$	N/A	17	1.0x10 ^{-5 [2]}
SOLW	Zone 2	227	168	139	55	2.51	82	34		4.5 for D=0~10 ft 2.0 for D=10~20 ft 1.0 for D>20 ft	0.46	0.014	0.11% for $\sigma_v / P_c \le 1.0$ 0.91% for $\sigma_v / P_c \ge 1.0$	0.046 for $\sigma_v'/P_c' \le 1.0$ 0.009 for $\sigma_v'/P_c' > 1.0$	0.14	1	4.3x10 ⁻⁶
	Zone 3	172	150	130	69						0.38	0.021	0.07% for $\sigma_v / P_c \le 1.0$ 0.70% for $\sigma_v / P_c > 1.0$	0.024 for $\sigma_v' / P_c' \le 1.0$ 0.008 for $\sigma_v' / P_c' > 1.0$		8	2.2×10^{-6}
Dike	Soil	13	19	20	10	2.71	120	37	N/A	N/A	N/A	N/A	N/A	N/A		36	N/A
Foundat	ion Soil	16	29	26	11	2.65	120	37	N/A	N/A	N/A	N/A	N/A	N/A		40	N/A

Notes:

[1]. Coefficient of consolidation obtained from the lab tests are recommended to be used for loading with relatively large footprint compared to the thickness of SOLW, where consolidation of SOLW can be considered as one-dimensional (for example, under dredged material placed across the wastebed); Coefficient of consolidation obtained from the field tests are recommended to be used for loading with relatively small footprint compared to the thickness of SOLW, where consolidation of SOLW can be considered to the thickness of SOLW, where consolidation of SOLW can be considered to the thickness of SOLW, where consolidation of SOLW can be considered to take place in both vertical and horizontal directions (for examples, under berms and pre-load areas).

[2]. No test results are available for the hydraulic conductivity of SOLW in Zone 1. This value was estimated based on typical range of hydraulic conductivity for silty sand.

consultants

					Page	41		of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06	5/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.:	04

Figures

					Page	42	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Beech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.: GI	3944 Task	No.:	04



Figure 1. 1972 Aerial Photo Showing Three Pits

					Page	43		of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06	5/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.:	04



Figure 2. Locations of CPTs and Borings in 2004 and Phase I Site Investigations [Parsons and Geosyntec, 2008a]

consultants



Figure 3. Locations of CPTs and Borings in Test Pad in Phase I Site Investigation [Parsons and Geosyntec, 2008a]

NOMETER/ SOMETER ID	PIEZOMETER ID ²	SETTLEMENT PLATE
5-INEX-A1	SB915-PZ-A1(15') SB915-PZ-A1(45') SB915-PZ-A1(NATIVE)	SP-1
5-INEX-A2	SB915-PZ-A2(15') SB915-PZ-A2(30') SB915-PZ-A2(45')	SP-2
	SB915-PZ-A3(15') SB915-PZ-A3(30') SB915-PZ-A3(NATIVE)	SP-3
	SB915-PZ-A4(15') SB915-PZ-A4(30') SB915-PZ-A4(55')	SP-4
	SB915-PZ-A5(15') SB915-PZ-A5(30') SB915-PZ-A5(55')	SP-5
	SB915-PZ-A6(15') SB915-PZ-A6(30') SB915-PZ-A6(45')	SP6
5-INEX-A7	SB915-PZ-A7(15')	SP-7
5-INEX-A8	SB915-PZ-A8(30')	SP-8
	SB915-PZ-A9(15')	SP-9
5-INEX-A10	SB915-PZ-A10(45')	SP-10
	SB915-PZ-A11(30')	SP-11
	SB915-PZ-A12(45')	SP-12
15-IN-A13 ¹		SP-13
		SP-14
		SP-15
		SP-16
		SP-17
		SP-18
		SP-19
		SP-20

AT THIS LOCATION. DIRATE THE SET BELOW INITIAL IETERS WERE SOLVAY WASTE. 20 10 0 20 40 SCALE: 1"-20" HONEYWELL - RESTRICTED PRINTS OF THIS DRAWING MAY NOT BE RELEASED WITHOUT PRIOR APPROVAL NOT FOR CONSTRUCTION OR BIDDINC IZE 111x17 PARSONS 20 LIKED WISHING SUFFERENT DOWNEDUS -00 RECEIVED WISHING SUFFERENT 20 LIKED WISHING SUFFERENT DOWNEDUS -00 RECEIVED WISHING SUFFERENT DOWNEDUS -00 RECEIVED WISHING DOWN DOWN FROM SUFFERENT DOWN DOWN DOWN FROM SUFFERENT DOWN DOWN DOWN FROM SUF

					Page	45	0	f 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04



Figure 4. Locations of CPTs and Borings in Phase II Investigation [Parsons, 2008c]

Geosyntec^D consultants

					Page	46)	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task I	No.:	04



Figure 5. Locations of CPTs and Borings in Phase III Site Investigation (in addition to the CPTs and borings from Phase I and II site investigations) [Parsons, 2009]

TTLEMENT 005)	PILOT STUDY				
TORIC CPT	U LOCATIONS				
TORIC BOR	ING LOCATIONS				
TORIC PIE	ZOMETER LOCATIONS	1			
STING WEIF	BOX LOCATIONS				
ASE III CP	TU LOCATIONS				
ASE III BOI	RING LOCATIONS				
PROXIMATE 172/ 1973	DELINEATION OF P)	ITS			
	200 100	0	200	400	
		SCALE:	1"=200"		
2					
- 12	HONEYW	ELL -	- REST	RICTI	ED
	PRINTS OF	THIS DR	AWING MA	Y NOT	BE
1	RELEASED	WITHOU	I PRIOR	APPROV	AL
	NOT TO		NCTO	OTION	
	NUT FO	K CO	NZIKU	CHOP	V
	0	R BI	DDING		
		www.content			
17 [PARSO	NB			
	290 ELMOCO DAVIS RC	ND, SUITE 312, UN	ENPOOL, N.Y. 13008, P	HONE: 315-451-0	000
636	PHASE III PRE-C	WAST	EBED 13 ATION SCA DATA S	UMMARY REPOR	स
X 08	WASTEE	BED 13 C	PTU AND	BORING	
		LOC	TIONS		
Dne	well	JAR Ditean	08/07 DATE	CHK. 0	WE
COLUMINA N	NU DOWNER	FDOGUM	FIGURE	1	A
					-



Figure 6. Locations of Cross Sections A-A' to D-D'

					Page	4	8	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	No.:	04



Figure 7. Schematic of Subsurface Profile at Cross Section A-A' [Not to scale; for purpose of showing subsurface stratigraphy only]

consultants

					Page	4	9	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No .:	GD3944	Task I	No.:	04



Figure 8. Schematic of Subsurface Profile at Cross Section B-B' [Not to scale; for purpose of showing subsurface stratigraphy only]

GA090382/Attach B - Data package_Final_071409.doc

					Page	_50) c	of 129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04



Figure 9. Schematic of Subsurface Profile at Cross Section C-C' [Not to scale; for purpose of showing subsurface stratigraphy only]

					Page	51	0	f 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04



Figure 10. Schematic of Subsurface Profile at Cross Section D-D' [Not to scale; for purpose of showing subsurface stratigraphy only]

Geosyntec Consultants

_						Page	52	of	129
	Written by:	Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bo	eech	Date: 03/	06/2008
	Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04
	400 -390 -385 -380 	Pit				Pit C Sar Pit C Sar Sar Sar Sar Sar Sar Sar Sar			SET 400 STD Q



		Geosyntec						
		consultants						
		Page	53	of 129				
Written by: Ming Zhu Date:	03/06/2008 Reviewed by:	R. Kulasingam/Jay Beech	Date:	03/06/2008				
Client: Honeywell Project:	Onondaga Lake SCA IDS	Project/ Proposal No.: GD	3944 Task	No.: 04				



Figure 12. CPT Profiles of SOLW in Areas adjacent to the Perimeter Dikes of WB-13 [Based on CPT data provided in Parsons and Geosyntec (2008a), Parsons (2008c), and Parsons (2009)]

	Geosyntec						
consultants							
		Page	54	of 129			
Written by: <u>Ming Zhu</u> Date:	03/06/2008 Reviewed by:	R. Kulasingam/Jay Beech	Date:	03/06/2008			
Client: Honeywell Project:	Onondaga Lake SCA IDS	Project/ Proposal No.: GD	3944 Task	No.: 04			

SOLW in Area adjacent to Perimeter Dike (Part II)



Figure 12. CPT Profiles of SOLW in Areas adjacent to the Perimeter Dikes of WB-13 (continued) [Based on CPT data provided in Parsons and Geosyntec (2008a), Parsons (2008c), Parsons (2009)]

Geosyntec consultants

					Pag		55	of	129
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Ja	Beech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal N	o.: GD39	44 Task	No.:	04

SOLW in Pit D Area



Figure 13. CPT Profiles of SOLW in Pit D Area of WB-13 [Based on CPT data provided in Parsons and Geosyntec (2008a), Parsons (2008c), and Parsons (2009)]

GA090382/Attach B - Data package_Final_071409.doc
consultants

						Page	56	5	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Ku	lasingam/Jay Beed	ch	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Projec	t/ Proposal No.:	GD3944	Task I	No.:	04



Figure 14. CPT Profiles of SOLW in Pit A and Pit C Areas of WB-13 [Based on CPT data provided in Parsons and Geosyntec (2008a), Parsons (2008c), and Parsons (2009)]



Figure 15. SPT N Value Profiles of SOLW at Selected Locations in WB-13

GA090382/Attach B - Data package_Final_071409.doc



Figure 16. SPT N Value Versus Depth of SOLW

[based on boring logs presented in Parsons and Geosyntec (2008a), Parsons (2008c), and Parsons (2009)] GA090382/Attach B - Data package_Final_071409.doc



Figure 17. SPT N Values from Borings in Inter-cell Dike between WB-13 and Wastebeds 12 and 14 [based on boring logs presented in Parsons (2008c) and Parsons (2009)]



Figure 18. SPT N Values for Dike Soil and Foundation Soil

[based on boring logs presented in Parsons and Geosyntec (2008a), Parsons (2008c), Parsons (2009)]

consultants



Figure 19. Locations of Piezometers Monitored Since November 2006

consultants





Figure 20. Average GWT Elevation vs. Piezometer Tip Elevation



Figure 21. Locations of Cross Sections Showing Measured Groundwater Table Elevations

consultants

					Page	64	of	129
Written by	y: Ming Zhu	Date:	03/06/2008 Re	eviewed by:	R. Kulasingam/Jay Bee	ch Date	e: <u>03/0</u>	6/2008
Client:	Honeywell	Project:	Onondaga Lake S	SCA IDS	Project/ Proposal No.:	GD3944 T	ask No.:	04



Figure 22. Measured Groundwater Table Elevations on Cross Section 1

Geosyntec^D consultants

					Page	65	of 129	
		Written by: Ming Zhu	Date: 03/06/200	8 Reviewed by:	R. Kulasingam/Jay Be	ech Date:	03/06/2008	}
		Client: Honeywell	Project: Onondaga	Lake SCA IDS	Project/ Proposal No.:	GD3944 Tas	k No.: 04	
500.00								
450.00			SB915-P213-04S SB915-P213-04I SB915-P213-04D SB915-P213-04D		SB915-PZ13-0 SB915-PZ13-0 SB915-PZ13-03	111 32- 32-		
SB915-PZ13-10-			404.9f1¥	¥ 413.0Ft 407.3ft	400.	<u>₽</u> 40	18.1ft 4.3ft	
GWT EL. 373.2ft 모			374.4ft-₩					
Service and the service servic								
۲ــــــــــــــــــــــــــــــــــــ	400.00	800.00	1200.00		1600.00	ـــــــــــــــــــــــــــــــــــــ	L	

Figure 23. Measured Groundwater Table Elevations on Cross Section 2





Figure 24. Water Content of SOLW [Data from the summary tables provided in Attachment 3]



Figure 25. Water Content of Dike Soil and Foundation Soil [Data from the summary tables provided in Attachment 3]



[Data from the summary tables provided in Attachment 3]



Figure 27. Plasticity Index of Dike Soil and Foundation Soil [Data from the summary tables provided in Attachment 3]



[Data from the summary tables provided in Attachment 3]

GA090382/Attach B - Data package_Final_071409.doc



[Data from the summary tables provided in Attachment 3]

GA090382/Attach B - Data package_Final_071409.doc













consultants



Figure 33. Modified Secondary Compression Index for SOLW in Zone 1 [based on 1-D consolidation test reports provided in Parsons and Geosyntec (2008a) and Parsons (2008c)]





Stress Ratio (σ'_v/p'_c)

Figure 34. Modified Secondary Compression Index for SOLW in Zone 2

[based on 1-D consolidation test reports provided in Parsons and Geosyntec (2008a) and Parsons (2008c)]

consultants



Figure 35. Modified Secondary Compression Index for SOLW in Zone 3 [based on 1-D consolidation test reports provided in Parsons and Geosyntec (2008a), Parsons (2008c;2009)] GA090382/Attach B - Data package_Final_071409.doc

Geosyntec[▷] consultants Page 78 of 129 Written by: Ming Zhu Date: 03/06/2008 Reviewed by: R. Kulasingam/Jay Beech Date: 03/06/2008 Honeywell Project: **Onondaga Lake SCA IDS** Project/ Proposal No.: GD3944 Task No.: 04 1.1 PZ13-02/0295-06/C-24 (Depth = 10-12 ft) 1 1 1 1 SOLW (Zone 1) -1→ SB13-01/0297-05/C-19 (Depth = 28-30 ft) B13-06/0298-12/C-9 (Depth = 8-10 ft) 1 1 ____ SB13-06/0298-14/C-7 (Depth = 30-32 ft) 1 1 1 1 1 1 1 1 1_1_

For Design



1 1 1 1

1 1

1 1 1 1

1 1

GA090382/Attach B - Data package_Final_071409.doc

Client:

0.3

0.25

0.2

consultants



[based on 1-D consolidation test reports provided in Parsons and Geosyntec (2008a) and Parsons (2008c)]

consultants



[based on 1-D consolidation test reports provided in Parsons and Geosyntec (2008a) and Parsons (2008c;2009)]



Figure 39. Coefficient of Consolidation from Phase I Pilot Study

consultants



Figure 40. Undrained Strength Ratio of SOLW [Data from the summary tables provided in Attachment 3]

GA090382/Attach B - Data package_Final_071409.doc

consultants

					Page	83		of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06	5/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.:	04

Undrained Shear Strength (Su) (psf) 0 1000 2000 3000 4000 5000 6000 0 SOLW -- Zone 1 (Phase II Lab Tests) ж SOLW -- Zone 2 (Phase II Lab Tests) SOLW -- Zone 2 (Phase I Lab Tests) Δ ж 10 SOLW -- Zone 2 (2004 Lab Tests) × *XIX SOLW -- Zone 3 (Phase II Lab Tests) 0 SOLW -- Zone 3 (2004 Lab Tests) Correlation: Su=0.3OCR^0.8Sv' 20 Ж For Design Δ ж ж 30 X Δ Depth (ft) 40 Su of SOLW (psf) + Depth Zone 1 Zone 2 Zone 3 50 Average Range Average Range Range Average 0 - 20 ft 444 - 767 592 527 - 748 633 N/A 20 - 40 ft 916 - 1431 1113 419 - 1353 780 N/A X 320 - 1479 >40 ft N/A 719 719 899 0 60 Note: (1). Outlying data points that are greater than 2000 psf were not considered in calculation of the average Su of SOLW. 70 (2). Discontinuity of Su from the empirical correlation is due to the changes of OCR at 10 ft and 20 ft, and the water table at 50 ft.

Figure 41. Undrained Shear Strength of SOLW [Data from the summary tables provided in Attachment 3]

GA090382/Attach B - Data package_Final_071409.doc

80



Figure 42. Comparison of Predicted Settlement with Settlement from Phase I Pilot Study



Figure 43. Prediction of Time Rate of Consolidation at Point 1



Figure 44. Prediction of Time Rate of Consolidation at Point 2



Figure 45. Prediction of Time Rate of Consolidation at Point 3



Figure 46. Prediction of Time Rate of Consolidation at Point 4

consultants

					Page	89)	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04

Attachment 1

Estimated Solvay Waste Thickness

(Provided to Geosyntec by Parsons; Phase III Thicknesses were added by Geosyntec)

Estimated Solvay Waste Thickness

	CPT #	Data	Northing	Easting	Ground	Waste Thickness (ft)	Bottom of Waste	Comments/	Waste Thickness
2006	CPT-8	10/2/06	1120851.4	908849 716	432.95	14.5	418.4	CO Location	nom Bornig Log (it)
(Phase II)	CPT-8A	10/2/06		0000101110	433.00	8.0	425.0	25' from CPTU-8	
. ,	CPT-9	10/2/06	1120843.73	908800.026	433.02	16.5	416.5		
	CPT-9A	10/2/06			432.61	16.0	416.6	75' from CPTU-8	
	CPT-10	10/2/06	1120836.01	908749.825	432.19	32.5	399.7	SB915-SB13-01	32.5
	CPT-11	10/2/06	1120995.21	908516.522	433.75	17.0	416.8		
	CPT-12 CPT-13	10/6/06	1121114.31	907736.088	433.30	17.0	410.3		
	CPT-13A	10/5/06	1121200.70	301130.000	432.61	27.0	405.6	25' from CPTU-13	
	CPT-13B	10/5/06			432.61	45.0	387.6	50' from CPTU-13	
	CPT-13C	10/5/06			432.61	45.5	387.1	75' from CPTU-13	
	CPT-14	10/5/06	1121385.37	907356.373	431.79	12.0	419.8		
	CPT-15	10/5/06	1121447.7	907017.49	431.36	9.0	422.4		
	CPT-15A	10/5/06			431.00	27.0	404.0	25' from CPTU-15	
	CPT-16	10/5/06	1121399.41	907029.364	430.65	37.0	393.7		
	CPT-16A	10/5/06	1101040.05	007040 72	430.50	39.0	391.5	75 from CP10-15	20.0
	CPT-18	10/5/06	1121349.33	907040.73	430.34	39.0	391.3 /10.0	3D910-PZ13-02	39.0
	CPT-19	10/5/06	1121256 09	906313 579	433.39	15.0	418.4		
	CPT-20	9/26/06	1121130.39	905880.227	433.41	20.5	412.9		1
	CPT-21	9/26/06	1121081.03	905900.258	431.62	54.0	377.6		
	CPT-22	9/26/06	1121036.16	905920.846	431.27	53.5	377.8	SB915-SB13-09	53.5
	CPT-23	9/25/06	1120874.72	905584.954	434.24	13.0	421.2		
	CPT-23A	9/25/06			434.24	40.0	394.2	50' from CPTU-23	
	CPT-23B	9/25/06	1100550.00		434.24	48.0	386.2	100' from CPTU-23	
	CP1-24	9/25/06	1120558.83	905250.089	433.67	19.0	414.7		
	CPT-24A	10/6/06			432.67	13.0	419.7	25 from CPTU-24	
	CPT-24B	10/6/06			432.67	33.0	399.7	63' from CPTU-24	
	CPT-24D	10/6/06			432.67	35.5	397.2	75' from CPTU-24	
	CPT-25	9/25/06	1120290.23	905035.498	434.30	25.0	409.3		
	CPT-26	9/25/06	1120292.68	905090.283	433.71	36.0	397.7		
	CPT-27	9/25/06	1120293.82	905139.818	432.94	44.5	388.4	SB915-PZ13-05	44.5
	CPT-28	9/22/06	1119947.63	905047.266	432.87	27.5	405.4		
	CP1-29	9/22/06	1119544.22	905059.137	434.61	2.0	432.6	2 south of CDT 20	
	CPT-29A	9/22/06			434.01	2.0	432.0	10' south of CPT-29	
	CPT-29C	9/27/06			434.61	14.5	420.1	25' from CPTU-29	
	CPT-29D	9/27/06			434.61	29.5	405.1	50' from CPTU-29	
	CPT-29E	9/27/06			434.61	38.5	396.1	75' from CPTU-29	
	CPT-30	9/21/06	1119124.74	905066.84	433.52	30.0	403.5		
	CPT-30A	10/6/06			433.52	31.5	402.0	25' from CPTU-30	
	CPT-30B	10/6/06			433.52	55.0	378.5	50' from CPTU-30	
		10/6/06	4440754 50	005007 4 40	433.52	52.0	381.5	75' from CPTU-30	
	CPT-31	9/20/06	1118707.02	905087.143	436.92	19.0	417.9		
1	CPT-32A	9/21/06	1110191.02	303113.30Z	436.31	12.0	419.3	7' W of CPT-32	
	CPT-33	9/21/06	1118840.37	905138.455	436.05	42.0	394.1	SB915-SB13-13	42.0
	CPT-33A	9/21/06			436.00	36.0	400.0	25' NE of CPT-33	
	CPT-33B	9/21/06			436.00	42.0	394.0	25' NE of CPT-33A	
	CPT-34	9/21/06	1118805.83	905368.018	439.11	14.0	425.1		
	CPT-35	9/21/06	1118919.19	905786.83	436.59	13.0	423.6	0017	
	CPT-35A	10/6/05			433.59	18.0	415.6	30' from CPTU-35	
	CPT-35B	10/0/00			432.59	30.5	402.1 300.6	75' from CPTL-25	
1	CPT-36	9/21/06	1119023.55	906162 176	437 19	42.0 14.0	423.2	75 1011 07 10-35	
	CPT-37	9/21/06	1119125.07	906553.305	438.25	14.0	424.2		
	CPT-38	9/27/06	1119236.6	906957.379	435.77	12.0	423.8		
	CPT-38A	9/27/06			435.65	20.0	415.7	25' from CPTU-38	
	CPT-39	9/27/06	1119283.59	906944.057	435.56	25.0	410.6		
	CPT-39A	9/27/06			435.38	35.0	400.4	75' from CPTU-38	
	CPT-40	9/27/06	1119335.75	906932.568	435.20	41.0	394.2	SB915-SB13-08	41.0
	CPT-41	9/28/06	1119335.2	907318.782	434.08	9.5 13.0	424.0 421.9		
	011-42	5,20,00	1110-00.40	501112.400	-010	10.0	721.0		1

Estimated Solvay Waste Thickness

					Oneveral	Waste	Bottom of	Common to l	Weste Thislands
	CPT #	Date	Northing	Fasting	Ground Elevation (ft)	(ft)	Waste Elevation (ft)	Co-Location	from Boring Log (ft)
2006	CPT-43	9/28/06	1119618.17	907961.282	434.42	12.0	422.4		
(Phase II)	CPT-43A	9/28/06			434.26	18.0	416.3	25' from CPTU-43	
	CPT-44	9/28/06	1119645.6	907917.811	434.09	38.0	396.1		
	CPT-44A	9/28/06	4440070.00		434.29	58.0	376.3	75' from CPTU-43	44.0
	CPT-45	9/28/06	1119678.88	907882.555	434.49	44.0	390.5	SB915-SB13-06	44.0
	CPT-46 CPT-47	9/28/06	1120267.77	908194.704	432.17	12.0	421.2		
	CPT-48	9/28/06	1120567.64	908662 239	432.72	6.0	426.2		
	CPT-49	9/28/06	1120625 77	908370 381	430 59	70.5	360.1		
	CPT-50	10/2/06	1120867.76	908300.046	432.17	55.5	376.7		
	CPT-51	10/5/06	1120909.51	907892.659	430.89	41.3	389.6	SB915-PZ13-01	41.3
	CPT-52	10/2/06	1120679.99	907910.529	429.65	70.0	359.6		
	CPT-53	10/2/06	1120381.68	908154.152	429.58	73.0	356.6		
	CPT-54	9/28/06	1120090.32	907920.185	431.70	55.0	376.7		
	CPT-55	9/28/06	1119874.72	907490.116	431.75	80.0	351.8		
	CPT-57	10/3/00	1120001.17	907400.239	436.51	66.5	370.0	SB915-SB13-05	72-80 ft - 11 5 ft fill
	CPT-58	10/3/06	1120293.52	907439.217	428.99	66.0	363.0	Adi to Test Plot	72.00 11 11.0 11 11
	CPT-58A	10/4/06			437.30	63.5	373.8	Test Plot	75 ft - 11.5 ft fill
	CPT-59	10/3/06	1120207.66	907534.237	437.68	70.0	367.7	SB915-SB13-04A	81.5 ft - 11.5 ft fill
	CPT-59A	10/4/06			437.70	76.5	361.2	Test Plot	88 ft - 11.5 ft fill
	CPT-60	10/2/06	1120586.49	907513.751	426.53	44.0	382.5		
	CPT-61	10/5/06	1121151.29	907319.048	430.17	74.0	356.2		
	CPT-62	10/5/06	1120000 28	906882 569	429.08	52.0	375.5	SB915-SB13-02	52-55 ft
	CPT-64	10/4/06	1120673.64	907080.047	423.76	68.0	355.8	00910-0010-02	52-55 h
	CPT-65	10/4/06	1120434.57	906938.278	424.91	68.0	356.9		
	CPT-66	10/4/06	1120491.85	906732.648	427.19	33.0	394.2	SB915-SB13-07	33.0
	CPT-67	10/4/06	1120628.43	906483.39	424.38	63.0	361.4		
	CPT-68	10/4/06	1121054.46	906451.966	430.53	65.0	365.5		
	CPT-69	9/26/06	1120670.68	906062.658	428.72	62.0	366.7		
	CP1-70	9/26/06	1120231.19	905962.982	420.19	54.5	365.7	SB015 D712 04	55.0
	CPT-72	9/26/06	1120208.34	906281.33	419.10	59.0	361.4	3D913-FZ13-04	55.0
	CPT-73	9/22/06	1120076.4	906357.001	424.33	51.0	373.3		
	CPT-74	9/22/06	1119895.48	906948.459	430.88	79.0	351.9		
	CPT-75	9/21/06	1119798.11	906596.558	429.17	64.0	365.2	SB915-PZ13-03	64.0
	CPT-76	9/27/06	1119614.59	906412.62	428.57	78.5	350.1		
	CP1-77	9/21/06	1119312.05	906436.059	431.27	41.5	389.8	CD015 CD12 11	0.22
	CP1-78 CPT-79	9/27/06	1119542.97	906039.716	429.15	<u>66.0</u>	303.2 377.3	2B312-2B13-11	66.0
	CPT-80	9/22/06	1119948.22	905923.474	423.68	62.0	361.7		
	CPT-81	9/25/06	1120499.95	905450.616	430.54	51.5	379.0		
	CPT-82	9/25/06	1120157.68	905513.689	428.10	55.0	373.1		
	CPT-83	9/22/06	1119890.76	905646.705	423.44	51.7	371.7	SB915-SB13-12	51.7
	CPT-84	9/22/06	1119648.2	905544.763	424.49	66.0	358.5		
	CPT-85	9/22/06	1119386.28	905263.403	431.30	41.0	390.3		
	CPT-87	9/27/06	1119140.47	905761 735	430.04	64.0	366.9		
2005	CPT-1	8/16/2005	1120418.34	907858.035	430.00	46.0	384.00		
(Phase I)	CPT-1A	8/17/2005	1120446.65	907899.34	430.00	45.0	385.00		
	CPT-2	8/16/2005	1120365.66	907767.915	431.00	72.0	359.00		
	CPT-3	8/16/2005	1120312.98	907677.794	431.00	67.0	364.00		
	CPT-4	8/16/2005	1120230.7	907578.273	429.84	76.0	353.84	SB915-INEX-A10	76.0
		9/16/200F	1100100 61	007546 600	420.20	74.0	256.20	SB915-INEX-A1/	74.0
	CPT-5	8/16/2005	1120166.01	907516.629	430.30	74.0	350.30	SD915-INEX-AZ	74.0
1	CPT-7	8/16/2005	1120469 67	907946 178	430.00	74.0	356.00		
	CPT-A3	8/18/2005	1120201.8	907463.409	429.86	73.0	356.86	SB915-PZ-A3(N)	73.0
1	CPT-A4	8/17/2005	1120250.57	907528.687	429.38	70.0	359.38		
	CPT-A5	8/18/2005	1120114.45	907510.563	430.83	71.0	359.83		
	CPT-A6	8/18/2005	1120151.36	907581.627	430.39	75.0	355.39		_
	CPT-A7	8/17/2005	1120203.62	907416.452	429.70	74.0	355.70	SB915-INEX-A7	74.0
		8/17/2005	1120250.86	907529 511	429.33	74.0	355.33	SB915-INEX-A8	/4.0
1	CPT-A11	8/17/2005	1120291.09	907495 747	430 58	67.0	363 58		
	CPT-A12	8/18/2005	1120169.96	907621.91	430.64	54.0	376.64		
	CPT-A20	8/17/2005	1120125.05	907567.29	430.72	50.0	380.72		
Estimated Solvay Waste Thickness

						Waste	Bottom of		
					Ground	Thickness	Waste	Comments/	Waste Thickness
	CPT #	Date	Northing	Easting	Elevation (ft)	(ft)	Elevation (ft)	Co-Location	from Boring Log (ft)
2004	PW-10A	6/14/2004	1120400.86	906324.335	424.00	61.5	362.50		
	PW-10B	6/9/2004	1119824.87	906174.33	426.00	69.5	356.50		
	PW-11C	6/14/2004	1119415.29	905592.804	428.67	53.0	375.67	SB915-PZ13-06	52-55 ft
	PW-11D	6/9/2004	1119259.28	906145.024	429.93	73.0	356.93		
	PW-11F	6/10/2004	1120840.5	906657.315	430.00	62.0	368.00		
	PW-12B	6/12/2004	1120895.31	907136.098	428.00	66.0	362.00		
	PW-12E	6/12/2004	1120534.04	907074.41	425.10	60.0	365.10	SB915-SB13-03	60.0
	PW-13A	6/11/2004	1120479.21	907956.934	430.00	75.0	355.00		
	PW-13D	6/11/2004	1120096.36	907340.153	431.00	85.0	346.00		
	PW-107	6/10/2004	1120818.71	906334.772	430.00	61.0	369.00		
	PW-113	6/12/2004	1120867.46	905904.229	432.00	57.0	375.00		
	PW-116	6/11/2004	1120524.16	905780.231	428.49	49.5	378.99	SB915-SB13-10	49.5
	PW-119	6/12/2004	1119903.38	905269.392	431.00	52.0	379.00		
	PW-122	6/10/2004	1120472.5	906611.667	425.00	48.0	377.00		
	PW-125	6/14/2004	1120091.55	906723.48	428.50	73.5	355.00		
	PW-128	6/10/2004	1119440 88	906652 206	434.00	64.0	370.00		
	PW-131	6/12/2004	1120086.97	907172.513	431.00	78.0	353.00		
	PW-134	6/10/2004	1119641.38	907056.2	434.00	44.0	390.00		
	PW-137	6/14/2004	1120913.5	907509 711	430.50	74.0	356 50		
	PW-140	6/10/2004	1119641 38	907457 522	434 50	48.0	386.50		
2007	CPT-88	10/3/2007	1120856.03	906499 036	430.00	65.0	365.00		
(Phase III)	CPT-89	10/3/2007	1120874 65	906545 438	430.00	66.0	364.00		
(i fideo iii)	CPT-90	10/2/2007	1120893.27	906591 841	430.00	40.0	390.00		
	CPT-91	10/2/2007	1120911 89	906638 243	430.00	30.0	400.00	SB915-SB13-18	31.3
	CPT-92	10/2/2007	1120930 52	906684 646	430.00	55.0	375.00	00010 0010 10	01.0
	CPT-93	10/2/2007	1120949 14	906731.048	430.00	55.0	375.00		
	CPT-94	10/2/2007	1120967 76	906777 451	430.00	55.0	375.00		
	CPT-95	10/3/2007	1120897.16	907554 271	431.00	74.0	357.00		
	CPT-96	10/3/2007	1120886.8	907603 185	431.00	70.0	361.00		
	CPT-97	10/3/2007	1120876 44	907652.099	431.00	40.0	391.00		
	CPT-98	10/3/2007	1120866.07	907701 013	431.00	32.0	399.00	SB915-SB13-19	32-35 ft
	CPT-99	10/3/2007	1120855 71	907749 927	431.00	50.0	381.00	00010 0010 10	02 00 11
	CPT-100	10/4/2007	1120845.34	907798 841	431.00	46.0	385.00		
	CPT-101	10/4/2007	1120834 98	907847 755	431.00	52.0	379.00		
	CPT-102	10/1/2007	1119864 81	906928 629	432.00	80.0	352.00		
	CPT-103	10/1/2007	1119897.4	906966 541	432.00	80.0	352.00		
	CPT-104	10/1/2007	1119930	907004 453	432.00	62.0	370.00		
	CPT-105	10/1/2007	1119962.6	907042 365	432.00	52.0	380.00	SB915-SB13-20	56.0
	CPT-106	10/2/2007	1119995.2	907080 277	432.00	57.0	375.00	00010 0010 20	00.0
	CPT-107	10/2/2007	1120027.8	907118 189	432.00	80.0	352.00		
	CPT-108	10/2/2007	1120056 42	907152 524	432.00	80.0	352.00		
	CPT-109	10/5/2007	1120246.34	907798 819	432.00	51.0	381.00	SB915-SB13-21	76.8
	CPT-110	10/5/2007	1120240.04	907845 222	432.00	51.0	381.00	30010 3010 21	, 0.0
	CPT-111	10/4/2007	1120283 58	907891 624	432.00	61.0	371.00	SB915-SB13-22	61.6
	CPT-112	10/4/2007	1120302 21	907938 027	432.00	76.0	356.00	30010 3010 22	01.0
	CPT-113	10/4/2007	1120320.83	907984 43	432.00	74.0	358.00		
	CPT-114	10/5/2007	1120397 77	907816 256	431.00	56.0	375.00	SB915-SB13-23	56.8
	CPT-115	10/5/2007	1120116 78	907894 46	433.00	54.0	379.00	02010 0210 20	00.0
	51 1 1 10			337 33 1. 40	100.00	01.0	010.00		

Notes:

1. CPTu Locations shown in red were added during the field program, and the coordinates were estimated based on other nearby locations. Only estimated survey data are available at these locations.

2. All 2004 CPTu (i.e., PW series) location ground elevations, except for PW-11C, PW-11D, PW-12E, and PW-116, were estimated from an existing contour map.

3. The 2005 CPTu location ground elevations for CPT-1 through CPT-7 and CPT-1A were estimated from an existing contour map.

The other 2005 CPTu location ground elevations were estimated based on nearby instrument installations that were surveyed by lanuzi & Romans (a licensed surveyor).

4. 2006 CPTu locations (CPT-8 to 87) were surveyed by lanuzi & Romans (licensed surveyor) except those with an A, B, C, D, or E

suffix (i.e., additional locations assigned during CPTu testing and shown in red on this spreadsheet [see Note 1]).

5. Ground elevations at 2007 CPTu locations were estimated from an existing coutour map.

Criteria for Estimating Solvay Waste Thickness:

1. For all cases where a CPTu test was co-located with a boring, the waste thickness from the boring was assumed.

2. If Criteria 1 did not apply, the bottom of waste was assumed to coincide with refusal when (i) the tip resistance was relatively small prior to refusal; or (ii) the profile had numerous spikes (therefore, by default, refusal was assumed to coincide with the bottom of the waste). It should be recognized that hard Solvay waste layers can also cause refusal.

3. If the above criteria did not apply and there was a significant increase in tip resistance that coincided with a sudden dissipation

in dynamic pore water pressure, the bottom of the Solvay waste was assumed to coincide with this depth.

4. The SBTs (Soil Behavior Types) were used as supporting information.



Q:\GIS\GIS_Lake\WB_13\WB_13_quarry.mxd

Geosyntec[▷]

consultants

					Page	90		of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04

Attachment 2

Piezometer Data Collected Between November 2006 and December 2007

(Provided to Geosyntec by Parsons)

			Depth to Piezometer			
	Serial	Date	Tip from Ground	Initial Ground Surface	Piezometer Tip	
Piezometer Location	Number	Installed	Surface (ft)	Elevation (ft)	Elevation (ft)	Туре
Wastebed Piezometers						
SB915-PZ13-01S	06-20309	11/10/2006	19.5	430.89	411.39	Typ VW
SB915-PZ13-01D	06-19784	11/10/2006	39.5	430.89	391.39	Typ VW
SB915-PZ13-01N	06-19773	11/9/2006	63.5	430.89	367.39	Typ VW
SB915-PZ13-02I	06-20310	11/8/2006	19.9	430.34	410.44	Typ VW
SB915-PZ13-02D	06-20305	11/8/2006	36.5	430.34	393.84	Typ VW
SB915-PZ13-02N	06-19778	11/7/2006	50	430.34	380.34	Typ VW
SB915-PZ13-03S	06-20308	11/14/2006	20.5	429.17	408.67	Typ VW
SB915-PZ13-03I	06-19786	11/13/2006	40.2	429.17	388.97	Typ VW
SB915-PZ13-03D	06-19775	11/13/2006	59.5	429.17	369.67	Typ VW
SB915-PZ13-04S	06-19781	11/20/2006	15.5	419.10	403.60	Typ VW
SB915-PZ13-04I	06-19774	11/20/2006	35.5	419.10	383.60	Typ VW
SB915-PZ13-04D	06-19776	11/17/2006	52.5	419.10	366.60	Typ VW
SB915-PZ13-04N	NA	11/16/2006	113	418.6	305.6	SP
SB915-PZ13-05S	06-20311	11/6/2006	14.8	432.94	418.14	Typ VW
SB915-PZ13-05I	06-19785	11/3/2006	35	432.94	397.94	Typ VW
SB915-PZ13-05N	06-19772	11/3/2006	56	432.94	376.94	Typ VW
SB915-PZ13-06S	06-20307	11/7/2006	19.5	428.67	410.5	Typ VW
SB915-PZ13-06I	06-20306	11/6/2006	34.5	428.67	395.5	Typ VW
SB915-PZ13-06D	06-19771	11/6/2006	49.5	428.67	380.5	Typ VW
SB915-PZ13-06N	06-19769	11/3/2006	64	428.67	366	Typ VW
Dike Piezometers						
SB915-PZ13-07	06-19782	11/14/2006	54	438.23	384.23	Typ VW
SB915-PZ13-08	NA	11/27/2006	40	431.35	391.35	SP
SB915-PZ13-09	06-19783	11/16/2006	36.5	432.48	395.98	Typ VW
SB915-PZ13-10	NA	11/29/2006	32	397.45	365.45	SP
SB915-PZ13-11	06-19787	11/17/2006	41	432.44	391.44	Typ VW
SB915-PZ13-12	NA	11/28/2006	25	431.51	406.51	SP
SB915-PZ13-13	06-19779	11/21/2006	30	434.26	404.26	Typ VW
SB915-PZ13-14	06-19780	11/27/2006	30	443.67	413.67	Typ VW
SB915-PZ13-15	06-19770	11/29/2006	30	446.56	416.56	Typ VW
SB915-PZ13-16	NA	11/22/2006	30	441.08	411.08	SP

<u>Notes:</u> Typ VW = Typical Vibrating Wire Piezometer (GeoKon model 4500S) SP = Standpipe NA = Not Applicable

ell -SYR/442636 Phase II PDI/11 Field and Laboratory Data/11.11 SCA Water Level Data/DEC Subm

al/DEC_WB 13 Phase II PDI Plezometers_First to Third Quarter.xls/Piez ID

OL Phase II PDI - First to Fourth Quarter Monitoring Data Wastebed 13 Piezometers

Wastebed Piezometers

	Piezometric Elevation (ft)										
Date	SB915-PZ13-01S	SB915-PZ13-01D	SB915-PZ13-01N	SB915-PZ13-02I	SB915-PZ13-02D	SB915-PZ13-02N	SB915-PZ13-03S	SB915-PZ13-03I	SB915-PZ13-03D		
11/30/06	412.4		374.0	413.0	394.7	NA	416.9	398.3	393.5		
12/07/06	414.9		374.5	415.3	394.9	381.6	419.0	400.0	397.8		
12/14/06	413.1		374.2	413.9	394.9	382.3	417.8	399.9	399.5		
12/21/06	412.5		374.2	413.2	394.5	383.7	416.8	400.3	399.4		
12/28/06	415.0		374.5	414.3	394.2	384.5	418.6	401.1	401.6		
01/11/07	416.9		374.9	417.3	395.2	386.5	420.5	406.3	405.7		
02/08/07	411.7		373.7	412.6	393.8	385.7	416.5	411.5	404.8		
03/07/07	NA	NA	NA	NA	NA	NA	418.7	410.3	403.8		
03/09/07	411.9		374.0	411.7	394.3	385.5	NA	NA	NA		
04/12/07	421.0	400.1	375.1	422.1	395.3	391.7	422.9	416.4	414.8		
05/10/07	419.2	400.1	374.7	419.9	395.1	392.2	421.4	415.4	414.4		
06/21/07			372.6	410.7		387.6	411.9	405.1	404.1		
07/12/07			372.0			387.1	410.6	401.7	397.7		
08/15/07			371.5			384.2		395.8	388.9		
09/21/07			371.5	410.7				392.6	385.6		
10/26/07			371.8	410.8			419.2	401.2	388.2		
11/28/07	411.5		372.5	410.9			420.4	407.1	398.3		
12/28/07	414.0		373.8	413.1			420.7	411.1	407.8		

Notes:

1. NA indicates no measurement was taken.

2. A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

OL Phase II PDI - First to Fourth Quarter Monitoring Data Wastebed 13 Piezometers

Wastebed Piezometers

	Piezometric Elevation (ft)										
Date	SB915-PZ13-04S	SB915-PZ13-04I	SB915-PZ13-04D	SB915-PZ13-04N	SB915-PZ13-05S	SB915-PZ13-05I	SB915-PZ13-05N	SB915-PZ13-06S	SB915-PZ13-06l	SB915-PZ13-06D	SB915-PZ13-06N
11/30/06	412.0	411.3	407.5	NA		400.1	NA	413.2	406.8	403.9	375.4
12/07/06	415.7	414.7	412.3	375.5		402.0	386.1	415.6	409.8	406.6	376.0
12/14/06	413.7	412.7	410.6	375.3		402.4	387.0	414.2	408.2	405.2	375.7
12/21/06	412.1	411.2	409.2	374.9		401.9	386.9	413.6	406.9	404.3	375.7
12/28/06	414.9	413.6	411.4	375.1		402.4	387.7	415.7	409.4	406.8	375.9
01/11/07	418.0	416.9	415.2	375.4		404.1	391.6	417.8	411.7	409.3	376.4
02/08/07	411.5	410.8	409.0	375.0		401.3	390.9	412.4	405.5	403.8	375.2
03/07/07	408.2	407.5	405.8	374.5	NA	NA	NA	412.7	404.7	403.8	374.9
03/09/07	NA	NA	NA	NA		399.0	378.6	NA	NA	NA	NA
04/12/07	NA	NA	NA	NA	422.0	405.8	390.1	421.5	415.4	413.9	377.1
05/10/07	418.7	417.8	415.0	375.8	420.2	405.0	390.2	419.8	413.8	412.2	376.6
06/21/07	404.6	404.2	402.3	374.0			380.7			393.2	373.9
07/12/07		400.4	398.5	373.4			378.2			390.1	373.1
08/15/07		396.6	394.5	372.9						385.9	372.5
09/21/07		393.9	391.9	372.7						384.2	372.5
10/26/07		392.4	390.6	372.9						387.7	372.8
11/28/07		400.9	396.8	373.3				412.5		385.0	373.4
12/28/07	413.1	412.4	408.5	374.9		399.5	378.6	413.9	407.1	405.6	375.3

Notes:

1. NA indicates no measurement was taken.

2. A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

OL Phase II PDI - First to Fourth Quarter Monitoring Data Wastebed 13 Piezometers

Dike Piezometers

	Piezometric Elevation (ft)									
Date	SB915-PZ13-07	SB915-PZ13-08	SB915-PZ13-09	SB915-PZ13-10	SB915-PZ13-11	SB915-PZ13-12	SB915-PZ13-13	SB915-PZ13-14	SB915-PZ13-15	SB915-PZ13-16
11/30/06	385.1	NA	396.3	NA		NA	408.9	426.0	NA	NA
12/7/06	384.9	391.5	396.4	374.5	391.5	406.8	409.6	427.8	427.8	425.0
12/14/06	385.0	391.5	396.3	374.3		407.1	409.4	427.5	427.0	425.2
12/21/06	385.3	391.5	396.7	374.0	391.8	406.9	409.2	426.4	426.0	425.2
12/28/06	385.2	391.5	396.8	374.1	391.8	416.6	409.6	427.8	426.4	425.2
1/11/07	385.4	391.5	396.8	374.4	391.8	412.2	410.5	429.9	429.0	425.6
2/8/07	385.0		396.2	373.5		410.6	408.3	425.9	424.9	424.8
3/7/07	385.3	NA	NA	373.0	NA	NA	407.3	421.6	422.4	424.3
3/9/07	NA		396.9	NA	391.9	409.4	NA	NA	NA	NA
4/12/07	385.5			375.1		408.7	410.6	430.8	430.4	427.5
5/10/07	385.6		396.2	374.6		408.1	410.1	429.8	428.8	426.7
6/21/07	385.2		396.1	372.5		407.5	406.7	419.8	421.6	424.7
7/12/07	385.0		396.1	371.9		407.2	406.0	417.8	420.4	424.2
8/15/07	384.9		396.1	371.4		406.8	405.5	416.5	419.0	423.1
9/21/07	385.0		396.2	371.1		406.8	405.5	415.9	418.0	420.6
10/26/07	384.9		396.2	371.4	391.5	406.7	405.4	415.7	417.2	417.1
11/28/07	384.9		396.3	371.8	391.6		405.5	417.9	417.8	420.5
12/28/07	385.1		396.1	373.5			408.7	429.1	426.1	424.0

Notes:

1. NA indicates no measurement was taken.

2. A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

3. On 12/28/06, it was observed that surface runoff had entered the standpipe of SB915-PZ13-12.

4. Since 1/15/07, the thermistor on SB915-PZ13-13 has not been functioning; therefore, a temperature reading of 11.3 degrees Celsius is assumed for all calculations after that date.

Individual Piezometer Data Sheets

SB915-PZ13-01S	Serial #	06-20309
Typical Vibrating Wire Piezometer		
Date Installed: 11/10/2006		
Bentonite Seal =	Approximately 0 to 18	ft
Sandpack =	Approximately 18 to 20	ft
Depth to Piezometer Tip from Ground Surfa	ace = 19.5	ft
Ro =	9171	
To =	12	degrees Celsius
Linear Gage Factor (psi) =	0.01613	psi/digit
Thermal Factor =	0.00987	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	430.89	ft
Piezometer Tip Elevation =	411.39	ft
Nata		

Note:

vell -SYR\442636 Phase II PDI\11 Field and Labo

atory Data\11.11 SCA Water Level Data\DEC Subr

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	9142.5	10	0.4	1.0	18.5	412.4
12/7/06 13:02	9076.2	10.2	1.5	3.5	16.0	414.9
12/14/06 11:05	9124.6	10.2	0.7	1.7	17.8	413.1
12/21/06 11:48	9140	10.1	0.5	1.1	18.4	412.5
12/28/06 11:40	9072.1	10.1	1.6	3.6	15.9	415.0
1/11/07 12:49	9022.6	10.1	2.4	5.5	14.0	416.9
2/8/07 11:34	9162.8	10.2	0.1	0.3	19.2	411.7
3/9/07 9:26	9156.5	10.3	0.2	0.5	19.0	411.9
4/12/07 10:15	8911	10.3	4.2	9.6	9.9	421.0
5/10/07 14:28	8959.2	10.4	3.4	7.8	11.7	419.2
6/21/07 11:31	9179.2	10.1	-0.2	-0.3	>=19.5 ft	
7/12/07 11:07	9179.4	10.1	-0.2	-0.4	>=19.5 ft	
8/15/07 11:30	9180.6	10.2	-0.2	-0.4	>=19.5 ft	
9/21/07 11:17	9173.3	10.2	-0.1	-0.1	>=19.5 ft	
10/26/07 11:45	9170.4	9.8	0.0	0.0	>=19.5 ft	
11/28/07 10:04	9167.6	9.8	0.0	0.1	19.4	411.5
12/28/07 11:46	9100.3	9.9	1.1	2.6	16.9	414.0

DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xis/PZ13-018

SB915-PZ13-01D	Serial #	06-19784
Typical Vibrating Wire Piezometer		
Date Installed: 11/10/2006		
Bentonite Seal =	0 to 38	5 ft
Sandpack =	38 to 40) ft
Depth to Piezometer Tip from Ground Surface =	39.5	i ft
Ro =	9073.7	,
To =	11.1	degrees Celsius
Linear Gage Factor (psi) =	0.01663	s psi/digit
Thermal Factor =	0.01629) psi/℃
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	430.89) ft
Piezometer Tip Elevation =	391.39) ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	(Ƴ) T	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	9135.0	10.1	-1.0	-2.4	>=39.5 ft	
12/7/06 13:02	9125.7	10.2	-0.9	-2.0	>=39.5 ft	
12/14/06 11:06	9099.3	10.2	-0.4	-1.0	>=39.5 ft	
12/21/06 11:48	9106.2	10.2	-0.6	-1.3	>=39.5 ft	
12/28/06 11:41	9123.2	10.2	-0.8	-1.9	>=39.5 ft	
1/11/07 12:50	9085.6	10.2	-0.2	-0.5	>=39.5 ft	
2/8/07 11:35	9088.6	10.2	-0.3	-0.6	>=39.5 ft	
3/9/07 9:29	9118.7	10.2	-0.8	-1.8	>=39.5 ft	
4/12/07 10:15	8845.1	10.2	3.8	8.7	30.8	400.1
5/10/07 14:29	8847.1	10.1	3.8	8.7	30.8	400.1
6/21/07 11:32	9086	10.1	-0.2	-0.5	>=39.5 ft	
7/12/07 11:10	9103.1	10.1	-0.5	-1.2	>=39.5 ft	
8/15/07 11:31	9123.2	10.1	-0.8	-1.9	>=39.5 ft	
9/21/07 11:18	9103.8	10.1	-0.5	-1.2	>=39.5 ft	
10/26/07 11:45	9128	10.1	-0.9	-2.1	>=39.5 ft	
11/28/07 10:04	9124.5	10.1	-0.9	-2.0	>=39.5 ft	
12/28/07 11:46	9090.4	10.1	-0.3	-0.7	>=39.5 ft	

vell -SYR/442636 Phase II PDI/11 Field and Labor

atory Data(11.11 SCA Water Level Data/DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.sts/PZ13-01D

SB915-PZ13-01N

SB915-PZ13-01N Typical Vibrating Wire Piezometer Date Installed: 11/9/2006	Serial # 06-19773	
Bentonite Seal =	0 to 62 ft	
Sandpack =	62 to 64 ft	
Depth to Piezometer Tip from Ground Surface =	63.5 ft	
Ro =	8871.2	
To =	11.3 degrees Celsius	3
Linear Gage Factor (psi) =	0.01697 psi/digit	
Thermal Factor =	0.02385 psi/°C	
Unit Weight of Water =	62.4 pcf	
Initial Ground Surface Elevation =	430.89 ft	
Piezometer Tip Elevation =	367.39 ft	

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8699.7	9.8	2.9	6.6	56.9	374.0
12/7/06 13:04	8687.7	9.9	3.1	7.1	56.4	374.5
12/14/06 11:07	8695.2	9.9	3.0	6.8	56.7	374.2
12/21/06 11:49	8694.4	9.9	3.0	6.8	56.7	374.2
12/28/06 11:43	8687.6	9.9	3.1	7.1	56.4	374.5
1/11/07 12:51	8678.1	9.9	3.2	7.5	56.0	374.9
2/8/07 11:36	8707.5	9.9	2.7	6.3	57.2	373.7
3/9/07 9:30	8701.6	9.9	2.8	6.6	56.9	374.0
4/12/07 10:16	8672.6	9.9	3.3	7.7	55.8	375.1
5/10/07 14:30	8682	9.9	3.2	7.3	56.2	374.7
6/21/07 11:32	8735.5	10	2.3	5.2	58.3	372.6
7/12/07 11:11	8751.9	10	2.0	4.6	58.9	372.0
8/15/07 11:32	8764.2	10.2	1.8	4.1	59.4	371.5
9/21/07 11:19	8764.3	10	1.8	4.1	59.4	371.5
10/26/07 11:45	8755.9	9.9	1.9	4.4	59.1	371.8
11/28/07 10:04	8740.1	9.9	2.2	5.1	58.4	372.5
12/28/07 11:46	8705.4	9.9	2.8	6.4	57.1	373.8

well -SYR1442636 Phase II PDI111 Field and Laboratory Data\11.11 SCA Water Level Data\DEC Submittel/DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xIs/PZ13-01N

SB915-PZ13-02I	Serial #	06-20310
Typical Vibrating Wire Piezometer		
Date Installed: 11/8/2006		
Bentonite Seal =	0 to 18.3	ft
Sandpack =	18.3 to 20.4	ft
Depth to Piezometer Tip from Ground Surface =	19.9	ft
Ro =	9200.1	
To =	11.7	degrees Celsius
Linear Gage Factor (psi) =	0.01773	psi/digit
Thermal Factor =	0.01637	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	430.34	ft
Piezometer Tip Elevation =	410.44	ft
Note:		

Note: A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

Data and Time	D	T (%C)	Pressure	ft- wator	Piezometric Level as Depth Below Original Ground Surface (ft)	Piezometric
Date and Time	R	1 (°C)	(psi)	II- water	Glound Sunace (II)	Elevation (it)
11/30/06 12:00	9136.4	11.3	1.1	2.6	17.3	413.0
12/7/06 13:14	9079.8	11.3	2.1	4.9	15.0	415.3
12/14/06 11:17	9115.7	11.4	1.5	3.4	16.5	413.9
12/21/06 11:59	9132.8	11.3	1.2	2.7	17.2	413.2
12/28/06 11:53	9105.4	11.4	1.7	3.9	16.0	414.3
1/11/07 13:04	9031.6	11.6	3.0	6.9	13.0	417.3
2/8/07 11:48	9146.6	11.4	0.9	2.2	17.7	412.6
3/9/07 9:46	9168.6	11.5	0.6	1.3	18.6	411.7
4/12/07 10:25	8914.4	11.4	5.1	11.7	8.2	422.1
5/10/07 14:40	8969.8	11.5	4.1	9.4	10.5	419.9
6/21/07 11:41	9192.9	11.3	0.1	0.3	19.6	410.7
7/12/07 11:22	9208.4	11.2	-0.2	-0.4	>=19.9 ft	
8/15/07 11:45	9212.2	11.3	-0.2	-0.5	>=19.9 ft	
9/21/07 11:29	9193.7	11.2	0.1	0.2	19.7	410.7
10/26/07 11:55	9191.2	11	0.1	0.3	19.6	410.8
11/28/07 10:16	9188.8	11.1	0.2	0.4	19.5	410.9
12/28/07 11:30	9135.4	11.1	1.1	2.6	17.3	413.1

EC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xls/PZ13-021

ell -SYR\442636 Phase II PDI\11 Field and Lat

tory Data\11.11 SCA Water Level

Data\DEC Su

SB915-PZ13-02D Typical Vibrating Wire Piezometer	Serial # 0	6-20305
Date Installed: 11/8/2006		
Bentonite Seal =	0 to 35.1 ft	t
Sandpack =	35.1 to 37.2 ft	t
Depth to Piezometer Tip from Ground Surface =	36.5 f	t
Ro =	9095.1	
To =	11.6 d	legrees Celsius
Linear Gage Factor (psi) =	0.01608 p	si/digit
Thermal Factor =	-0.00037 p	osi/°C
Unit Weight of Water =	62.4 p	ocf
Initial Ground Surface Elevation =	430.34 ft	t
Piezometer Tip Elevation =	393.84 ft	t
Note:		

Note: A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

	P	T (00)	Pressure	ft water	Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	I (°C)	(psi)	It- water	Ground Sunace (II)	Elevation (It)
11/30/06 12:00	9071.7	12.1	0.4	0.9	35.6	394.7
12/7/06 13:15	9066.1	12	0.5	1.1	35.4	394.9
12/14/06 11:19	9067.7	12	0.4	1.0	35.5	394.9
12/21/06 12:00	9078	12	0.3	0.6	35.9	394.5
12/28/06 11:55	9086	12	0.1	0.3	36.2	394.2
1/11/07 13:07	9059.1	12	0.6	1.3	35.2	395.2
2/8/07 11:48	9094.8	12	0.0	0.0	36.5	393.8
3/9/07 9:47	9083.2	12	0.2	0.4	36.1	394.3
4/12/07 10:25	9054.5	11.9	0.7	1.5	35.0	395.3
5/10/07 14:41	9061.8	11.9	0.5	1.2	35.3	395.1
6/21/07 11:42	9100.1	11.9	-0.1	-0.2	>=36.5 ft	
7/12/07 11:23	9113.2	11.9	-0.3	-0.7	>=36.5 ft	
8/15/07 11:46	9125.6	11.9	-0.5	-1.1	>=36.5 ft	
9/21/07 11:30	9149.8	11.8	-0.9	-2.0	>=36.5 ft	
10/26/07 11:55	9170.5	11.8	-1.2	-2.8	>=36.5 ft	
11/28/07 10:16	9174.7	11.8	-1.3	-3.0	>=36.5 ft	
12/28/07 11:30	9099.6	11.8	-0.1	-0.2	>=36.5 ft	

vell -SYR\442636 Phase II PDI\11 Field and Labor

atory Data\11.11 SCA Water Level Data\DEC Subm

al/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xls/PZ13-02D

SB915-PZ13-02N Typical Vibrating Wire Piezometer	Serial #	06-19778
Bentonite Seal =	0 to 48 1	ft
Sandpack =	48.1 to 50.5	ft
Depth to Piezometer Tip from Ground Surface =	50	ft
Ro =	8954.3	
To =	11.6	degrees Celsius
Linear Gage Factor (psi) =	0.01583	psi/digit
Thermal Factor =	0.00182	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	430.34	ft
Piezometer Tip Elevation =	380.34	ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
12/7/06 13:16	8921	11.9	0.5	1.2	48.8	381.6
12/14/06 11:21	8900	11.9	0.9	2.0	48.0	382.3
12/21/06 12:01	8863.5	11.9	1.4	3.3	46.7	383.7
12/28/06 11:56	8839.3	11.9	1.8	4.2	45.8	384.5
1/11/07 13:08	8786.6	11.9	2.7	6.1	43.9	386.5
2/8/07 11:49	8807.4	11.9	2.3	5.4	44.6	385.7
3/9/07 9:48	8811.7	11.8	2.3	5.2	44.8	385.5
4/12/07 10:26	8643.3	11.8	4.9	11.4	38.6	391.7
5/10/07 14:41	8630.8	11.7	5.1	11.8	38.2	392.2
6/21/07 11:43	8755	11.7	3.2	7.3	42.7	387.6
7/12/07 11:24	8769.5	11.7	2.9	6.8	43.2	387.1
8/15/07 11:46	8847.2	11.7	1.7	3.9	46.1	384.2
9/21/07 11:31	8977.5	11.7	-0.4	-0.8	>=50 ft	
10/26/07 11:55	8981.5	11.7	-0.4	-1.0	>=50 ft	
11/28/07 10:16	8982.7	11.7	-0.4	-1.0	>=50 ft	
12/28/07 11:30	8966.1	11.7	-0.2	-0.4	>=50 ft	

vell -SYR\442636 Phase II PDI\11 Field and Labor

atory Data\11.11 SCA Water Level Data\DEC Subm

ittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xls/PZ13-02N

SB915-PZ13-03S	Serial #	06-20308
Typical Vibrating Wire Piezometer		
Date Installed: 11/14/2006		
Bentonite Seal =	0 to 19) ft
Sandpack =	19 to 21	ft
Depth to Piezometer Tip from Ground Surface =	20.5	5 ft
Ro =	8743.4	ŀ
To =	11.5	degrees Celsius
Linear Gage Factor (psi) =	0.01744	l psi/digit
Thermal Factor =	0.01058	β psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	429.17	′ ft
Piezometer Tip Elevation =	408.67	′ ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8539.0	10.6	3.6	8.2	12.3	416.9
12/7/06 11:03	8487.4	10.7	4.5	10.3	10.2	419.0
12/14/06 9:38	8516.5	10.7	3.9	9.1	11.4	417.8
12/21/06 10:46	8541.4	10.7	3.5	8.1	12.4	416.8
12/28/06 10:19	8495.7	11.7	4.3	10.0	10.5	418.6
1/11/07 11:03	8449.3	10.7	5.1	11.8	8.7	420.5
2/8/07 10:27	8548.6	10.8	3.4	7.8	12.7	416.5
3/7/07 14:18	8493.8	10.8	4.3	10.0	10.5	418.7
4/12/07 9:32	8390.3	10.8	6.2	14.2	6.3	422.9
5/10/07 13:24	8427.6	10.8	5.5	12.7	7.8	421.4
6/21/07 10:29	8661.9	10.7	1.4	3.3	17.2	411.9
7/12/07 9:55	8695.2	10.7	0.8	1.9	18.6	410.6
8/15/07 10:25	8758.3	10.6	-0.3	-0.6	>=20.5 ft	
9/21/07 10:03	8748.2	10.5	-0.1	-0.2	>=20.5 ft	
10/26/07 10:20	8481.4	10.5	4.6	10.5	10.0	419.2
11/28/07 11:06	8450.6	10.9	5.1	11.8	8.7	420.4
12/28/07 9:55	8443.9	10.6	5.2	12.0	8.5	420.7

EC_WB 13 Phase II PDI Piezometers_First to Fourth QuarterxIsIPZ13-038

ell -SYR\442636 Phase II PDI\11 Field and L

tory Data\11.11 SCA Water Leve

DEC Su

SB915-PZ13-03I Typical Vibrating Wire Piezometer Date Installed: 11/13/2006	Serial #	06-19786
Bentonite Seal =	0 to 38.7	ft
Sandpack =	38.7 to 40.7	ft
Depth to Piezometer Tip from Ground Surface =	40.2	ft
Ro =	9032.6	
To =	8.8	degrees Celsius
Linear Gage Factor (psi) =	0.01811	psi/digit
Thermal Factor =	0.01963	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	429.17	ft
Piezometer Tip Elevation =	388.97	ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8812.0	11.2	4.0	9.3	30.9	398.3
12/7/06 11:02	8772.4	11.2	4.8	11.0	29.2	400.0
12/14/06 9:37	8772.9	11.2	4.8	11.0	29.2	399.9
12/21/06 10:44	8765	11.2	4.9	11.3	28.9	400.3
12/28/06 10:18	8745.2	11.2	5.3	12.1	28.1	401.1
1/11/07 11:02	8620.4	11.2	7.5	17.3	22.9	406.3
2/8/07 10:26	8497.2	11.2	9.7	22.5	17.7	411.5
3/7/07 14:17	8524.1	11.2	9.3	21.4	18.8	410.3
4/12/07 9:31	8378.3	11.1	11.9	27.4	12.8	416.4
5/10/07 13:23	8402.9	11.1	11.4	26.4	13.8	415.4
6/21/07 10:28	8649.9	11.1	7.0	16.1	24.1	405.1
7/12/07 9:54	8731.6	11.1	5.5	12.7	27.5	401.7
8/15/07 10:25	8871.5	11.1	3.0	6.8	33.4	395.8
9/21/07 10:03	8947.7	11	1.6	3.6	36.6	392.6
10/26/07 10:20	8742.8	11	5.3	12.2	28.0	401.2
11/28/07 11:06	8601.9	11	7.8	18.1	22.1	407.1
12/28/07 9:55	8505.7	11	9.6	22.1	18.1	411.1

well -SYR(442636 Phase II PDI11 Field and Laboratory Data(11.11 SCA Water Level Data)DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-031

SB915-PZ13-03D Serial # 06-19775 Typical Vibrating Wire Piezometer Date Installed: 11/13/2006 Bentonite Seal = 0 to 57.7 ft Sandpack = 57.7 to 60.8 ft Depth to Piezometer Tip from Ground Surface = 59.5 ft 9132 Ro = To = 8.1 degrees Celsius 0.01639 psi/digit Linear Gage Factor (psi) = Thermal Factor = 0.02458 psi/°C Unit Weight of Water = . 62.4 pcf 429.17 ft Initial Ground Surface Elevation = Piezometer Tip Elevation = 369.67 ft

			Prossure		Piezometric Level as	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8506.3	11.1	10.3	23.8	35.7	393.5
12/7/06 11:02	8392.4	11.2	12.2	28.1	31.4	397.8
12/14/06 9:36	8347.2	11.3	12.9	29.9	29.6	399.5
12/21/06 10:41	8350	11.3	12.9	29.8	29.7	399.4
12/28/06 10:17	8292.1	11.4	13.8	32.0	27.5	401.6
1/11/07 11:01	8183.2	11.3	15.6	36.1	23.4	405.7
2/8/07 10:23	8209.3	11.4	15.2	35.1	24.4	404.8
3/7/07 14:15	8234.3	11.3	14.8	34.1	25.4	403.8
4/12/07 9:30	7944.7	11.2	19.5	45.1	14.4	414.8
5/10/07 13:22	7955.2	11.2	19.4	44.7	14.8	414.4
6/21/07 10:27	8227.2	11.2	14.9	34.4	25.1	404.1
7/12/07 9:53	8394.6	11.1	12.2	28.1	31.4	397.7
8/15/07 10:24	8627	11.1	8.4	19.3	40.2	388.9
9/21/07 10:01	8716.4	11.2	6.9	15.9	43.6	385.6
10/26/07 10:20	8645.4	11	8.0	18.6	40.9	388.2
11/28/07 11:06	8380	11.1	12.4	28.6	30.9	398.3
12/28/07 9:55	8128.1	11.1	16.5	38.1	21.4	407.8

ell-SYRI442636 Phase II PDI111 Field and Laboratory Data111.11 SCA Water Level DataIDEC SubmittaIDEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.sISPZ13-03D

SB915-PZ13-04S Typical Vibrating Wire Piezometer Date Installed: 11/20/2006	Serial #	06-19781
Bentonite Seal =	0 to 14	1 ft
Sandpack =	14 to 16	6 ft
Depth to Piezometer Tip from Ground Surface =	15.5	5 ft
Ro =	9093.8	3
To =	8.8	3 degrees Celsius
Linear Gage Factor (psi) =	0.01692	2 psi/digit
Thermal Factor =	0.00745	5 psi/°C
Unit Weight of Water =	62.4	l pcf
Initial Ground Surface Elevation =	419.10) ft
Piezometer Tip Elevation =	403.60) ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8878.4	10.8	3.7	8.4	7.1	412.0
12/7/06 10:52	8783.8	10.9	5.3	12.1	3.4	415.7
12/14/06 9:51	8836.2	10.9	4.4	10.1	5.4	413.7
12/21/06 10:25	8877.9	11	3.7	8.5	7.0	412.1
12/28/06 10:08	8805.1	11	4.9	11.3	4.2	414.9
1/11/07 11:18	8724.8	11	6.3	14.4	1.1	418.0
2/8/07 10:39	8893.3	11.1	3.4	7.9	7.6	411.5
3/7/07 14:25	8978.1	11	2.0	4.6	10.9	408.2
5/15/07 9:48	8707.9	10.7	6.5	15.1	0.4	418.7
6/21/07 10:35	9070.3	10.6	0.4	0.9	14.6	404.6
7/12/07 10:05	9116.3	10.7	-0.4	-0.8	>=15.5 ft	
8/15/07 10:32	9118	10.7	-0.4	-0.9	>=15.5 ft	
9/21/07 10:11	9110.3	10.7	-0.3	-0.6	>=15.5 ft	
10/26/07 10:31	9107.5	10.8	-0.2	-0.5	>=15.5 ft	
11/28/07 11:16	9106	10.9	-0.2	-0.4	>=15.5 ft	
12/28/07 10:10	8851.6	11.1	4.1	9.5	6.0	413.1

EC_WB 13 Phase II PDI Piezometers_First to Fourth QuarterxIsIPZ13-048

ell -SYR\442636 Phase II PDI\11 Field and Lab

tory Data\11.11 SCA Water Level Data\DEC Sub

SB915-PZ13-04I Typical Vibrating Wire Piezometer Date Installed: 11/20/2006	Serial #	06-19774
Bentonite Seal =	0 to 34	ft
Sandpack =	34 to 36	5 ft
Depth to Piezometer Tip from Ground Surface =	35.5	ft
Ro =	8917.1	
To =	4.6	degrees Celsius
Linear Gage Factor (psi) =	0.01516	6 psi/digit
Thermal Factor =	0.01457	′ psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	419.10) ft
Piezometer Tip Elevation =	383.60) ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8131.7	11.4	12.0	27.7	7.8	411.3
12/7/06 10:50	8035	11.5	13.5	31.1	4.4	414.7
12/14/06 9:49	8090.6	11.5	12.6	29.1	6.4	412.7
12/21/06 10:29	8134.6	11.5	12.0	27.6	7.9	411.2
12/28/06 10:09	8065.3	11.5	13.0	30.0	5.5	413.6
1/11/07 11:16	7972.3	11.5	14.4	33.3	2.2	416.9
2/8/07 10:41	8146.5	11.5	11.8	27.2	8.3	410.8
3/7/07 14:27	8241.7	11.5	10.3	23.9	11.6	407.5
5/15/07 9:49	7946.2	11.4	14.8	34.2	1.3	417.8
6/21/07 10:37	8335	11.4	8.9	20.6	14.9	404.2
7/12/07 10:06	8442.6	11.4	7.3	16.8	18.7	400.4
8/15/07 10:33	8551	11.4	5.6	13.0	22.5	396.6
9/21/07 10:13	8630.4	11.4	4.4	10.3	25.2	393.9
10/26/07 10:31	8671.3	11.4	3.8	8.8	26.7	392.4
11/28/07 11:16	8430.1	11.3	7.5	17.3	18.2	400.9
12/28/07 10:10	8099.5	11.4	12.5	28.8	6.7	412.4

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submitta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-041

SB915-PZ13-04D Serial # 06-19776 Typical Vibrating Wire Piezometer Date Installed: 11/17/2006 Bentonite Seal = 0 to 51 ft Sandpack = 51 to 53 ft Depth to Piezometer Tip from Ground Surface = 52.5 ft Ro = 8524.5 To = 11.2 degrees Celsius 0.01691 psi/digit Linear Gage Factor (psi) = Thermal Factor = 0.02002 psi/℃ Unit Weight of Water = 62.4 pcf 419.10 ft Initial Ground Surface Elevation = Piezometer Tip Elevation = 366.60 ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	(Ƴ) T	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	7476.9	11.3	17.7	40.9	11.6	407.5
12/7/06 10:49	7352.9	11.3	19.8	45.7	6.8	412.3
12/14/06 9:47	7396	11.3	19.1	44.0	8.5	410.6
12/21/06 10:31	7434	11.3	18.4	42.6	9.9	409.2
12/28/06 10:10	7376.1	11.3	19.4	44.8	7.7	411.4
1/11/07 11:14	7279.4	11.4	21.1	48.6	3.9	415.2
2/8/07 10:42	7438.4	11.3	18.4	42.4	10.1	409.0
3/7/07 14:29	7521.4	11.3	17.0	39.1	13.4	405.8
5/15/07 9:50	7284.2	11.2	21.0	48.4	4.1	415.0
6/21/07 10:39	7609.7	11.1	15.5	35.7	16.8	402.3
7/12/07 10:07	7707.8	11.1	13.8	31.9	20.6	398.5
8/15/07 10:35	7809.1	11.1	12.1	27.9	24.6	394.5
9/21/07 10:16	7875.3	11.1	11.0	25.3	27.2	391.9
10/26/07 10:31	7909.8	11	10.4	24.0	28.5	390.6
11/28/07 11:16	7749.9	11	13.1	30.2	22.3	396.8
12/28/07 10:10	7451	11	18.1	41.9	10.6	408.5

ell -SYR/442636 Phase II PDI/11 Field and Laboratory Data1/1.11 SCA Water Level Data/DEC Submitta/DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xis/PZ13-04D

SB915-PZ13-04N

Standpipe Piezometer		
Date Installed:	11/16/2006	
Cement-Bentonite Grout =		0 to 97 ft
Bentonite Seal =		97 to 100.5 ft
Sandpack Set Depth =		100.5 to 113 ft
Screened Interval =		10 ft
Piezometer Set Depth =		113 ft
Casing Stickup =		2.3 ft
Top of Casing Elevation =		420.9 ft
Ground Surface Elevation =		418.6 ft
Standpipe Tip Elevation =		305.6 ft

	Depth from Top of	Depth Below Ground	Piezometric
Date and Time	Casing (ft)	Surface (ft)	Elevation (ft)
12/7/06 10:40	45.44	43.1	375.5
12/14/06 9:45	45.62	43.3	375.3
12/21/06 10:32	45.99	43.7	374.9
12/28/06 10:06	45.82	43.5	375.1
1/11/07 11:14	45.49	43.2	375.4
2/8/07 10:38	45.96	43.7	375.0
3/7/07 14:31	46.44	44.1	374.5
5/15/07 9:52	45.1	42.8	375.8
6/21/07 10:43	46.9	44.6	374.0
7/12/07 10:10	47.54	45.2	373.4
8/15/07 10:37	48	45.7	372.9
9/21/07 10:18	48.26	46.0	372.7
10/26/07 10:32	48.01	45.7	372.9
11/28/07 11:16	47.67	45.4	373.3
12/28/07 10:10	46.04	43.7	374.9

well -SYR1442636 Phase II PDI111 Field and Laboratory Data\11.11 SCA Water Level Data\DEC Submittel/DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xIs/PZ13-04N

SB915-PZ13-05S	Serial #	06-20311
Typical Vibrating Wire Piezometer		
Date Installed: 11/6/2006		
Bentonite Seal =	0 to 13.3	ft
Sandpack =	13.3 to 15.3	ft
Depth to Piezometer Tip from Ground Surface =	14.8	ft
Ro =	8963.9	
To =	10	degrees Celsius
Linear Gage Factor (psi) =	0.01706	psi/digit
Thermal Factor =	0.00856	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	432.94	ft
Piezometer Tip Elevation =	418.14	ft
Note:		

Note: A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

Date and Time	R	T (°C)	Pressure (psi)	ft- water	Piezometric Level as Depth Below Original Ground Surface (ft)	Piezometric Elevation (ft)
11/30/06 12:00	9003.6	12.1	-0.7	-1.5	>=14.8 ft	
12/7/06 14:05	8990.7	12.1	-0.4	-1.0	>=14.8 ft	
12/14/06 11:56	8999.9	12.2	-0.6	-1.4	>=14.8 ft	
12/21/06 12:42	8993.4	12.2	-0.5	-1.1	>=14.8 ft	
12/28/06 12:28	8985.8	12.2	-0.4	-0.8	>=14.8 ft	
1/11/07 13:44	8975.3	12.3	-0.2	-0.4	>=14.8 ft	
2/8/07 12:05	8980.3	12.2	-0.3	-0.6	>=14.8 ft	
3/9/07 10:06	8986.2	12.1	-0.4	-0.8	>=14.8 ft	
4/12/07 10:47	8866	11.8	1.7	3.9	10.9	422.0
5/10/07 15:07	8912.2	11.5	0.9	2.1	12.7	420.2
6/21/07 12:33	8995.9	11.1	-0.5	-1.2	>=14.8 ft	
7/12/07 12:29	9005.4	11	-0.7	-1.6	>=14.8 ft	
8/15/07 12:39	9009.1	11	-0.8	-1.8	>=14.8 ft	
9/21/07 12:03	9004	11.3	-0.7	-1.6	>=14.8 ft	
10/26/07 12:23	9001.6	11.6	-0.6	-1.5	>=14.8 ft	
11/28/07 10:46	8989.3	11.9	-0.4	-1.0	>=14.8 ft	
12/28/07 10:55	8992.3	12.1	-0.5	-1.1	>=14.8 ft	

vell -SYR\442636 Phase II PDI\11 Field and Labor

atory Data\11.11 SCA Water Level Data\DEC Subm

ta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-058

SB915-PZ13-05I Typical Vibrating Wire Piezometer Date Installed: 11/3/2006	Serial #	06-19785
Bentonite Seal =	0 to 33.4	ft
Sandpack =	33.4 to 35.5	ft
Depth to Piezometer Tip from Ground Surface =	35	ft
Ro =	9051.9	
To =	10.6	degrees Celsius
Linear Gage Factor (psi) =	0.01771	psi/digit
Thermal Factor =	0.00599	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	432.94	ft
Piezometer Tip Elevation =	397.94	ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8999.0	11.5	0.9	2.2	32.8	400.1
12/7/06 14:04	8953.8	11.6	1.7	4.0	31.0	402.0
12/14/06 11:54	8943.3	11.6	1.9	4.5	30.5	402.4
12/21/06 12:43	8954.2	11.6	1.7	4.0	31.0	401.9
12/28/06 12:26	8942.7	11.6	1.9	4.5	30.5	402.4
1/11/07 13:42	8902.4	11.6	2.7	6.1	28.9	404.1
2/8/07 12:04	8970.4	11.6	1.4	3.3	31.7	401.3
3/9/07 10:05	9026	11.4	0.5	1.1	33.9	399.0
4/12/07 10:47	8859.9	11.5	3.4	7.9	27.1	405.8
5/10/07 15:06	8879.4	11.5	3.1	7.1	27.9	405.0
6/21/07 12:32	9054.3	11.5	0.0	-0.1	>=35 ft	
7/12/07 12:28	9066.6	11.4	-0.3	-0.6	>=35 ft	
8/15/07 12:37	9076.2	11.7	-0.4	-1.0	>=35 ft	
9/21/07 12:02	9078	11.4	-0.5	-1.1	>=35 ft	
10/26/07 12:23	9083.2	11.4	-0.5	-1.3	>=35 ft	
11/28/07 10:46	9085.9	11.4	-0.6	-1.4	>=35 ft	
12/28/07 10:55	9013.2	11.4	0.7	1.6	33.4	399.5

EC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xls/PZ13-051

ell -SYR\442636 Phase II PDI\11 Field and Lab

atory Data\11.11 SCA Water Level Data\DEC Sub

SB915-PZ13-05N Typical Vibrating Wire Piezometer Date Installed: 11/3/2006	Serial #	06-19772
Bentonite Seal =	0 to 54	ft
Sandpack =	54 to 56.5	ft
Depth to Piezometer Tip from Ground Surface =	56	ft
Ro =	9073.3	5
To =	6	degrees Celsius
Linear Gage Factor (psi) =	0.01666	i psi/digit
Thermal Factor =	0.01085	o psi/°C
Unit Weight of Water =	62.4	· pcf
Initial Ground Surface Elevation =	432.94	ft
Piezometer Tip Elevation =	376.94	ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

					Piezometric Level as	
			Pressure		Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
12/7/06 14:03	8837.8	11.3	4.0	9.2	46.8	386.1
12/14/06 11:53	8814.6	11.3	4.4	10.1	45.9	387.0
12/21/06 12:44	8818.3	11.3	4.3	9.9	46.1	386.9
12/28/06 12:24	8797.6	11.3	4.7	10.7	45.3	387.7
1/11/07 13:42	8696	11.5	6.3	14.6	41.4	391.6
2/8/07 12:03	8713.2	11.3	6.1	14.0	42.0	390.9
3/9/07 10:04	9034.3	11.3	0.7	1.6	54.4	378.6
4/12/07 10:46	8735.7	11.3	5.7	13.1	42.9	390.1
5/10/07 15:05	8733	11.3	5.7	13.2	42.8	390.2
6/21/07 12:32	8978.9	11.3	1.6	3.8	52.2	380.7
7/12/07 12:27	9044.4	11.3	0.5	1.2	54.8	378.2
8/15/07 12:36	9118.5	11.3	-0.7	-1.6	>=56 ft	
9/21/07 12:02	9117	11.3	-0.7	-1.5	>=56 ft	
10/26/07 12:23	9121.3	11.1	-0.7	-1.7	>=56 ft	
11/28/07 10:46	9126.1	11.1	-0.8	-1.9	>=56 ft	
12/28/07 10:55	9034.2	11.1	0.7	1.6	54.4	378.6

EC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.stsiPZ13-05N

ell -SYR\442636 Phase II PDI\11 Field and La

tory Data\11.11 SCA Water Level

DEC Su

SB915-PZ13-06S Typical Vibrating Wire Piezometer	Serial #	06-20307
Date Installed: 11/7/2006		
Bentonite Seal =	0 to 18	3 ft
Sandpack =	18 to 20	D ft
Depth to Piezometer Tip from Ground Surface =	19.5	5 ft
Ro =	8766.2	2
To =	10.9	9 degrees Celsius
Linear Gage Factor (psi) =	0.01726	5 psi/digit
Thermal Factor =	0.01234	4 psi/°C
Unit Weight of Water =	62.4	4 pcf
Initial Ground Surface Elevation =	428.67	7 ft
Piezometer Tip Elevation =	409.17	7 ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8664.5	10.1	1.7	4.0	15.5	413.2
12/7/06 11:37	8603.3	10.2	2.8	6.5	13.0	415.6
12/14/06 10:12	8640	10.3	2.2	5.0	14.5	414.2
12/21/06 11:04	8655.6	10.2	1.9	4.4	15.1	413.6
12/28/06 10:36	8603	10.4	2.8	6.5	13.0	415.7
1/11/07 11:39	8549.8	10.4	3.7	8.6	10.9	417.8
2/8/07 12:22	8683.7	10.5	1.4	3.3	16.2	412.4
3/7/07 14:50	8677.2	10.5	1.5	3.5	16.0	412.7
4/12/07 9:45	8455.6	10.5	5.4	12.4	7.1	421.5
5/10/07 13:52	8499.2	10.3	4.6	10.6	8.9	419.8
6/21/07 10:49	8781.1	10.3	-0.3	-0.6	>=19.5 ft	
7/12/07 10:21	8800.2	10.1	-0.6	-1.4	>=19.5 ft	
8/15/07 10:50	8779.9	10.1	-0.2	-0.6	>=19.5 ft	
9/21/07 10:34	8772.5	10	-0.1	-0.3	>=19.5 ft	
10/26/07 10:48	8770.2	9.9	-0.1	-0.2	>=19.5 ft	
11/28/07 11:31	8681.4	10.1	1.5	3.4	16.1	412.5
12/28/07 10:30	8646	10	2.1	4.8	14.7	413.9

vell -SYR\442636 Phase II PDI\11 Field and Labor

atory Data\11.11 SCA Water Level Data\DEC Subm

ta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-065

SB915-PZ13-06I Typical Vibrating Wire Piezometer	Serial #	06-20306
Bentonite Seal =	0 to 33	R ft
Sandpack =	33 to 35	5 ft
Depth to Piezometer Tip from Ground Surface =	34.5	5 ft
Ro =	9063.7	7
To =	12.2	2 degrees Celsius
Linear Gage Factor (psi) =	0.01922	2 psi/digit
Thermal Factor =	0.0156	6 psi/°C
Unit Weight of Water =	62.4	1 pcf
Initial Ground Surface Elevation =	428.67	7 ft
Piezometer Tip Elevation =	394.17	7 ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8776.3	10	5.5	12.7	21.8	406.8
12/7/06 11:39	8710.5	10.1	6.8	15.6	18.9	409.8
12/14/06 10:13	8746.6	10	6.1	14.0	20.5	408.2
12/21/06 11:06	8775	10	5.5	12.7	21.8	406.9
12/28/06 10:38	8718.5	10	6.6	15.2	19.3	409.4
1/11/07 11:40	8667.1	10	7.6	17.5	17.0	411.7
2/8/07 12:23	8807.1	10.1	4.9	11.3	23.2	405.5
3/7/07 14:51	8825	10.1	4.6	10.5	24.0	404.7
4/12/07 9:46	8583.6	10	9.2	21.2	13.3	415.4
5/10/07 13:51	8618.4	10	8.5	19.7	14.8	413.8
6/21/07 10:50	9082.8	9.9	-0.4	-0.9	>=34.5 ft	
7/12/07 10:22	9087.4	9.9	-0.5	-1.1	>=34.5 ft	
8/15/07 10:49	9076.5	9.9	-0.3	-0.7	>=34.5 ft	
9/21/07 10:33	9070.1	9.9	-0.2	-0.4	>=34.5 ft	
10/26/07 10:48	9066.8	9.9	-0.1	-0.2	>=34.5 ft	
11/28/07 11:31	9065.7	10	-0.1	-0.2	>=34.5 ft	
12/28/07 10:30	8770.8	9.9	5.6	12.9	21.6	407.1

ell -SYR\442636 Phase II PDI\11 Field and Lab

tory Data\11.11 SCA Water Level Data\DEC Sub

EC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xls/PZ13-06I

SB915-PZ13-06D Serial # 06-19771 Typical Vibrating Wire Piezometer Date Installed: 11/6/2006 Bentonite Seal = 0 to 48 ft Sandpack = 48 to 50 ft Depth to Piezometer Tip from Ground Surface = 49.5 ft 9006.5 Ro = To = 8 degrees Celsius 0.01592 psi/digit Linear Gage Factor (psi) = Thermal Factor = 0.0103 psi/°C Unit Weight of Water = . 62.4 pcf 428.67 ft Initial Ground Surface Elevation = Piezometer Tip Elevation = 379.17 ft

			_		Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8335.8	10	10.7	24.7	24.8	403.9
12/7/06 11:40	8260.1	10.1	11.9	27.5	22.0	406.6
12/14/06 10:14	8299.8	10.1	11.3	26.0	23.5	405.2
12/21/06 11:07	8324.1	10.1	10.9	25.1	24.4	404.3
12/28/06 10:39	8256	10.1	12.0	27.6	21.9	406.8
1/11/07 11:41	8187.1	10.1	13.1	30.2	19.3	409.3
2/8/07 12:24	8338.4	10.1	10.7	24.6	24.9	403.8
3/7/07 14:52	8336.2	10.1	10.7	24.7	24.8	403.8
4/12/07 9:46	8062.7	10.1	15.0	34.7	14.8	413.9
5/10/07 13:50	8107.7	10	14.3	33.1	16.4	412.2
6/21/07 10:51	8624.7	10	6.1	14.1	35.4	393.2
7/12/07 10:23	8711.2	10	4.7	10.9	38.6	390.1
8/15/07 10:48	8824.4	10	2.9	6.7	42.8	385.9
9/21/07 10:32	8871	10	2.2	5.0	44.5	384.2
10/26/07 10:48	8776	10.1	3.7	8.5	41.0	387.7
11/28/07 11:31	8849.6	9.9	2.5	5.8	43.7	385.0
12/28/07 10:30	8287.2	9.9	11.5	26.5	23.0	405.6

II-SYRV442636 Phase II PDI111 Field and Laboratory Data(11.11 SCA Water Level Data)DEC SubmittalDEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.sIs/PZ13-06D

SB915-PZ13-06N

atory Data\11.11 SCA Water Level Data\DEC Subm

II -SYR\442636 Phase II PDI\11 Field and Lab

ittal/DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xts/PZ13-06N

Serial # 06-19769 Typical Vibrating Wire Piezometer Date Installed: 11/3/2006 Bentonite Seal = Approximately 0 to 63 ft Sandpack = Approximately 63 to 65 ft Depth to Piezometer Tip from Ground Surface = 64 ft 8982.1 Ro = To = 9.6 degrees Celsius 0.01714 psi/digit Linear Gage Factor (psi) = Thermal Factor = 0.01667 psi/°C Unit Weight of Water = 62.4 pcf 428.67 ft Initial Ground Surface Elevation = Piezometer Tip Elevation = 364.67 ft

			Pressure		Piezometric Level as	Piezometric Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8711.3	10.1	4.6	10.7	53.3	375.4
12/7/06 11:41	8697.3	10.2	4.9	11.3	52.7	376.0
12/14/06 10:15	8704.1	10.2	4.8	11.0	53.0	375.7
12/21/06 11:09	8703.9	10.3	4.8	11.0	53.0	375.7
12/28/06 10:41	8699.5	10.2	4.9	11.2	52.8	375.9
1/11/07 11:42	8685.8	10.2	5.1	11.7	52.3	376.4
2/8/07 12:25	8716.5	10.2	4.6	10.5	53.5	375.2
3/7/07 14:53	8724.4	10.2	4.4	10.2	53.8	374.9
4/12/07 9:47	8669.2	10.2	5.4	12.4	51.6	377.1
5/10/07 13:50	8681.7	10.2	5.2	11.9	52.1	376.6
6/21/07 10:52	8750.2	10.2	4.0	9.2	54.8	373.9
7/12/07 10:24	8769.7	10.2	3.7	8.4	55.6	373.1
8/15/07 10:47	8785.2	10.1	3.4	7.8	56.2	372.5
9/21/07 10:31	8785	10.2	3.4	7.8	56.2	372.5
10/26/07 10:48	8776	10.1	3.5	8.2	55.8	372.8
11/28/07 11:31	8761.6	10	3.8	8.7	55.3	373.4
12/28/07 10:30	8714.3	10	4.6	10.6	53.4	375.3

SB915-PZ13-07 Typical Vibrating Wire Piezometer Date Installed: 11/14/2006	Serial #	06-19782
Bentonite Seal =	0 to 52.5	ft
Sandpack =	52.5 to 59	ft
Depth to Piezometer Tip from Ground Surface =	54	ft
Ro =	9133.1	
To =	13.8	degrees Celsius
Linear Gage Factor (psi) =	0.01745	psi/digit
Thermal Factor =	0.01345	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	438.23	ft
Piezometer Tip Elevation =	384.23	ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	9109.7	10.6	0.4	0.8	53.2	385.1
12/7/06 12:45	9114.6	10.7	0.3	0.6	53.4	384.9
12/14/06 10:59	9112.7	10.7	0.3	0.7	53.3	385.0
12/21/06 11:39	9105.2	10.6	0.4	1.0	53.0	385.3
12/28/06 11:07	9105.8	10.6	0.4	1.0	53.0	385.2
1/11/07 12:42	9100.6	10.6	0.5	1.2	52.8	385.4
2/8/07 11:26	9111	10.6	0.3	0.8	53.2	385.0
3/7/07 13:36	9103.7	10.6	0.5	1.1	52.9	385.3
4/12/07 10:11	9099.4	10.6	0.5	1.3	52.7	385.5
5/10/07 14:24	9096.4	10.6	0.6	1.4	52.6	385.6
6/21/07 11:26	9107.4	10.6	0.4	0.9	53.1	385.2
7/12/07 11:01	9111.1	10.7	0.3	0.8	53.2	385.0
8/15/07 11:25	9113.6	10.7	0.3	0.7	53.3	384.9
9/21/07 11:12	9111.3	10.6	0.3	0.8	53.2	385.0
10/26/07 11:38	9114.9	10.5	0.3	0.6	53.4	384.9
11/28/07 9:57	9115.1	10.5	0.3	0.6	53.4	384.9
12/28/07 11:55	9109	10.5	0.4	0.9	53.1	385.1

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-07

SB915-PZ13-08		
Standpipe Piezometer		
Date Installed:	11/27/2006	
Cement-Bentonite Grout =		0 to 25 ft
Bentonite Seal =		25 to 28 ft
Sandpack Set Depth =		28 to 41 ft
Screened Interval =		10 ft
Piezometer Set Depth =		40 ft
Casing Stickup =		-0.43 ft
Top of Casing Elevation =		430.9 ft
Ground Surface Elevation =		431.35 ft
Standpipe Tip Elevation =		391.35 ft
Note:		

A 36-inch long extension was added to the standpipe on 1/12/2007.

Date and Time	Depth from Top of Casing (ft)	Depth Below Ground Surface (ft)	Piezometric Elevation (ft)
12/7/06 12:51	39.4	39.8	391.5
12/14/06 11:16	39.39	39.8	391.5
12/21/06 11:55	39.4	39.8	391.5
12/28/06 11:50	39.41	39.8	391.5
1/11/07 13:00	39.43	39.9	391.5
2/8/07 11:45	dry		
3/9/07 9:40	dry		
4/12/07 10:18	dry		
5/10/07 14:36	dry		
6/21/07 11:40	dry		
7/12/07 11:21	dry		
8/15/07 11:39	dry		
9/21/07 11:25	dry		
10/26/07 11:50	dry		
11/28/07 10:12	dry		
12/28/07 11:40	dry		

well -SYR(442636 Phase II PDI11 Field and Laboratory Data(11.11 SCA Water Level Data)DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-08

SB915-PZ13-09 Typical Vibrating Wire Piezometer Date Installed: 11/16/2006	Serial #	06-19783
Bentonite Seal =	0 to 35	5 ft
Sandpack =	35 to 37.5	5 ft
Depth to Piezometer Tip from Ground Surface =	36.5	5 ft
Ro =	9389.1	l
To =	11.5	5 degrees Celsius
Linear Gage Factor (psi) =	0.0168 <i>′</i>	l psi/digit
Thermal Factor =	0.0056	6 psi/°C
Unit Weight of Water =	62.4	1 pcf
Initial Ground Surface Elevation =	432.48	3 ft
Piezometer Tip Elevation =	395.98	3 ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	9381	11.3	0.1	0.3	36.2	396.3
12/7/06 13:28	9379	11.4	0.2	0.4	36.1	396.4
12/14/06 11:26	9380.2	11.5	0.1	0.3	36.2	396.3
12/21/06 12:06	9369.9	11.4	0.3	0.7	35.8	396.7
12/28/06 12:01	9368.8	11.4	0.3	0.8	35.7	396.8
1/11/07 13:14	9368	11.5	0.4	0.8	35.7	396.8
2/8/07 11:54	9383.2	11.5	0.1	0.2	36.3	396.2
3/9/07 9:54	9366.5	11.7	0.4	0.9	35.6	396.9
4/12/07 10:30	9389.5	11.4	0.0	0.0	>=36.5 ft	
5/10/07 14:46	9383.9	11.4	0.1	0.2	36.3	396.2
6/21/07 11:47	9386	10.9	0.0	0.1	36.4	396.1
7/12/07 11:31	9386.1	10.8	0.0	0.1	36.4	396.1
8/15/07 11:50	9386	10.9	0.0	0.1	36.4	396.1
9/21/07 11:39	9383	10.9	0.1	0.2	36.3	396.2
10/26/07 12:01	9381.9	11	0.1	0.3	36.2	396.2
11/28/07 10:26	9380.3	11.1	0.1	0.3	36.2	396.3
12/28/07 11:07	9385.6	11.3	0.1	0.1	36.4	396.1

ell -SYR\442636 Phase II PDI\11 Field and Labo

atory Data\11.11 SCA Water Level Data\DEC Sub

DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.sts/PZ13-09

SB915-PZ13-10		
Standpipe Piezometer		
Date Installed:	11/29/2006	
Cement-Bentonite Grout =		0 to 18 ft
Bentonite Seal =		18 to 20 ft
Sandpack Set Depth =		20 to 32 ft
Screened Interval =		10 ft
Piezometer Set Depth =		32 ft
Casing Stickup =		-0.56 ft
Top of Casing Elevation =		396.89 ft
Ground Surface Elevation =		397.45 ft
Standpipe Tip Elevation =		365.45 ft
Note:		

Note: A 28-inch long extension was added to the standpipe on 1/12/2007.

Date and Time	Depth from Top of Casing (ft)	Depth Below Ground Surface (ft)	Piezometric Elevation (ft)	
12/7/06 12:35	22.4	23.0	374.5	
12/14/06 10:41	22.61	23.2	374.3	
12/21/06 11:28	22.94	23.5	374.0	
12/28/06 11:00	22.81	23.4	374.1	
1/11/07 12:34	22.46	23.0	374.4	
2/8/07 11:20	25.72	23.9	373.5	
3/7/07 15:15	26.18	24.4	373.0	
4/12/07 10:05	24.13	22.4	375.1	
5/10/07 14:14	24.66	22.9	374.6	
6/21/07 11:17	26.75	25.0	372.5	
7/12/07 10:53	27.35	25.6	371.9	
8/15/07 11:15	15/07 11:15 27.83		371.4	
9/21/07 11:01	28.1	26.3	371.1	
10/26/07 11:30	27.86	26.1	371.4	
11/28/07 11:51	27.42	25.6	371.8	
12/28/07 12:10	25.73	24.0	373.5	

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submitta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-10

SB915-PZ13-11 Typical Vibrating Wire Piezometer	Serial #	06-19787
Date Installed: 11/17/2006		
Bentonite Seal =	0 to 39.5	ft
Sandpack =	39.5 to 42	ft
Depth to Piezometer Tip from Ground Surface =	41	ft
Ro =	8850.1	
To =	11.9	degrees Celsius
Linear Gage Factor (psi) =	0.01674	psi/digit
Thermal Factor =	0.00736	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	432.44	ft
Piezometer Tip Elevation =	391.44	ft
Note:		

A blank entry in the piezometric elevation column indicates the calculated elevation is below the piezometer tip.

			Pressure		Piezometric Level as Depth Below Original	Piezometric
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	Elevation (ft)
11/30/06 12:00	8852.4	11.8	0.0	-0.1	>=41 ft	
12/7/06 13:53	8849	12	0.0	0.0	41.0	391.5
12/14/06 11:47	8852.1	12	0.0	-0.1	>=41 ft	
12/21/06 12:36	8841.7	11.9	0.1	0.3	40.7	391.8
12/28/06 12:19	8840.2	12	0.2	0.4	40.6	391.8
1/11/07 13:35	8840.2	12.1	0.2	0.4	40.6	391.8
2/8/07 11:57	8854.4	12.2	-0.1	-0.2	>=41 ft	
3/9/07 9:59	8838	12.2	0.2	0.5	40.5	391.9
4/12/07 10:42	8860.8	11.9	-0.2	-0.4	>=41 ft	
5/10/07 15:02	8854.7	11.9	-0.1	-0.2	>=41 ft	
6/21/07 12:27	8856.9	11.6	-0.1	-0.3	>=41 ft	
7/12/07 12:22	8856.6	11.4	-0.1	-0.3	>=41 ft	
8/15/07 12:31	8857.3	11.2	-0.1	-0.3	>=41 ft	
9/21/07 11:58	8850.9	11.2	0.0	0.0	>=41 ft	
10/26/07 12:19	8847.9	11.4	0.0	0.1	40.9	391.5
11/28/07 10:42	8845.5	11.7	0.1	0.2	40.8	391.6
12/28/07 11:03	8851.4	11.8	0.0	-0.1	>=41 ft	

EC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.sts/PZ13-11

ell -SYR\442636 Phase II PDI\11 Field and Lal

tory Data\11.11 SCA Water Level

Data\DEC Su

SB915-PZ13-12 Standpipe Piezometer Date Installed: 11/28/2006 Cement-Bentonite Grout = 0 to 10.6 ft Bentonite Seal = 10.6 to 12.8 ft Sandpack Set Depth = 12.8 to 26 ft Screened Interval = 10 ft Piezometer Set Depth = 25 ft Casing Stickup = -0.34 ft Top of Casing Elevation = 431.17 ft Ground Surface Elevation = 431.51 ft Standpipe Tip Elevation = 406.51 ft

Notes:

1. A 28-inch long extension was added to the standpipe on 1/12/2007.

2. On 12/28/06, it was observed that surface runoff had entered the standpipe.

Date and Time	Depth from Top of Casing (ft)	Depth Below Ground Surface (ft)	Piezometric Elevation (ft)
12/7/06 14:15	24.41	24.8	406.8
12/14/06 12:06	24.07	24.4	407.1
12/21/06 12:50	24.31	24.7	406.9
12/28/06 12:35	14.6	14.9	416.6
1/11/07 13:51	18.95	19.3	412.2
2/8/07 12:13	22.9	20.9	410.6
3/9/07 10:19	24.15	22.2	409.4
4/12/07 10:49	24.85	22.9	408.7
5/10/07 15:11	25.39	23.4	408.1
6/21/07 12:40	26.02	24.0	407.5
7/12/07 12:38	26.26	24.3	407.2
8/15/07 12:44	26.7	24.7	406.8
9/21/07 12:06	26.75	24.8	406.8
10/26/07 12:28	26.8	24.8	406.7
11/28/07 10:52	dry		
12/28/07 10:50	dry		

DEC_WB 13 Phase II PDI Piezometers_First to Fourth Quarter.xls/PZ13-12

-SYR\442636 Phase II PDI\11 Field and L

tory Data\11.11 SCA Water Level Data\DEC Sub

SB915-PZ13-13	Serial #	06-19779
Date Installed: 11/21/2006		
Bentonite Seal =	0 to 29	9 ft
Sandpack =	29 to 3 ²	1 ft
Depth to Piezometer Tip from Ground Surface =	30	D ft
Ro =	8996.4	4
To =	11.9	9 degrees Celsius
Linear Gage Factor (psi) =	0.01688	3 psi/digit
Thermal Factor =	0.0165	5 psi/°C
Unit Weight of Water =	62.4	4 pcf
Initial Ground Surface Elevation =	434.20	5 ft
Piezometer Tip Elevation =	404.26	5 ft
Note:		

Note:

Since 1/15/07, the thermistor on PZ13-13 has not been functioning; therefore, a temperature reading of 11.3 degrees Celsius is assumed for all calculations after that date.

Date and Time	R	T (°C)	Pressure (psi)	ft- water	Piezometric Level as Depth Below Original Ground Surface (ft)	Piezometric Elevation (ft)
11/30/06 12:00	8877.1	11.2	2.0	4.6	25.4	408.9
12/7/06 12:08	8859.1	11.4	2.3	5.3	24.7	409.6
12/14/06 10:27	8864.3	11.2	2.2	5.1	24.9	409.4
12/21/06 11:11	8869.1	11.2	2.1	4.9	25.1	409.2
12/28/06 10:48	8859.6	11.4	2.3	5.3	24.7	409.6
1/11/07 12:18	8836.8	11.3	2.7	6.2	23.8	410.5
2/8/07 11:04	8892.4	11.3	1.7	4.0	26.0	408.3
3/7/07 15:00	8917.7	11.3	1.3	3.0	27.0	407.3
4/12/07 9:54	8832.7	11.3	2.8	6.4	23.6	410.6
5/10/07 14:02	8845.1	11.3	2.5	5.9	24.1	410.1
6/21/07 11:04	8933.6	11.3	1.1	2.4	27.6	406.7
7/12/07 10:38	8950.4	11.3	0.8	1.8	28.2	406.0
8/15/07 11:09	8964.6	11.3	0.5	1.2	28.8	405.5
9/21/07 10:48	8962.8	11.3	0.6	1.3	28.7	405.5
10/26/07 11:16	8965.5	11.3	0.5	1.2	28.8	405.4
11/28/07 10:55	8963.1	11.3	0.6	1.3	28.7	405.5
12/28/07 10:47	8882.3	11.3	1.9	4.4	25.6	408.7

vell -SYRV442636 Phase II PDI111 Field and Laboratory Data(11.11 SCA Water Level Data)DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13-13

SB915-PZ13-14 Typical Vibrating Wire Piezometer Date Installed: 11/27/2006	Serial #	06-19780
Bentonite Seal =	0 to 29	ft
Sandpack =	29 to 31	ft
Depth to Piezometer Tip from Ground Surface =	30	ft
Ro =	9141	
To =	10.7	degrees Celsius
Linear Gage Factor (psi) =	0.0154	psi/digit
Thermal Factor =	0.01318	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	443.67	ft
Piezometer Tip Elevation =	413.67	ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
11/30/06 12:00	8793.4	10.2	5.3	12.3	17.7	426.0
12/7/06 11:18	8742.7	10.2	6.1	14.1	15.9	427.8
12/14/06 10:10	8750.9	10.2	6.0	13.8	16.2	427.5
12/21/06 10:56	8782.8	10.2	5.5	12.7	17.3	426.4
12/28/06 10:28	8742.2	10.4	6.1	14.2	15.8	427.8
1/11/07 11:30	8683.3	10.3	7.0	16.3	13.7	429.9
2/8/07 11:00	8796.3	10.2	5.3	12.2	17.8	425.9
3/7/07 14:43	8917.1	10.4	3.4	7.9	22.1	421.6
4/12/07 9:37	8657.5	10.2	7.4	17.2	12.8	430.8
5/10/07 13:59	8688.2	10.2	7.0	16.1	13.9	429.8
6/21/07 11:01	8968.6	10.3	2.6	6.1	23.9	419.8
7/12/07 10:34	9024.9	10.1	1.8	4.1	25.9	417.8
8/15/07 11:05	9062.3	10.1	1.2	2.8	27.2	416.5
9/21/07 10:45	9076.5	10.1	1.0	2.3	27.7	415.9
10/26/07 11:12	9082.5	10.1	0.9	2.1	27.9	415.7
11/28/07 10:58	9020.7	10.1	1.8	4.3	25.7	417.9
12/28/07 10:44	8705.1	10.1	6.7	15.5	14.5	429.1

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submitta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13.14
OL Phase II PDI Wastebed 13 Piezometers

SB915-PZ13-15 Typical Vibrating Wire Piezometer Date Installed: 11/29/2006	Serial #	06-19770
Bentonite Seal =	0 to 29	ft
Sandpack =	29 to 31	ft
Depth to Piezometer Tip from Ground Surface =	30	ft
Ro =	8879.4	
To =	12.6	degrees Celsius
Linear Gage Factor (psi) =	0.01548	psi/digit
Thermal Factor =	0.01491	psi/°C
Unit Weight of Water =	62.4	pcf
Initial Ground Surface Elevation =	446.56	ft
Piezometer Tip Elevation =	416.56	ft

					Piezometric Level as	Piezometric
			Pressure		Depth Below Original	Elevation
Date and Time	R	T (°C)	(psi)	ft- water	Ground Surface (ft)	(ft)
12/7/06 14:21	8562.4	10.9	4.9	11.3	18.7	427.8
12/14/06 9:26	8585.7	10.8	4.5	10.4	19.6	427.0
12/21/06 10:05	8613.8	10.7	4.1	9.4	20.6	426.0
12/28/06 9:56	8601.5	10.7	4.3	9.9	20.1	426.4
1/11/07 10:52	8529.9	10.7	5.4	12.4	17.6	429.0
2/8/07 10:13	8643.4	10.7	3.6	8.4	21.6	424.9
3/7/07 14:05	8714.8	10.8	2.5	5.8	24.2	422.4
4/12/07 9:22	8490.9	10.7	6.0	13.8	16.2	430.4
5/10/07 13:15	8534.8	10.8	5.3	12.2	17.8	428.8
6/21/07 10:18	8736.5	10.8	2.2	5.0	25.0	421.6
7/12/07 9:41	8771.2	10.6	1.6	3.8	26.2	420.4
8/15/07 10:09	8810.4	10.6	1.0	2.4	27.6	419.0
9/21/07 9:48	8838	10.6	0.6	1.4	28.6	418.0
10/26/07 10:10	8858.6	10.5	0.3	0.7	29.3	417.2
11/28/07 9:47	8843	10.6	0.5	1.2	28.8	417.8
12/28/07 9:44	8611.3	10.6	4.1	9.5	20.5	426.1

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submittal/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13.15

OL Phase II PDI Wastebed 13 Piezometers

SB915-PZ13-16		
Standpipe Piezometer		
Date Installed:	11/22/2006	
Cement-Bentonite Grout =		0 to 14.6 ft
Bentonite Seal =		14.6 to 17 ft
Sandpack Set Depth =		17 to 31 ft
Screened Interval =		10 ft
Piezometer Set Depth =		30 ft
Casing Stickup =		-0.73 ft
Top of Casing Elevation =		440.3 ft
Ground Surface Elevation =		441.08 ft
Standpipe Tip Elevation =		411.08 ft
Note:		

A 30-inch long extension was added to the standpipe on 1/12/2007.

Date and Time	Depth from Top of Casing (ft)	Depth Below Ground Surface (ft)	Piezometric Elevation (ft)
12/7/06 14:30	15.3	16.0	425.0
12/14/06 10:58	15.19	15.9	425.2
12/21/06 12:56	15.15	15.9	425.2
12/28/06 13:06	15.14	15.9	425.2
1/11/07 14:00	14.77	15.5	425.6
2/8/07 12:50	18	16.2	424.8
3/7/07 13:40	18.52	16.8	424.3
4/12/07 10:56	15.37	13.6	427.5
5/10/07 13:13	16.11	14.3	426.7
6/21/07 12:47	18.16	16.4	424.7
7/12/07 12:44	18.67	16.9	424.2
8/15/07 12:53	19.78	18.0	423.1
9/21/07 12:14	22.25	20.5	420.6
10/26/07 12:33	25.75	24.0	417.1
11/28/07 9:53	22.36	20.6	420.5
12/28/07 11:57	18.8	17.0	424.0

well -SYR/442636 Phase II PDI/11 Field and Laboratory Data(11.11 SCA Water Level Data/DEC Submitta/DEC_WB 13 Phase II PDI Plezometers_First to Fourth Quarter.xts/PZ13.16

consultants

					Page	91	c	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Attachment 3

Summary Tables of Lab Test Results

consultants

					Page	92	(of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04

2004 Lab Results

(Presented in Appendix A of the report titled "Onondaga Lake Pre-Design Investigation: Wastebed 13 Settlement Pilot Study Data Summary Report" prepared by Parsons and Geosyntec 2008a)

TABLE 2-1

ESTIMATED WATER TABLE ELEVATIONS FROM PORE WATER DISSIPATION TESTS

CPT Location	Measurement Depth	Estimated Water Table Depth	CPT Location	Measurement Depth	Estimated Water Table Depth
	(ft below waste surface)	(ft below waste surface)		(ft below waste surface)	(ft below waste surface)
PW-128	68.9	49.6	PW-13D	86.5	49.6
PW-107	67.1	49.6	PW-12B	66.4	49.6
PW-140	49.4	49.6	PW-131	79.4	49.6
PW-13A	14.3 35.3 80.2	8 18.1 52.6	PW-12E	61.7	49.6
PW-11D	78.7	49.6	PW-113	Not Available	Not Available
PW-10B	Not Available	Not Available	PW-119	20.5 36.6 50.0 56.0	9.3 15.6 46.2 48.5
PW-122	52.8	41.4	PW-10A	64.0	52.1
PW-11F	64.6	50.4	PW-11C	Not Available	Not Available
PW-134	44.3	49.6	PW-125	75.1	50.8
PW-116	Not Available	Not Available	PW-137	80.2	51.9

P:\Honeywell -SYR\441327 - WB 13 Geotech\09 Reports\Final Summary rev 2.doc June 15, 2005

TABLE 3-1

Description	ASTM	Numbe	r of Samples
Description	Designation	Solvay Waste	Native Soils
Index Tests			
Water Content	D2216	74	60
Specific Gravity	D854	17	8
Atterberg Limits	D4318	10	7
Grain-Size	D422 & D1140	19	8
Hydrometer	D422	5	4
Performance Tests			
Unconsolidated Undrained Triaxial	D2850	7	0
Consolidated Undrained Triaxial with Pore Pressure Measurements	D4767	8	0
Consolidation	D2435	6	0
Hydraulic Conductivity	D5084	5	0

SUMMARY OF LABORATORY TESTING PROGRAM

TABLE 3-2 GEOTECHNICAL DATA SUMMARY - WASTEBED 13 DIKES

Bori	ng #	Depti (ft)	h Avera Dept	ge Wate h Conte	er Plas ent Lim	tic it	Liquid Limit	Plastici Index	ty Specifi Gravit	ic Passing the y #200 Sieve
Di	(08			<u>I l'eice</u>			L	·		L
CR CR	.23	1 002	0 1 10	1 50			r		1	
	-23	0.0-2.0		5.0						
		2.0-4.		5.0	t t					
		4.0-0.0	0 5.0	0.0						
		0.0-0.0		1.5						
		0.0-10.	9.0	9.0						
		10.0-12	.0 11.0	2.7						
		12.0-14	.0 13.0	5.6						
		14.0-16	.0 15.0	12.7					1	
		16.0-18	.0 17.0	11.1	13		25	12	2.75	60.7
		18.0-20	.0 19.0	9.4						
		20.0-22	.0 21.0	12.3						
		22.0-24	.0 23.0	11.1						
		24.0-26.	.0 25.0	8.5						
		26.0-28.	.0 27.0	11.2				1		
		28.0-30.	.0 29.0	12.6						
		30.0-32.	0 31.0	9.9	1	- 1				
		32.0-34.	0 33.0	11.5		- 1		ł		
		34.0-36.	0 35.0	3.6						
		36.0-38.	0 37.0	17.7					1	
1		38.0-40.	0 39.0	18.7			lan Dr	-		
		40.0-42.	0 41.0	23.9			von-Plasti	C	2.68	
		42.0-44	0 43.0	12.2					1	56.7
1		44.0-46	0 45.0	63		Т		T	1	-1
		46.0-48	0 47.0	117	1					
		48.0-50.	0 49.0	5.9						
SB-2	24	20.0-22.	0 21	13.2		-+		1	1	
		22.0-24.	0 23	10.9	11		17	6	274	66
		24.0-26.0	25	11.5			••			
		40.0-42.0	41	21.8		L			+	
	1	42.0-44.0	43	23.3		N	Ion-Plastic	e.	264	91.8
		44.0-46.0	45	22.5		•		-		
SB-2	5	0.0-2.0	1	9.7	-	T		1	+	
1		2.0-4.0	3	13						
		8.0-10.0	9	80						
		10 0-12 0	11	10.9				 		
1 .		12 0-14 0	13	13.5	1				ł	
		14 0-16 0	15	11.0	13		23	10	2.71	54.5
		16 0.19 0	17	11.9						
	 -	18 0.20 0	10	9.0				[
		20.0 20.0	13	45.0						
		20.0-22.0	21	15.2						1
Ι.		24.0-20.0	25	15.3	1					
I		20.0-20.0 20.0 20.0		10.6	1					
l		20.0-30.0	29	13.8	1					1
		50.0-32.0	31	12.8	1					1
		52.0-34.0	33	9.5		-				
l i		04.0-36.0	35	9.7	14		25	11	2.73	42
		0.0-38.0	37	11.1					•	
		0.0-38.8	39	12	L	-				
	11	10.0-42.0	41	83.1	1					
	14	2.0-44.0	43	9.0	16		19	3	2.80	39.7
	4	4.0-46.0	45	8.7		1				·
	4	10.0-48.0	47	10.2	1		. T			
8.82	4	8.0-50.0	49	10.8						·
MINIMU	m			2.7	11		17	3	2.64	40
Maximu	m			83.1	16	1	25	12	2.80	92
Averag	e		<u> </u>	13	13		22	8	2.72	59
Native M	ateria	us Under	lying Wast	ebed 13						
SB-21	5	0.0-52.4	51.2	7.8	1		T			
SB-22	6	4.0-68.0	66	15	1	1				
	70	0.0-74.0	72	14.1	1					
PZ-02	6	B.0-70.0	69	8.6	1	1		ł	2.72	55.1
	72	2.0-76.0	74	13.3	I.	1				
	76	5.0-80.0	78	11.3	1	1		1		
	80	0.0-84.0	82	12.5						
Minimun	n	T		7.8		Γ				
Maximun	n			15		1				
Average			1	11.8		1		· · · · · ·	2.72	55.1

P:Woneywell -SYRV441327 - WB 13 Geotech\09 Reports\DEC Tables 3-2 to 3-5 Table 3-2 6/15/2005

1 of 1

DATA SUMMARY ORT

TABLE-3 GEOTECHNICAL DATA SUMMARY - WASTEBED 13 SOLVAY WASTE

.

ion	Τ	····				Т	T																Τ	Т																
Cohes	(psf					E27																	1470																	
UU Cohesion	(isd)					366	00'0																10.27	17.01				•											-	T
Total Density	(pct)					g	201	5								76	75	75	2				70	2°2	5		52											17	82	
Dry Density	(pcr)					22.8	20.6	2.2		•						26.2	21.2	104	r.))				ø	32.7	<u></u>		35.9	27.1	45.2									23.7	34	
Hydraulic Conductivity	(clinsec)						1.54E-05	22 21 21						-										2 24E-06	22 21 212															
Passing the #200 Sieve				1 02	4.27						73.3				80.9										35						38.5						74.2			
Specific Gravity				04.0	7.	2.37						1.76											1.81			2.35		-								5	54.7 2			
Plasticity Index																							-			-		-												
Liquid Limit		•		Non-Plactic											Non-Plastic																Non-Plastic									
Plastic Limit																																								
Water Content (Percent)		294.1	254	344.1	77.8	204.2	402.8	333	269.3	258.2	265.5		243.1	249.6	275	191.6	251.9	288.9	139.2	206.9	240.8	185.8	172.2	146.4	157.5	114.7	120.5	199.9	89.4	230.9	134.3	235	72.8	177.2	170.4	207.3	218.9	224.4	141.7	298.2
Average Depth (ft)		n	ŝ	~	თ	5	:	1	15	17	19	5	33	27	50	31	31	31	g	37	99	\$	\$	\$	47	64	51	រី	ភេទ	21	57	20	-	n	S	~	თ	1	1	13
Depth (ft)		2.0-4.0	4.0-6.0	6.0-8.0	8.0-10.0	10.0-12.0		12.0-14.0	14.0-16.0	16.0-18.0	18.0-20.0	20.0-22.0	22.0-24.0	26.0-28.0	28.0-30.0	30.0-32.0			32.0-34.0	36.0-38.0	38.0-40.0	42.0-44.0	44.0-46.0		46.0-48.0	48.0-50.0	50.0-52.0			52.U-54.U	56.0-58.0	58.0-60.0	0.0-2.0	2.0-4.0	4.0-6.0	6.0-8.0	8.0-10.0	10.0-12.0		12.0-14.0
Boring #	Wastebed	PZ-01																															PZ-02							-

PARSONS

1 of 3

P:\Honeywell -SYR\441327 - WB 13 Geotech\09 Reports\DEC Tables 3-2 to 3-5.xls Table 3-3 6/15/2005 DATA SUMMARY

TABLESS GEOTECHNICAL DATA SUMMARY - WASTEBED 13 SOLVAY WASTE

	Cohesion	(nef)	lied			768	-			,								×							no coning	719									675					
	Cohesion	(nei)	11521			5.33																				4 99									4.69					
7.4.1	Density	(nef)	1221			74					76	76	<u>62</u>													83	66			<u> </u>	38	3			74	82				ла Ул
	Density	(bcf)				16.9			-		28.9	243	30.6								-					38.9	53.9	r	1.01	40./ 33.8	33.6	2.22			23.7	25				37
Hydraulio	Conductivity	(cm/sec)	· · · · · ·			-																					3.34E-06									8.58E-06				
Paceing the	#200 Sieve				83.2					86.7												52.3												99.3				57.5		
Specific	Gravity									2.48								2.48																	2.39			2.47		
Plasticity	Index						·																																	
Liquid	Limit				NON-Plasuc				•													Non-Plastic												Non-Plastic						
Plastic	Limit						-				-													•									-							
Water	Content	(Percent)	328.6	9.777 7	- 27.4	272.9	250.9	253	290.1	299.2	162.5	212	157.3	97.6	124.8	141.5	211.1	183.8	54	135.7	166.7	98.3	138.9	188.8	187.8	112.9	66.9	193.2	6.171 1.48	145.7	144.5	95.9	173.2	291.4	214.2	228.3	235.5	138.6	236.7	128.7
Average	Depth	Ê	ភ វ	2 9	2 6	5 6	ß	25	27	33	31	31	31	ខ្ល	81	20	55	4	\$	₹	47	49	51	23	53	57	2 2	22 8	7 5	8	ß	7	7	თ	:	=	13	5	17	5
Depth	£		14.0-16.0	18.0-20.0	20.02.000	0.77.0.02	22.0-24.0	24.0-26.0	26.0-28.0	28.0-30.0	30.0-32.0			32.0-34.0	0.00-0.40 0.00 0.00	30.0-38.0	30.0-40.0	40.0-42.0	42.0-44.0	44.0-46.0	46.0-48.0	48.0-50.0	50.0-52.0	52.0-54.0	54.0-56.0	56.0-58.0		50.0-00.0	64 0-66 0			0.0-4.0	6.0-8.0	8.0-10.0	10.0-12.0		12.0-14.0	14.0-16.0	16.0-20.0	20.0-22.0
Boring #			_	_				-		÷		_				,								_								SB-21								

.

P:\Honeywell -SYR\441327 - WB 13 Geotech\09 Reports\DEC Tables 3-2 to 3-5.xis Table 3-3 6/15/2005

2 of 3

DATA SUMMARY ORT

TABLES GEOTECHNICAL DATA SUMMARY - WASTEBED 13 SOLVAY WASTE

UU Dohesion	(psf)	-																	664					5414									530
UU Cohesio	(Isd)		-1-										-	r		T			4.61		T			37.6					1-				3.66 37.6
Total Density	(bct)	81	8	-		•							83	8	89				6	84				94.9		BC 6	0.00	103.9					8 2 2
Density	(bct)	35.2	225		- -		-						41	33.1	44.5		-		56.3	37.7				52		38.1	44.8	71					16.9 71
Hydraulic Conductivity	(cansec)																			1.83E-05													2.2E-06 1 8F-05
Passing the #200 Sieve					33	42.6	¢,		96			79.4					98.2						21.5						21.2		62		21.2 99.3
Specific Gravity						2.36	2.61				4 0	ç							1.79												2.16		1.76 2.61
Plasticity Index																											•						
Limit					Non-Plastic				Non-Plastic								Non-Plastic												Non-Plastic				Non-Plastic Non-Plastic
Plastic Limit																																	
Water Content (Percent)	130.4	163.9	66.8	113.8	82.8	155.8	31.4	27.6	25.3	110.3	346.7	225.6	102.1	142.9	<u> 99.5</u>	91.8	302.5	140.5	61.5	123.3	170.1	144.2	66.1	82.5 67 o	0.02	124.67	6	46.28	54.4	113.8	155.8	110.7	25.3 403
Average Depth (ft)	24	ы 17	33	8	33	ĸ	4	47	\$	7	7	თ	5		7	4	17	19	3	3	ន	27	ମ୍ପ ।	3 3	3 %	3 4	4	41	4	84	ន	88	
Depth (ft)			22.0-24.0	26.0-30.0	32.0-34.0	36.0-40.0	42.0-44.0	46.0-48.0	48.0-50.0	0.0-4.0	6.0-8.0	8.0-10.0	10.0-12.0			12.0-16.0	16.0-18.0	18.0-20.0	20.0-22.0		22.0-24.0	26.0-28.0	28.0-30.0	30.0-32.0	36 0-40 0	40.0-42.0			42.0-44.0	46.0-50.0	52.0-54.0	56.0-60.0	
Boring #						,				SB-22																							Minimum Maximum

P:\Honeywell -SYR\441327 - WB 13 Geotech\09 Reports\DEC Tables 3-2 to 3-5.xls Table 3-3 6/15/2005

PARSONS

3 of 3

DATA SUMMARY KEPORT

TABLE 3-4 SUMMARY OF CONSOLIDATED UNDRAINED TEST RESULTS

Г		1		Γ	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	٦		Г	Г	Т	Т	Т	Т	Т	Т	Т	Т
			Friction Angle	51.1			072	0'+0		00	86		37.9			49			44	F		67 E	C'70		0.07	P.04	
	3	Effective Stress	Cohesion (psf)	0						200	DRC		1483			0			86.4			-	>		6	>	
, in the second s			Cohesion (psi)	0									5.01			0			0.6				>		6	>	
			Friction Angle	25.9			18.5	2.2		10.6	0.2	940	21.0		101	C.01			20.2			22.8	44.0		35.4	1.22	
10	Total Strees		Conesion (pst)	0			634	5		1440		007	0.24		106	8			504			173			c	,	
		Ocharden (and	COLLESION (PSI)	0			4.4			10	2	10	r,		0.1	D			3.5			12			c	,	
Residual	Pore Presente		lied	4.3	28.4	58.1	4.9	29.9	613	28.3	58	24.4	26.0	£7.3	37		21.1	58.3	2.8	24.5	52.8	5.7	30.9	633	6	23	15
Residual	Deviator Stress	(nei)		13.3	41.3	91.4	19.6	26.2	66.7	33.3	52.2	18.2	39.1	713	17.6	304	0.01	59.5	16.2	43.1	71	15	36	93.1	18	57	185
reak fore	Water Pressure	(bsi)			Z0.1	54.7	4.4	28.8	61.3	28.1	58.2	16.7	27.1	57.1	3.7	25.4		2.16	4.1	24.5	52.1	5.7	31.5	63.7	8	23	24
Lear	Deviator Stress	(psi)	13.5	2.2	40.A	109.8	22.7	38.3	79.6	39.7	55.3	18.6	49.1	91.2	17.6	50.4	75.0	0.07	10.2	48.8	82.3	15	43	93.5	18	57	205
1111141	Confining Stress	(bsi)	69	247	1.5	69.4	6.9	34.7	69.4	34.7	69.4	6.9	34.7	69.4	6.9	34.7	60.4	4.00	6.0	34.7	69.4	6.9	34.7	69.4	6.9	34.7	69.4
		E	31	31		5	51	51	51	1	11	31	31	31	65	65	er Fr	35		21	21	-1	11	11	41	41	41
- A			2-01		Ī	Ţ	10-7			22-02		2 2- 02			22-02			3R-21				5 B- 22			SB-22		

P:VHoneyweil -SYRV441327 - WB 13 Geotech/09 Reports/DEC Tables 3-2 to 3-5.xls Table 3-4 6/15/2005

1 of 1

PARSONS

Boring	Depth	P _c (tsf)	C _c	C _r	e _o (measured)	e _o (calculated)
PZ-01	10-12'	0.97	7.1	0.20	9.92	8.36
PZ-01	44-46'	0.76	0.73	0.010	2.48	4.23
PZ-02	20-22'	0.88	2.1	0.030	4.83	3.86
PZ-02	40-42'	1.08	1.2	0.050	4.73	2.74
SB-21	10-12'	1.05	3.0	0.040	5.96	7.64
SB-22	20-22'	0.85	0.67	0.030	2.12	3.08
Average		0.93	2.5	0.060	5.01	4.98

TABLE 3-5 SOLVAY WASTE CONSOLIDATION DATA SUMMARY

Note:

1. The variables are defined as follows:

 P_c = preconsolidation pressure

 C_c = compression index

 C_r = recompression index

e_o (measured) = initial void ratio estimated from water content of trimmings

 e_o (calculated) = initial void ratio backcalculated from final water content of sample after consolidation

P:\Honeywell -SYR\441327 - WB 13 Geotech\09 Reports\DEC Tables 3-2 to 3-5.xls Table 3-5 6/15/2005

PARSONS

consultants

					Page	93	C	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech 1	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Phase I Lab Results

(Presented in the report titled "Onondaga Lake Pre-Design Investigation: Wastebed 13 Settlement Pilot Study Data Summary Report, Onondaga County, New York" prepared by Parsons and Geosyntec [2008a]) DATA SUMMARY HORT

1.4
 N
<u>e</u>
Q
୍ଟ
-

Instrumentation and Testing Summary per Location

								- 		E			
I antice		Inclinometer		144-23	Water		Guain	Cuanu	IN OI LADOI	atory lestin	50		
Location	CFTID	/Extensometer ID	Piezometer ID ²	Settlement Plate ID	Content (ASTM D2216)	Atterberg Limits ³	Size (ASTM D422)	Specific Gravity (ASTM D844)	Carbonate Content (ASTM DA372)	Bulk Density (EM-1110-	CU (ASTM D4767)	UU (ASTM D2850)	Consolidation (ASTM D2435)
A-1	SB915-CPT-5	SB915-INEX-A1	SB915-PZ-A1(15') SB915-PZ-A1(45') SB915-PZ-A1(Native)	SP-1	22	74	6	()	610-0	(00/61-7	`		
A-2		SB915-INEX-A2	SB915-PZ-A2(15') SB915-PZ-A2(30') SB915-PZ-A2(45')	SP-2	6	3	3	4	m	°.	e.	e S	3
A-3	SB915-CPT-A3		SB915-PZ-A3(15') SB915-PZ-A3(30') SB915-PZ-A3(Native)	SP-3									
A-4	SB915-CPT-A4		SB915-PZ-A4(15') SB915-PZ-A4(30') SB915-PZ-A4(55')	SP-4	23								
A-5	SB915-CPT-A5		SB915-PZ-A5(15') SB915-PZ-A5(30') SB915-PZ-A5(55')	SP-5									
A-6	SB915-CPT-A6		SB915-PZ-A6(15') SB915-PZ-A6(30') SB915-PZ-A6(45')	SP-6			-						
A-7	SB915-CPT-A7	SB915-INEX-A7	SB915-PZ-A7(15')	SP-7				-		2	"	~	6
A-8	SB915-CPT-A8	SB915-INEX-A8	SB915-PZ-A8(30')	SP-8				-			,	•	1 -
A-9	SB915-CPT-A9		SB915-PZ-A9(15')	SP-9									
A-10	SB-915-CPT-4	SB915-INEX-A10	SB915-PZ-A10(45')	SP-10	7	5	2					-	-
A-11	SB915-CPT-A11		SB915-PZ-A11(30')	SP-11	12								-
A-12	SB915-CPT-A12		SB915-PZ-A12(45')	SP-12								T	
A-13		SB915-IN-A13 ¹		SP-13									
A-14				SP-14									
A-15				SP-15									
A-16	SB915-CPT-6			SP-16									
A-17				SP-17									
A-18				SP-18									
A-19				SP-19									
A-20	SB915-CPT-A20		-	SP-20									
		Total Number of	Tests		76	12	14	7	10	6	9	9	7

PARSONS

..

DATA SUMMARY I

Notes:

Only an inclinometer was installed at this location.

- i,
- Numbers in parentheses after IDs indicate the piezometer tip installation depth (i.e., feet below initial ground surface). Native indicates piezometers were installed in the native soil beneath the Solvay waste. The Atterberg limits were determined using ASTM D4318. In addition, the liquid limit was also evaluated using the laboratory cone penetration method (BS ÷.
 - Only six laboratory cone penetration tests (i.e., BS 1377-2:1990) were performed at this location. 4.

Page 2 of 2

DATA SUMMARY REPORT

Table 2.2

 \bigcirc

Estimated Water Table Levels from CPT Pore Water Pressure Dissipation Tests

CPT Location	Measurement Depth (ft below waste surface)	Estimated Water Table Depth (ft below waste surface)
SB915-CPT-2	80.05	58.59
SB915-CPT-3	80.05	58.96
SB915-CPT-A3	15.09 27.07 30.02 79.40	16.58 21.93 26.54 58.98
SB915-CPT-A4	80.05	59.04
SB915-CPT-A5	45.44	41.27
SB915-CPT-A7	73.82	59.37
SB915-CPT-A8	80.05	57.69
SB915-CPT-A9	80.05	58.56
SB915-CPT-A11	46.42	41.22

MCEPORT	Ì		Dry Dry	(pcf)															12	38	7																	
DATA SU			Bulk Deneity	(bcf)														5	9/	79	0)																	
ý			Content (ASTM D4373)	(%)			57	61	5	57	ac	27	39	43	52			C.	52		57														Ň			
		Snarific	Gravity (ASTM D854)															2 47	2.5	271	2.53																	
		TM D422)	Percent Fines (clay & silt)	(%)			99.2	85	5	00	59.1		94.1	20	92.6		28.8	0.77	90.2		14		94.1								-					""-" enade		
		in Size (AS	Percent Sand	(%)			0.8	15		r	40.9		5.9	8	7.4		32.7		9.8		01	p t	5.9			-												-
	ary	Gra	Percent Gravel	(%)			0	0			0		00	>	0		38.5 36.1		0		c	,	0								-							
\bigcirc	le 2.3 sults Summ	STM D4318)	Plasticity Index	(%)		100	100	56	127		138		129 45	?	23				93				0							-			-					
	Tab x Test Re	g Limits (A	Plastic Limit	(%)		176	07	102	74		68		105 Rg	8	67				68		Non-Plasti		Non-Plasti														*	
	Inde	Atterber	Liquid	(02)		376	077	158	201		227		234 134	5	120				182																			
		Liquid Limit	(Cone Penetration BS 1377-2:1990) (%)			198	8	159	173		194		209		120				178		164		160										•					
		Water	(ASTM D2216)	127 258	40 134	270 331	125 155	218	251	171 186 454	210	165	284 110	93	185 294	202	24	466	105	263	166	236 162	118 63	59	181 261	417	4 <i>21</i> 286	240 210	224	254 237	243	240	224 212	265	183	203 166	172 210	C47
		Averaco	Depth (ft)	= = :	= m 1	~ 6	5 5	84	28	33.5 37	\$ 4 4	48.5	S 20	58.5 21	65 68.5	73.5	74.7	11	2 6	35	45 45	45 45	65 65	85.8	- π	~ 0	» E	13	22	19 21	23	5 12	31 31 31	33	ភន	+ 4 - 69 :	45	D t
		Denth	(ft)	10.0-12.0 10.0-12.0	0.0-6.0	8.0-10.0	12.0-14.0 16.0-18.0	19.0-21.0 24.0-26.0	29.0-31.0	36.0-38.0 36.0-38.0 39.0-41.0	41.0-43.0	48.0-49.0	49.0-51.0 54.0-56.0	58.0-59.0	68.0-69.0	73.0-74.0 76.0-78.0	73.7-75.7	10.0-12.0	30.0-32.0	34.0-36.0	44.0-46.0		64.0-66.0		2.0-2.0	6.0-8.0 8.0-10.0	10.0-12.0	12.0-14.0	16.0-18.0	20.0-22.0	22.0-24.0	26.0-28.0	28.0-30.0	32.0-34.0	38.0-40.0	42.0-44.0	44.0-46.0 46.0-48.0	12.00=0.04
		Field	Sample ID	SB915-6001-05 SB915-6001-06 SB915-6001-06	SB915-6005-01 SB915-6005-01 SB915-6005-01	SB915-6005-03	SB915-6005-04 SB915-6005-05	SB915-6005-06 SB915-6005-07	SB915-6005-08	SB915-6005-10 SB915-6005-10 SB915-6005-11	SB915-6005-12 SB915-6006-01	SB915-6006-02	SB915-6006-04	SB915-6006-05	SB915-6006-07	SB915-6006-08 SB915-6006-09	SB915-6006-10	SB915-6001-01	SB915-6001-03	SB915-6000-10 SB915-6001-04	SB915-6000-11		SB915-6000-12 SB915-6000-12	SB915-6000-12	SB915-6003-02	SB915-6003-03 SB915-6003-04	SB915-6003-05	SB915-6003-06 SB915-6003-07	SB915-6003-08	SB915-6003-10	SB915-6003-11 SB015-6003-12	SB915-6004-01	SB915-6004-02	SB915-6004-04 SB915-6004-04	SB915-6004-06	SB915-6004-08	SB915-6004-19 SB915-6004-10 SB915 5004-10	11-1000-01000
)		Location ID		SB915-EXC-1 SB915-EXC-2 SB915-EXC-3	SB915-PZ-A1							-					DOLE INFV 40	DB 10-INEX-AZ						00045 P3 44	+4-71-0-000							- -						

Page 1 of 2

P:\Honeywell -SYR\441598 + SCA FFS\09 Reports\Summary Report\WB_13_Summary_Report.xis\Table 2.3

PARSONS

Table 2.3 Index Test Results Summary

		ſ				1									
Location ID	Field	Danth		Water	Liquid Limit	Atterber	g Limits (A	STM D4318)	Gra	in Size (AS	TM DA951				
	Samula ID	undar	Average	Content	(Cone Penetration	Liquid	Plastic	Plasticity	Derrant	Dorozal h	Den 1422	Specific	Carbonate	Density (EM	1110-2-1906)
		(11)	Cepth (#)	(ASTM D2216)	BS 1377-2:1990)	Limit	Limit	Index	Gravel	Sand	Clav & eith	Gravity	Content	Bulk	ρıλ
SB915-INEX-A7	SB915-6000-02	15 0-17 0	16	10/	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(tecort inition)	(AS1M D4373)	Density	Density
	SB915-6000-04	44.0-46.0	45	204								2.54	10/1	(pcr)	(pcr)
	SB915-6000-05	59.0-61.0	09	BR										00 F	<u>0</u>
SB915-INEX-A6	SB915-6000-01	15.0-17.0	16											2	07
SB915-INEX-A1	3 SB915-6000-06	10.0-12.0	F	ADA	101					ŀ		27			
	SB915-6000-06		: :	306	/0	168	103	65	0	19.8	80.2				
	SB915-6000-06		: =	304											
	SB915-6000-07	24.0-26.0	25	267								:			
	SB915-6000-08	39.0-41.0	4	203	170	102						2.72		74	00
	SB915-6000-08		40	214		8	89	94	0	11.8	88.2				3
~	SB915-6000-08		9	243											
SB915-PZ-A11	SB915-6002-01	0.0-2.0	F	228		1									
	SB915-6002-02	2.0-4.0		165										T	
	SB915-6002-03	4.0-6.0		109											
	SB915-6002-04	8.0-10.0	σ	222	-										
	SB915-6002-05	10.0-12.0	F	347				_					-		
	SB915-6002-06	12.0-14.0	13	912				_							
	SB915-6002-07	14.0-16.0	15	242											
	SB915-6002-08	16.0-18.0	17	134											
	SB915-6002-09	18.0-20.0	19	573											
	SB915-6002-10	20.0-22.0	5	205					-						
	SB915-6002-11	22.0-24.0	23	162											
	SB915-6002-12	24.0-26.0	25	130											
Note:						1									

Note: 1. This location ID is consistent with the test results provided by GeoTesting Express; however, samples were actually taken from the SB915-INEX-A1 boring, which is very close to the SB915-PZ-A1 boring.

PARSONS

P.:Honeywell -SYRW41598 • SCA FFS\09 Reports\Summary Report\WB_13_Summary_Report.xts\Table 2.3

DATA SUMMAR

Consolidated Undrained with Pore Water Pressure Measurements Test Results Summary Table 2.4

ŝ	c,	a	(Sé		Τ	Т	Τ			Γ	T	Ť	٦		Γ	Т	Т	Т	Т	T	Т			Γ
ve Stres	Frictio	Angle	(degree	45.2								41.0			44.5			101	44					
CU Effecti		Lousanoo	(psf)	13.1				Ż			4.06	C7			267			352	200			N		
l Stress	Friction	aißiiv .	(degrees)	16.7			. !	11.4			7 4 7	i.			14.6			14.4	t.			16.5		
CU Tota	Cohecion		(pst)	0			102	4.00			304	22			301			367	5	Ī	000	787		
	Strain at Failure	/0/	(0)	3.5	3.2	2.0	4 4	- c	3.3	15.0	3.7	28		۲.1	1.9	1.5	1.8	3.2	5.3	23	0	0.0	15.0	2.3
Peak	Stress	(nef)	10001	1300	2046	3480	2048	00200	0000	6852	2156	3504	6040	0470	1577	2486	4150	2212	3680	6210	1805.2	7.0001	4030	6704
Initial	Stress	(nsf)	1000	5031	2501	5001	2001	CUUV	7001	8001	1999	4001	7008	000	1200	2496	4999	1998	3998	8001	2000	1000	4000	7992
Č	Density	(bcf)	16.2	2.2	24.5	18.8	38.3	32 7	0 10	0.10	24.0	-			24.4			24.5			25.9	32.4		7.67
Initial Water	Content	(%)	345		204.1	292.8	104.8	135.2	161 /	1.	222.6			1 070	213.1			205.8			204.4	157 G		-/ 0.4
Average	Depth	(#)	16			1	31				35			46				30			45			
Depth		ŧ	15-17				30-32			01.00	34-30			15-17	5			29-31			44-46			
Field	Sample ID		SB915-6000-09				SB915-6001-03			CD045 2000 10	01-0000-01800			SB915-6000-02	70-0000 010-00			SB915-6000-03			SB915-6000-04			
	Location ID	CDOAF INFX	SB915-INEX-A2				SB915-INEX-A2			SB915-INEY-A72				SB915-INEX-A72			SDOLE INFV A-2	-/A-YENI-CIRCO			SB915-INEX-A7			

<u>Notes:</u> 1. NA indicates not applicable. Additional interpretation is required to use these test results. 2. These tests were performed as staged triaxial tests; thus, the same sample was used for all three tests.

PARSONS

P:\Honeywell -SYR\441598 - SCA FFS\09 Reports\Summary Report\WB_13_Summary_Report.xis\Table 2.4

 Table 2.5

 Unconsolidated Undrained Test Results Summary

		neptn	Average	Water	Dry	Undrained	Strain
ő	ample ID	(t)	Depth	Content	Density	Strength	at Failure
		-	(tt)	(%)	(pcf)	(Jsd)	(%)
တ္တ	15-6000-10	34-36	35	250.8	010	ROF 8	
σ	5-6001-04	28 40			110	0.020	<u>а</u> .ч
5	+0000-0	00-1-00	3 8	109.601	39.7	2044.8	10.2
5	5-6001-04	38-40	39	1723	28 F	1074 4	
è					2.2	1.1.1	4.0
2	20-000-02	/1-01	16	224.8	22.5	642 4	11 A
5	5-6000-03	29-31	30	220.1	25.2	C 107	
3					1.01	1 34.0	8.2
5	10-0009-0	24-26	25	253.2	21.2	419.5	00
							2:1

Page 1 of 1

PARSONS

PORT DATA SUMMA

Table 2.6 Consolidation Test Results Summary

Location ID	Field Sample ID	Depth	Average Depth	Modified Compression Index ¹	Modified Recompression	Initial Void	Initial Water	Preconsolidation
		(t	(¥)	(C)	(J)		Content	Pressure
SB915-INEX-A2	SR-015-6000-10	30 10		1- 05	(Cre/	(°2)	(%)	(psf)
SDOLE INTY AD		00-+0	S	0.51	0.0069	64	338.1	0000
ZA-VENI-CI SEC	<u>SB-915-6001-01</u>	10-12	,	0.56	0 0074	107		2200
SB915-INEX-A2	SB-915-6001-04	28.40	000		+ 100.0	17.1	466.0	1800
SR015 INEV A7			20	0.40	0.0072	6.6	259.1	3400
	SB-915-6000-02	15-17	16	0.61	0.0100	10 1	1002	0010
SB915-INEX-A7	SB-915-6000-02	15-17	16	0.41	00000	1.2.1	403.0	1800
SB915-INEX-A8	SB-915-6000-01	15-17	16		ACUU.U	7.7	273.3	2800
SR915-INEX-A10	SD 015 5000 07		2		Di	sturbed Sample	đ	
	10-0000-018-00	24-26	25	0.49	0.0061	8.3	304.8	2600
Note.							0.100	7007

1. Parameters are from Memorandum to NYSDEC on SCA Design Accommodation of Potential Foundation Differential Settlements Onondaga Lake, New York (GeoSyntec, 2006).

PARSONS

P:\Honeywell -SYR\441598 - SCA FFS\09 Reports\Summary Report\WB_13_Summary_Report.xls\Table 2.6

consultants

					Page	94	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No	.: 04

Phase II Lab Results

(Provided to Geosyntec by Parsons and included in the report "Onondaga Lake Pre-Design Investigation: Phase II Data Summary Report" prepared by Parsons [2008c])

Onondaga Lake Pre-Design Investigation Phase II Geotechnical Data Summary Syracuse, New York

Wastebed 13 CIU Test Results Summary

				Initial	Initial	Dry	Peak			CIU Tota	I Stress	CIU Effect	ive Stress
	Field	Depth	Average	Water	Confining	Density	Deviator	Undrained	Strain		Friction		Friction
	sample IU	(I I)	Ueptn (ft)	Content (%)	Stress (psf)	before Shear (pcf)	Stress (psf)	Strength (psf)	at Failure (%)	Cohesion (nsf)	Angle (degrees)	Cohesion	Angle
SB915-SB13-01	OL-0297-01	8-10	ი	323.2	2500	19.73	1883.2	941.6	4.43	Z	Vana Rann	- N	A
				110.9	4998	41.78	8168	4084	7.46				
SB915-SB13-03	OL-0297-14	30-32	31	278.7	2001	24.35	2164	1082	8.58	359	14	307	34.8
				334.4	4000	19.91	3254	1627	3.62				
		2		334.4	1999	26.2	9009	3003	8.81				
SB915-SB13-04A	OL-0297-19	17-19	18	320.6	1499	15.45	2042	1021	4.95	421	16.1	270	44
				348.3	2999	19.31	3576	1788	5.73				
				371.8	6000	21.14	4760	2380	6.29				
SB915-SB13-04A	OL-0298-01	44-46	45	216.1	2000	32.06	2434	1217	11.4	461	14.8	41.1	42
				227.2	4000	29.55	3642	1821	5.72				
				160.7	7999	34.49	6676	3338	5.07				
SB915-SB13-04A	OL-0298-03	72-74	73	183.1	3000	29.94	3208	1604	3.63	z	A	z	◀
				168.4	6000	25.24	5208	2604	3.56				
				173.3	11990	30.01	6222	3111	0.929				
SB915-SB13-05	OL-0298-05	17-19	18	255.7	1500	17.39	2270	1135	3.99	456	15.8	485	34
				454.8	3000	18.07	3460	1730	5.13				
				407.8	5999	21.12	5378	2689	5.96				
SB915-SB13-05	OL-0298-09	52-54	53	204.6	2501	27.26	2842	1421	15	718	15	575	42.5
				132.3	5000	39.86	6646	3323	15				
				204.8	10000	30.42	7424	3712	2.84				
SB915-SB13-09	OL-0299-06	8-10	б	289.9	1199	22.68	2168	1084	15	753	6	524	31.5
				280.2	2499	18.07	2648	1324	3.05				
				367.3	5003	23.15	3612	1806	15				
SB915-SB13-09	OL-0299-10	48-50	49	229.3	2500	25.46	3536	1768	3.83	1160	12	772	35.9
				176.4	5000	34.77	6502	3251	10.1				
				148.2	9998	32.93	7688	3844	3.64				
SB915-SB13-12	OL-0300-06	8-10	6	273.6	1200	16.55	1526	763	5.47	365	12.8	205	36.5
				327.9	2500	21.45	2162	1081	3.34				
				415.6	4999	26.92	3142	1571	2.81				
SB915-SB13-12	OL-0300-10	42-44	43	279.8	1998	21.51	2848	1424	5.35	751	14.2	104	46.4
				273.2	3999	22.64	4580	2290	4.32				
				270.5	7987	26.87	6998	3499	7.47				
SB915-PZ13-01	OL-0295-04	26-28	27	374	2000	20.39	2674	1337	3.52	467	15.4	667	36.6
-				216.6	3998	22.52	3862	1931	4.06				
				274.6	8001	27.75	5346	2673	3.39				
SB915-PZ13-04	OL-0295-16	8-10	თ	352.4	1200	14.24	1484.8	742.4	3.24	397	10.8	49.4	39.7
				319.1	2498	17.94	2018	1009	4.1				
				351.2	4999	27.53	3334	1667	7.78				
SB915-PZ13-04	OL-0295-18	28-30	29	341.8	1999	19.99	2744	1372	8.36	943	9.7	995	22
				331.8	3998	20.91	4406	2203	8.39				
				320.5	8001	25.01	5014	2507	4.64				
SB915-PZ13-14	OL-0296-17	22-24	23	159.2	2000	42.03	2634	1317	5.03	598	12.4	278	40.7
				186	4003	21.88	3598	1799	2.39				
				224.1	7998	26.57	6074	3037	4.01				
SB915-PZ13-14	OL-0296-18	47-49	48	16	2499	101.6	6124	3062	5.47	2080	10.4	1420	17.8
				21.2	5000	99.78	7210	3605	6.21				
				23.2	6666	100.3	9440	4720	11.3				

<u>Note:</u> 1. NA indicates not applicable. Additional interpretation is needed to use these test results.

(2007)/Ph II UU and CIU Summer

Page 2 of 2

N:/Onondega 9/16/2007

parsons

Onondaga Lake Pre-Design Investigation Phase II Geotechnical Data Summary Syracuse, New York

Wastebed 13 Consolidation Test Results Summary

				Initial	Initial			Modified	Modified		
	Field	Depth	Average	Water	Void	Compression	Recompression	Compression	Recompression	Preconso	lidation
Location ID	Sample ID	-	Depth	Content	Ratio	Index	Index	Index	Index	Pres	sure
		(#)	(tt)	(%)		(Cc)	(Cr)	(CcE)	(Cre)	(Josef)	(tsf)
SB915-PZ13-02	OL-0295-06	10-12	11	236.1	7.46	3.35	0.10	0.40	0.012	2322	1 2
SB915-PZ13-02	OL-0295-08	27-29	28	62.4	1.74			Disturbed San	nole	2762	<u>i</u>
SB915-PZ13-03	OL-0295-11	10-12	11	192.1	5.17	1.65	0.08	0.27	0.012	2729	14
SB915-PZ13-03	OL-0295-13	30-32	31	249.2	6.11	3.31	0.09	0.47	0.013	4000	100
SB915-PZ13-04	OL-0295-17	10-12	11	536.8	14.44	9.26	0.29	0.60	0.019	1958	10
SB915-PZ13-04	OL-0295-19	33-35	34	377.4	10.47	4.89	0.27	0.43	0.024	1361	20
SB915-PZ13-04A	OL-0295-20	53-55	54	235.0	6.48	2.08	0.08	0.28	0.011	3597	- C
SB915-SB13-01	OL-0297-02	10-12	11	111.0	3.09			Disturbed San		1000	2
SB915-SB13-01	OL-0297-05	28-30	29	101.2	3.11	0.77	0.04	0.19	0.010	2042	6
SB915-SB13-03	OL-0297-13	4-6	5	366.3	10.46	5.85	0.13	0.51	0.011	1936	
SB915-SB13-03	OL-0297-15	32-34	33	394.4	10.32	6.88	0.21	0.61	0.018	7587	<u>) (</u>
SB915-SB13-03	OL-0297-17a ¹	58-60	59	225.1	5.83			Disturbed San		1 1	2
SB915-SB13-04A	OL-0297-18	12-14	13	236.8	6.99	3.47	0.13	0.43	0.016	2223	
SB915-SB13-04A	OL-0297-20	38-40	39	300.7	7.83	5.44	0.20	0.62	0.023	2904	1.5
SB915-SB13-04A	OL-0298-02	70-72	71	245.0	6.7	2.56	0.08	0.33	0.011	3681	2 8
SB915-SB13-05	OL-0298-04	14-16	15	363.0	9.83	5.22	0.17	0.48	0.016	1936	1.0
SB915-SB13-05	OL-0298-07	30-32	31	187.8	5.05	2.10	0.09	0.35	0.014	2636	13
SB915-SB13-06	OL-0298-12	8-10	6	82.0	1.4	0.85	0.04	0.36	0.016	2500	13
SB915-SB13-06	OL-0298-14	30-32	31	168.0	4.97	0.90	0.07	0.15	0.011	2582	1.3
SB915-SB13-09	OL-0299-07	10-12	11	405.7	10.54	5.76	0.23	0.50	0.020	1633	0.8
SB915-SB13-09	OL-0299-09	30-32	31	238.7	6.56	2.34	0.15	0.31	0.020	3000	1.5
SB915-SB13-12	OL-0300-08	12-14	13	427.5	11.48	6.73	0.27	0.54	0.021	1875	6.0
SB915-SB13-12	OL-0300-09	30-32	31	322.7	8.65	6.88	0.25	0.71	0.025	3597	1.8
SB915-SB13-12	OL-0300-11	44-46	45	324.4	8.29	3.34	0.23	0.36	0.025	2254	1.1
SB915-SB13-13	OL-0300-12	10-12	11	498.1	12.65	6.43	0.21	0.47	0.015	006	0.5
SB915-SB13-13	OL-0300-14	20-22	21	127.9	3.66			Disturbed San	nole		

Note: 1. This sample was part Solvay waste and part clay. The test results provided here are from the Solvay waste portion of the sample.

Fasks/Task 4 - Develop

N:\Onondaga Lake\Thirty Percent Design\Project 1 9/16/2007

parsons

Onondaga Lake Pre-Design Investigation Phase II Geotechnical Data Summary - Index Test Results Syracuse, New York

Wastebed 13 Index Test Results Summary

Г	-	6	Т		Т	Т	Т	Т	Т	Т	Т		_	Т	Т	Т	T		Т	Т	т	Т			Т	Т	Т	т	Т	Т	Т	Т	Т	Т	T		Т	Т	Т	Т		П	Т	Т	Т	Т	Г	1	T	
Buik	Density	(EM-1110-2-190(68	73		11															67 67	69	75																	67	69	80								
Carhonate	Content	(ASTM D4373)	35	26	35	30	22	17		26	30		43	35	26	72		35	26	13	35	8	43								35	6				35	35	22		43	39	35		43	35	35			22	35
Snecific	Gravity	(ASIM U854)	2.59	2.35		262	2.6	2.43	2.58	2.6	2.44	2.66		2.6	2.71	2.73	2.72	2.73	2.61	2.63	2.00	2.62	2.68	2.54	2.63	2.62	2.78	6/.Z	2.10	2.76	2.59	2.76	2.1	2.59	2.69		2.54	2.57	2.73	2.54	2.51	2.67	2.71	2.73	2.55	2.59	2.74		2.63	2.63
	Clay-sized Particle	Content (0.002 mm)	20	Э.		15	2 ∞	2	4		3	3		9;	11	9	3	6	4	4	2 @	34	41	2		29	24	9	24	37	26	59	=	9	14	7	8	2 8	13	23	24	7	- (×	7	30	15	15	CI .	2
Size (ASTM D422)	Clay-sized Particle	CONTENT (0.000 MM) (%)	51	90	4	18	18	5	5	5	10	9		11	34	10	4	16	13	2	12	61	62	3	с 5	37	30	20 90	28	51	43	78	25	3 6	19	11	13	0	20	52	47	12	г	11	14	58	27	36	8	
Grain	Percent Fines	נטופא מיסוון (%)	92.1	63.1	60.9	60.8 60.8	72.7	34.3	14.3	45.4	68.6	21.4	2 2 2	97.2	98.8	25.8	8.2	42.7	52.8 5	181	96.5	90.5	99.3	12	32	59.60 00 0	62.8 64 F	62 1 62 1	54.1	99.2	91.2	99.9 00.0	92.3 63.3	26	96.9	54.1	63.4	23.4	47.4	98.6	95.5	22.9	8.6 20.r	99.5	97.2	98	63.2	98.4		0
	ercent F	(%)	7.9	33.1	C.01	39.2	27.3	48.3	41.8	27.9	22.4	44.5		<u>2.8</u>	1.0	73.4	80.4	32.1	23.5	35.1	3.5	8.7	0.7	44.4	57	7.12	31.4	37.9	33.8	0.8	5.2	0.1	34.5	35.3	3.1	14.9	25.2	48.4	43.2	1.4	4.5	41.6	28.3	c.U	2.8	2	30.2	1.6	2	, r
	ercent F	(%)	0	3.8	0.1		0	17.4	43.9	26.7	6	34.1	4			0.8	11.4	25.2	23.7	16.8	0	0.8	0	43.6	11	19.1	۵.0 ۲.0	†;0	12.1	0	3.6	0	, c c	38.7	0	31	21.4	28.2	9.4	0	0	35.5	03.1	-	0	0	6.6	0		
STM D4318)	Plasticity F	(%)	43	30	00	15	18	19	0	44	39	9	4	59	42	0	0	27	33	16	46	69	47	6		= <	₽ ¢	13	10	23	59	20 20	,17	2	7	56	33	2	4	65	55	38	20	00	68	119	17	48		2
Limits (A	Plastic Limit	(%)	133	113	130	42	84	93	Non-Plasti	124	119	17	104	101	151	Non-Plasti	Non-Plasti	62	108	1 8	136	151	139	35	49	<u>0</u> ;	7 6	15	12	22	144	24 16	40	18	19	116	100	16	10	144	156	116 1	101-Flast	2	159	111	43	129		
Atterberg	Limit	(%)	176	143	181	57	102	112		168	158	23	000	184	193			88	141	34	182	220	186	44	00 90	07 50	23	28	22	45	203	21	57	25	26	172	131	53	14	209	211	154	101	0	227	230	60	177		
Liquid	Limit L (BS 1377-2:1990)	(%)	214.5	164.5 216 6	205.5		118	130		151.5	136		200 E	200.0	219			104.5	164 165	201	265	222.5	192								247	55				204	137.6	0.101		227	247.5	178.5	214	214	234	230	61.5	209		150
Water	Content (ASTM D2216)		347.6	125.8 218	252	54.5	91.3	85.6	10.2	120.5	143.4	12.6	4.700	292.5	359.6	13.1	14.3	70.9	87.4	19.7	349.4	271	252.6	19.1	11	10 1	9.7	17.1	8.5	24.4	256.4	24.9	37.5	8.4	24.5	126.5	181.6	12.2	8.2	353.7	328.5	142.8	363	334.4	318.6	271.9	72	283.8		371.8 151.6
	Average Depth	£	1	22	35	56	11	28	44	=	31	c.L/	9 4	56	34	64	109	5	у Эб	49	11	33	47	89	16	13.5	26	36	11	41	23	51	56	3.5	56	6	= %	56.5	119	6	26	43 66	g r	31	33	59	59	13		18 20
	Depth	ŧ	10-12	26-28	34-36	55-57	10-12	27-29	43-45	10-12	30-32	67-79 8-10	10-12	28-30	33-35	63-65	108-110	53-55	25-27	48-50	10-12	32-34	46-48 EE EE	20-00	15-17	10-17	25-27	35-37	10-12	40-42	22-24	4/-49 50-52	55-57	0-7	55-57	8-10	28-30	53-60	118-120	8-10	25-27	42-44 65-67	4.6	30-32	32-34	58-60	58-60	12-14		17-19
	Field Sample ID		OL-0295-01	OL-0295-04	OL-0300-16	OL-0301-07	OL-0295-06	OL-0295-08	OL-0301-08	OL-0295-11	OL-0295-13	OLU301-U9 OI -0295-16	OI -0295-17	OL-0295-18	OL-0295-19	OL-0301-10	OL-0301-11	OL-0295-20	OL-0296-01 OL-0296-04	OL-0301-12	OL-0296-06	OL-0296-08	OL-0296-10	OL-0301-13	OL-0301-10 OL-0301-17	OL-0301-18	OL-0301-19	OL-0301-20	OL-0302-03	OL-0301-14	OL-0296-17	OL-0202-04	OL-0302-01	OL-0302-02	OL-0301-15	OL-029/-01	OL-0297-02 OI -0297-05	OL-0301-01	OL-0301-02	OL-0297-06	OL-0297-08	OL-029/-10	OI -0297-13	OL-0297-14	OL-0297-15	JL-0297-17a (SOLW)	OL-0297-17b (Clay)	OL-0297-18		OL-0297-19 OL-0297-20
	Location ID	00011 0210 01	SB915-PZ13-01 SB016-D712-01	SB915-PZ13-01	SB915-PZ13-01	SB915-PZ13-01	SB915-PZ13-02	SB915-PZ13-02	SB915-PZ13-02	SB915-PZ13-03	SB913-PZ13-03	SB915-PZ13-03	SB915-PZ13-04	SB915-PZ13-04	SB915-PZ13-04	SB915-PZ13-04	SB915-PZ13-04	SE015-F213-04A	SB915-PZ13-05	SB915-PZ13-05	SB915-PZ13-06	SB915-PZ13-06	SB915-PZ13-06	SR015-D713-07	SB915-PZ13-08	SB915-PZ13-09	SB915-PZ13-11	SB915-PZ13-12	SB915-PZ13-13	SB915-PZ13-13	SB915-PZ13-14	SB915-PZ13-14	SB915-PZ13-15	SB915-PZ13-16	SB915-PZ13-16	SB913-5B13-01	SB915-SB13-01	SB915-SB13-01	SB915-SB13-01	SB915-SB13-02	SB915-SB13-02	SB915-SB13-02	SB915-SB13-03	SB915-SB13-03	SB915-SB13-03	SB915-SB13-03 C	SB915-SB13-03	SB915-SB13-04A	10000 L 0000	SB915-SB13-04A CR015-CR13-04A

parsons

Ni Chronologia Lakvil'hinty Percent DesigniProped Taxket Tasks Tasks Tasks Tasks Dawn Source Subject Tasks T

Onondaga Lake Pre-Design Investigation Phase II Geotechnical Data Summary - Index Test Results Syracuse, New York

Wastebed 13 Index Test Results Summary

Γ			9		Т	Т	Τ	Т	Т	T	Т	Т	Т	Т	Т	Τ	Τ	Τ	Т	Т	Ť	Τ	Τ				Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	٦
	Bulk	Density	(EM-1110-2-190												95	00	0/9	7)										72	11	7)							
	Carbonate	Content	(ASTM D4373)	00	77	\$	97	07	26	35	11	D	00	23	36	30	30	60		39	77	26	90		30	35	30	43	43	8	с <u>у</u>	43	43	39	6	30	17
4	Specific	Gravity	(ASTM D854)	000	207	01.0	ZC.2		2.6		2.64	27	2 50	010	04-7			11.0	C/ 7		2.47	2.63	2.65	2.52								2.2	CC.7	2 6 4	2.04	2.41	2.64
		Clay-sized Particle	Content (0.002 mm)	10/	2	00	90		G		4	6	. 0	30 S	3 -	- 0	0 4		7		4 0	2	9	2	10	е (9	5	۵ ۵	0	4	2 0	D	£		00	7
CITA DADA	TZALINI DAZZ	Clay-sized Particle	Content (u.uus mm)	15	2	53	70	G	~	4	2	4	33	47		28	200	2 4	>	40	2 0	7	77	m	27	9		14	10	17	90	00		4	2 00	20	0
Grain 6		Percent Fines	(ciay & siit)	08.1	90.1	08.2	0.00	36	00	7 1 7		20.5	100	92.1	7.9	80	07 F	20	77	50.2	4.00	10.4	(0.0)	11.1	71.3	96.6	90.9	91.0	92.9	0.00	c 90	02.0	0.10	08 F	06.2	20.00	8.02
		Percent	1%)	0	2	17	:	25.2	0.00	3 8 8	20.04	59.2	0	7.9	64.4	18	25	e va	2.5	1 80	101	4.0.4	0.0	5	7.8	3.4	- 2	4.1	;	F	27		i	1 5		0.03	23.3
		Gravel	(%)	c	,	c	>	780	1.02	780	1.07	20.3	•	0	27.7	c	0	13.2	1	21.4	75.2	7.0	•	34.9	20.9					,	6		,	c		C 4 1	7.4
STM D43181		Plasticity	(%)	39	2	52	5	26	20	74		5	38	33	22	35	44			27	2.5	02	00	;	40	80	30	9 1	86	5	48	51	2	42	46	10	7
a Limits (A	- North	L imit	(%)	119		109		83	3	167	5	17	124	125	62	116	150	Non-Plast		ę	120	0e	Non-Diod		101	124	134	56	140		133	146	2	152	125	ag B	3
Atterber	1 10001	l imit	(%)	158		161		109	2	241		22	162	158	101	151	194			120	151	146	P	2.4.7	14/	163	182	131	122		181	197		194	171	80	3
Liquid	imit	(BS 1377-2:1990)	(%)	182		157		133.5		141.5	192		178.5	159	111.5	201.5	193.5			156.5	168	160	2	400 E	2001	166 F	195	148	187		259	228.5		227.5	193.2	00 2	
Water	Content	(ASTM D2216)		302	249.1	226.7	208.6	110.9	166.6	121.1	28.1	65.6	302.7	181.4	68	174.4	300.3	8.3	237.2	170.7	121.1	186.7	12.8	142.4	142.4	236.6	278.6	227.9	226	273.6	363	271.9	279.8	301.1	244.1	65.8	2.22
	Average	Depth	(H	15	18	31	53	6	29	31	47	104	6	31	10	23	40	69	6	11	31	49	61.5	2. 4	4	30	;;;	33	61	6	13	31	43	45	÷	21	
	Denth		(#)	14-16	17-19	30-32	52-54	8-10	28-30	30-32	46-48	103-105	8-10	30-32	9-11	22-24	39-41	68-70	8-10	10-12	30-32	48-50	58-65	5.7	15.17	38-40	10-12	32-34	60-62	8-10	12-14	30-32	42-44	44-46	10-12	20-22	
	Field	Sample ID		OL-0298-04	OL-0298-05	OL-0298-07	OL-0298-09	OL-0298-12	OL-0298-13	OL-0298-14	OL-0298-15	OL-0301-04	OL-0298-17	OL-0298-20	OL-0299-01	OL-0299-03	OL-0299-05	OL-0301-05	OL-0299-06	OL-0299-07	OL-0299-09	OL-0299-10	OL-0301-06	OI -0200-12	OI -0200-14	OL-0299-18	OL-0300-01	OL-0300-03	OL-0300-05	OL-0300-06	OL-0300-08	OL-0300-09	OL-0300-10	OL-0300-11	OL-0300-12	OL-0300-14	
-	Location ID			SB915-SB13-05	SB915-SB13-05	SB915-SB13-05	SB915-SB13-05	SB915-SB13-06	SB915-SB13-06	SB915-SB13-06	SB915-SB13-06	SB915-SB13-06	SB915-SB13-07	SB915-SB13-07	SB915-SB13-08	SB915-SB13-08	SB915-SB13-08	SB915-SB13-08	SB915-SB13-09	SB915-SB13-09	SB915-SB13-09	SB915-SB13-09	SB915-SB13-09	SB915-SB13-10	SB915-SB13-10	SB915-SB13-10	SB915-SB13-11	SB915-SB13-11	SB915-SB13-11	SB915-SB13-12	SB915-SB13-12	SB915-SB13-12	SB915-SB13-12	SB915-SB13-12	SB915-SB13-13	SB915-SB13-13	

N. Onrolding Laker)Thiry Percent Design/Project Teates)Teak 4 - Develop SOJ,W Characteristica/Lab Teating Results/Phase 1 - Lab Teating Results (2007)UEC_Westeber 15 Phase 1 PD) Geolech Index Teats solven 14 Page 2 of 2 9/1520

Onondaga Lake Pre-Design Investigation Phase II Geotechnical Data Summary Syracuse, New York

Wastebed 13 UU Test Results Summary

	Field	Depth	Average	Water	Dry	Undrained	Strain
Location ID	Sample ID	(#)	Depth	Content	Density	Strength	at Failure
			(ft)	(%)	(pcf)	(psf)	(%)
SB915-SB13-01	OL-0297-02	10-12	11	190.9	27.02	565.4	6.03
SB915-SB13-01	OL-0297-05	28-30	29	120.4	35.53	916.4	7.34
SB915-SB13-03	OL-0297-15	32-34	33	318.1	17.47	852.3	9.89
SB915-SB13-03	OL-0297-17a ¹	58-60	59	265.5	19.75	320	15
SB915-SB13-04A	OL-0297-18	12-14	13	259.9	18.15	601.6	2.78
SB915-SB13-04A	OL-0297-20	38-40	68	189	27.35	474.9	13.5
SB915-SB13-05	OL-0298-04	14-16	15	300	18.27	747.7	4.79
SB915-SB13-06	OL-0298-12	8-10	6	98.3	46.13	5125	2.22
SB915-SB13-09	OL-0299-07	10-12	11	218.8	24.07	766.6	5.14
SB915-SB13-09	OL-0299-09	30-32	31	135.1	36.07	991	5.76
SB915-SB13-13	OL-0300-12	10-12	11	244.7	21.01	443.7	4.07
SB915-SB13-13	OL-0300-14	20-22	21	71.4	54.84	1431	5.84
SB915-PZ13-02	OL-0295-08	27-29	28	70.2	52.86	3007	5.3
SB915-PZ13-03	OL-0295-13	30-32	31	179.1	28.33	1353	7.25
SB915-PZ13-04	OL-0295-17	10-12	11	472.5	11.62	602.5	4.13
SB915-PZ13-05	OL-0296-04	25-27	26	64.1	55.78	3693	12.7

<u>Note:</u>

1. This sample was part Solvay waste and part clay. The test results provided here are from the Solvay waste portion of the sample.

N10nondage Lefel Thrity Percent Design/Project Testes Tracks 4 - Develop SOLW Characteristics/Lab Testing Reaults/Phase II - Lab Testing Results (2007)Ph II UU and CU Summary AsUU 9/16/2007

consultants

					Page	95	C	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Phase III Lab Results

(Provided to Geosyntec by Parsons and included in Appendix E of "Onondaga Lake Pre-Design Investigation Phase III Data Summary Report" prepared by Parsons in 2008)

WB 13 Index Test Results Summary

				Water	Atterbe	erg Limits (ASTM	I D4318)		Grai	in Size (ASTM D422)			Specific	Carbonate	Bulk
Location ID	Field	Depth	Average	Content	Liquid	Plastic	Plasticity	Percent	Percent	Percent Fines	Clay-sized Particle Content	Clay-sized Particle Content	Gravity	Content	Density
	Sample ID		Depth	(ASTM D2216)	Limit	Limit	Index	Gravel	Sand	(clay & silt)	(0.005 mm)	(0.002 mm)	(ASTM D854)	(ASTM D4373)	(ASTM D2937)
		(ft)	(ft)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)			
Within Wastebed 13															
SB915-SB13-14	OL-0465-01	10-12	11	332.4	175	118	57	0.2	2.7	97.1	53	34		48	
SB915-SB13-14	OL-0465-04	62-64	63	229	137	115	22	0	6.1	93.9	14	2	2.62	17	73
SB915-SB13-14	OL-0465-06	90-92	91	10.4		Non-Plastic		30.4	45.7	23.9	10	6	2.59		
SB915-SB13-15	OL-0465-07	0-2	1	305.1	245	209	36	0	10.7	89.3	57	36	2.53	48	
SB915-SB13-15	OL-0465-08	42-44	43	242.3	199	138	61	0	3	97	16	4	2.46	26	74
SB915-SB13-16	OL-0465-12	20-22	21	277	185	127	58	0	10.6	89.4	46	17		39	
SB915-SB13-16	OL-0465-16	52-54	53	209.6	176	105	71	0	6.9	93.1	20	2	2.59	26	75
SB915-SB13-16	OL-0465-17	60-62	61	10.2		Non-Plastic		34.6	52.5	12.9	6	4	2.65		
SB915-SB13-16	OL-0465-18	65-67	66	11.6		Non-Plastic		29.6	58	12.4	4	3	2.49		
SB915-SB13-17	OL-0465-19	30-32	31	210.8	171	94	77	0	3.6	96.4	35	9		26	
SB915-SB13-17	OL-0465-22	66-68	67	221.3	184	95	89	0	7.3	92.7	31	8	2.35	0	77
SB915-SB13-17	OL-0465-24	80-82	81	17.8		Non-Plastic		7.2	61.9	30.9	16	10	2.75		
SB915-SB13-18	OL-0465-25	10-12	11	267.6	214	147	67	0	1.6	98.4	30	13	2.39	35	
SB915-SB13-18	OL-0465-26	20-22	21	252.2	183	116	67	0	16.9	83.1	23	14	2.39	35	
SB915-SB13-19	OL-0465-27	15-17	16	338.1	204	135	69	0	2.5	97.5	69	53	2.52	9	
SB915-SB13-19	OL-0465-28	30-32	31	277.4										30	
SB915-SB13-19	OL-0465-29	35-37	36	15.8		Non-Plastic		31.9	38.4	29.7	19	14	2.48		
SB915-SB13-20	OL-0465-30	15-17	16	267.7										57	
SB915-SB13-20	OL-0465-31	30-32	31	214.2	149	105	44	0	8.3	91.7	25	14	2.67	43	
SB915-SB13-20	OL-0465-32	60-62	61	11.3		Non-Plastic		36.9	36.1	27	7	3	2.6		
SB915-SB13-20	OL-0465-33	65-67	66	9.8		Non-Plastic		31.4	48.3	20.3	6	3	2.67		
SB915-SB13-21	OL-0465-34	40-42	41	142.1	143	91	52	10.1	47.6	42.3	6	2	2.5	35	
SB915-SB13-21	OL-0465-35	60-62	61	57.7										9	
SB915-SB13-21	OL-0465-36	85-87	86	11.3		Non-Plastic		42.6	38.2	19.2	6	3	2.67		
SB915-SB13-22	OL-0465-37	15-17	16	263.7										35	
SB915-SB13-22	OL-0465-38	30-32	31	245.8	190	123	67	2.3	6	91.7	74	32	2.23	43	
SB915-SB13-22	OL-0465-39	65-67	66	15.7	53	36	17	47.1	30.7	22.2	4	2	2.68		
SB915-SB13-23	OL-0465-40	30-32	31	313.4	195	114	81	0	6.9	93.1	70	30	2.3	35	
SB915-SB13-23	OL-0465-41	45-47	46	207.5		1	Ì			Ī	l	l		0	
SB915-SB13-23	OL-0465-42	60-62	61	13	32	22	10	57.5	28.7	13.8	6	5	2.65		
SB915-SB13-23	OL-0465-43	65-67	66	11.3		Non-Plastic		46.2	33.8	20	8	4	2.75		
Total in Wastebed				31		26				26			23	20	4

WB 13 Index Test Results Summary

				Water	Atterbe	erg Limits (ASTM	I D4318)		Grai	n Size (ASTM D422)			Specific	Carbonate	Bulk
Location ID	Field Sample ID	Depth	Average Depth	Content (ASTM D2216)	Liquid	Plastic	Plasticity	Percent Gravel	Percent Sand	Percent Fines (clay & silt)	Clay-sized Particle Content	Clay-sized Particle Content	Gravity	Content	Density
		(ft)	(ft)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(0.005 mm) (%)	(0.002 mm)	(ASTIVI D054)	(ASTNI D4373)	(ASTN D2937)
In the Dikes		<u> </u>	<u> </u>												
SB915-SB13-24	OL-0465-44	20-22	21	14.2	30	15	15	9.4	28	62.6	36	26	2.76		
SB915-SB13-24	OL-0465-45	25-27	26	13.2	25	13	12	2.1	24.3	73.6	46	35	2.76		
SB915-SB13-24	OL-0465-46	35-37	36	5.4	20	14	6	18.9	40.8	40.3	15	8			
SB915-SB13-24	OL-0465-47	40-42	41	10.9	21	13	8	45.7	32.6	21.7	11	8			
SB915-SB13-25	OL-0465-48	5-7	6	7.4	19	11	8	6.8	40	53.2	26	14	2.7		
SB915-SB13-25	OL-0465-49	20-22	21	13.1											
SB915-SB13-25	OL-0465-50	35-37	36	12	25	13	12	19.9	28.8	51.3	30	20	2.69		
SB915-SB13-25	OL-0465-51	40-42	41	18.9	30	16	14	9.5	22.8	67.7	25	16	2.68		
SB915-SB13-26	OL-0465-52	10-12	11	7.8	19	12	7	7.4	27.8	64.8	34	22			
SB915-SB13-26	OL-0465-53	15-17	16	8.3	20	11	9	1.5	32.2	66.3	33	22			
SB915-SB13-26	OL-0465-54	55-57	56	3.5		Non-Plastic	-	23.3	56.8	19.9	7	4			
SB915-SB13-26	OL-0465-55	60-62	61	9.2		Non-Plastic		23.1	50.7	26.2	6	3			
SB915-SB13-27	OL-0465-56	20-22	21	9	24	14	10	3.9	32.8	63.3	29	21			
SB915-SB13-27	OL-0465-57	25-27	26	9.3	19	11	8	30.6	22.6	46.8	29	19			
SB915-SB13-27	OL-0465-58	55-57	56	7.8		Non-Plastic		64.6	22.1	13.3	7	5	2.63		
SB915-SB13-27	OL-0465-59	60-62	61	11		Non-Plastic		29.6	40.7	29.7	9	5	2.59		
SB915-SB13-28	OL-0465-60	15-17	16	335.4	187	132	55	0	5.3	94.7	20	7	2.37	43	
SB915-SB13-28	OL-0465-61	50-52	51	35.5	38	25	13	3.8	16.8	79.4	39	27	2.64		
SB915-SB13-28	OL-0465-62	55-57	56	24.1	21	17	4	0	7.1	92.9	8	3	2.68		
SB915-SB13-29	OL-0465-63	45-47	46	103.7	90	67	23	17	33.6	49.4	15	6		35	
SB915-SB13-30	OL-0465-64	5-7	6	87.6	91	69	22	0	71.6	28.4	10	4	2.57	17	
SB915-SB13-30	OL-0465-65	60-62	61	28.3	34	19	15	0.4	14.5	85.1	73	48	2.69		
SB915-SB13-31	OL-0465-66	40-42	41	212.7	126	86	40	21.8	31.7	46.5	18	3		9	
SB915-SB13-32	OL-0465-67	5-7	6	7.6	19	10	9	9.8	37.9	52.3	14	11	2.72		
SB915-SB13-32	OL-0465-68	35-37	36	13.4	24	13	11	8.4	18.5	73.1	50	36	2.76		
SB915-SB13-32	OL-0465-69	40-42	41	18.2		Non-Plastic		0.3	14.6	85.1	20	14	2.7		
SB915-SB13-33	OL-0465-70	55-57	56	4.9		Non-Plastic		38.4	35.9	25.7	9	4	2.73		
SB915-SB13-33	OL-0465-71	60-62	61	6.2		Non-Plastic		33.7	33.7	32.6	10	5	2.68		
SB915-SB13-34	OL-0465-72	5-7	6	9.1	21	13	8	11.2	28.5	60.3	31	21			
SB915-SB13-34	OL-0465-73	10-12	11	9.7	22	12	10	5	35.7	59.3	31	21			
SB915-SB13-35	OL-0465-74	50-52	51	26.3	19	14	5	0	25.7	74.3	11	8	2.65		
SB915-SB13-36	OL-0465-75	15-17	16	13.9	23	13	10	6	30.6	63.4	36	26	2.72		
Total in Dikes				32		31				31			19	4	0

WB 13 Consolidation Test Results Summary

Location ID	Field Sample ID	Depth (ft)	Average Depth (ft)	Compression Index (C _c)	Recompression Index (C _r)	Modified Compression Index (C _{ce})	Modified Recompression Index (C _{re})	Initial Void Ratio (e _o)	Initial Water Content (%)	Preconsolidation Pressure (psf)
SB915-SB13-14	OL-0465-04	62-64	63	2.82	0.17	0.45	0.03	5.33	234.4	4000
SB915-SB13-15	OL-0465-08	42-44	43	3.21	0.11	0.46	0.02	5.94	209.7	3800
SB915-SB13-16	OL-0465-16	52-54	53	2.12	0.21	0.34	0.03	5.2	181.9	3000
SB915-SB13-17	OL-0465-22	66-68	67	2.43	0.15	0.42	0.03	4.77	201.0	4300

consultants

					Page	96	C	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech 1	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Attachment 4

Verification of Subsurface Model and Compressibility of SOLW Based on Test Pad Results

						Geosy	mte	ec
						con	sulta	nts
					Page	97	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Beec	h Date:	03/0	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	G D3944 Task	No.:	04

Part I: Prediction of Primary Consolidation Settlement Based on Field Test Data

Introduction

Terzaghi's one dimensional (1-D) consolidation theory was used to interpret the field test results from the Phase I Settlement Pilot Study and to predict the primary consolidation settlement. The initial excess pore water pressure was assumed to be constant throughout the SOLW layer and two-way drainage was assumed (i.e., at top and bottom of the waste). The average thickness of the SOLW layer under the test fill is calculated to be 72 ft. Hence, the longest drainage path H_{dr} is equal to one-half of the layer thickness (i.e., 36 ft). The major calculation steps included the following.

- 1. Use the excess pore water pressure measured in the field to develop the excess pore water pressure profile at each piezometer location for each time period that piezometers were monitored. The location of piezometers A-1 through A-11 are presented in Figure 4-1 of this attachment.
- 2. Use the excess pore water pressure profile at each piezometer to calculate the average degree of consolidation for the entire depth of the compressible SOLW layer at each monitoring time period.
- 3. Use the calculated average degree of consolidation for the SOLW layer at each monitoring time period to calculate the coefficient of consolidation.
- 4. Use the measured settlements and the calculated average degree of consolidation at each time period for each piezometer location to predict the primary consolidation settlement at that location.

Piezometer and settlement data that was recorded during the time period between October 15, 2005 and January 5, 2006 (i.e., approximately 100 days after the placement of test fill) was considered in prediction of the primary consolidation settlement. The predicted primary settlement is compared to field data measured on January 10, 2008 (i.e., approximately 2.3 years after the placement of test fill) in Part III of this attachment.

Calculation of Degree of consolidation

The degree of consolidation at any depth was calculated by

$$U(z,t) = 1 - \frac{u_z}{u_0}$$

where

Geosyntec^o consultants of Page 98 129 Written by: Ming Zhu Date: 03/06/2008 Date: 03/06/2008 Reviewed by: R. Kulasingam/Jay Beech Client: Honeywell Project: **Onondaga Lake SCA IDS** Project/ Proposal No.: GD3944 Task No .: 04

 u_{z} = excess pore water pressure at any depth at a given time t.

 u_0 = initial excess pore water pressure

Measured excess pore water pressures were recorded in the field by Parsons as the equivalent water pressure (i.e., piezometric) head. Based on the fill loading process and the stress distribution below the test fill (see Part II of this attachment for discussion regarding stress distribution), the initial excess pore water pressure head used in subsequent analyses was assumed to be the measured excess pore water pressure after the end of fill placement. Based on the data provided by Parsons, these values were assumed to be: (i) 18 ft for locations A-1 through A-6; and (ii) 14.4 ft for locations A-7 through A-11. The typical piezometer response to loading that shows these initial excess pore water pressures at other monitoring periods is presented in Figure 4-2. Using these field monitoring results and the referenced equation, the degree of consolidation for each piezometer at selected monitoring time periods was calculated. Results from each piezometer location are presented in Figure 4-3. It is noted that rainfall and snowmelt in late December 2005 and early January 2006 combined to locally increase the water levels in most piezometers, resulting in a decrease in the calculated degree of consolidation in the SOLW layer relative to the previous time period.

Calculation of Average Degree of Consolidation

The average degree of consolidation for the entire depth of the compressible waste layer at any time can be determined by the following equation and shown schematically in Figure 4-4.

$$\overline{U}(t) = \frac{1}{2H_{dr}} \int_{0}^{2H_{dr}} U(t,z) dz = \frac{Area1}{Total Area}$$

Using the data plotted in Figure 4-3 explicitly, the area "Area 1" was calculated, and the average degree of consolidation at the selected monitoring time periods was evaluated. Results are shown in Figure 4-5.

Calculation of Coefficient of consolidation

The coefficient of consolidation was calculated by

$$C_v = \frac{T_v H_{dr}^2}{t}$$

where, H_{dr} is the longest drainage path and was assumed to be 36 ft for the SOLW under the test fill. T_{v} is the time factor and was determined according to the calculated average degree of consolidation (\overline{U}) . The tabulated values of the time factors and their corresponding average degrees of

consultants

					Page	99	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Da	ate: 03/	06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

consolidation can be found in most geotechnical engineering textbooks, or they may be approximated by the following relationship:

$$T_{v} = \frac{\pi}{4}\overline{U}^{2} \qquad \text{for } \overline{U} = 0 \text{ to } 0.60$$
$$T_{v} = 1.781 - 0.933\log(100 - 100\overline{U}) \qquad \text{for } \overline{U} > 0.6$$

The calculated C_{ν} are plotted in Figure 4-6 as a function of time.

Prediction of Primary Consolidation Settlement

The primary consolidation settlement (S) was calculated by

$$S = \frac{S_t}{\overline{U}}$$

where, S_t is the settlement measured by the settlement plates in the field at time t. \overline{U} is the corresponding average degree of consolidation at that time. The calculation results for the primary consolidation settlement are presented in Table 4-1 and are plotted in Figure 4-7. The average of the values presented in column 3 (i.e., S at time t = 45 days) to column 7 (i.e., S at time t = 104 days) was calculated and recorded in the last column of Table 4-1. The values presented in the last column are subsequently referenced as the predicted primary consolidation settlement based on the field monitoring data at each piezometer location.

consultants

					Page	100	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Ta	sk No.:	04

Part II. Prediction of Primary Consolidation Settlement Based on Laboratory Test Data

Introduction

The ultimate primary consolidation settlement was calculated based on the compression parameters derived from laboratory testing results. The calculation steps included the following:

- 1. Use the laboratory test results to derive the waste compression properties.
- 2. Calculate the initial stress distribution in the waste.
- 3. Apply the Boussinesq solution for elastic stress distribution to calculate the vertical stress increase caused by the loading from the test fill.
- 4. Break the waste profile into sub-layers and calculate the primary consolidation settlement of each sub-layer.
- 5. Add the calculated settlement of each sub-layer to obtain the total primary consolidation settlement.

The predicted primary settlement is compared to measurement on January 2008 in Part III of this attachment.

Material Properties

The recommended design parameters summarized in Table 21 in this package were used to calculate the primary consolidation settlement of SOLW under the load from the test fill.

Subsurface Geometry

As mentioned before, the average thickness of SOLW under the test fill was calculated to be 72 ft. The groundwater table was considered to be 50 ft bgs as discussed in this package.

Locations of Selected Calculation Points

Four locations were selected for the settlement calculation as shown in Figure 4-8. These four points coincide with the relative locations of settlement plates in the test fill. The calculation Point 1 represents the settlement plates A-1 and A-2; Point 2 represents A-3 to A-6; Point 3 represents A-7, A-9, and A-11; and Point 4 represents A-8 and A-10.
consultants

					Page	10)1	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04

Loading

Loading from the 10-ft high test fill was simplified to be rectangular as shown in Figure 4-9. According to the Boussinesq solution for a rectangular loading, the vertical stress increase at depth z below the corner of a rectangular area is

 $\Delta \sigma = qI_3$

where

$$I_{3} = \frac{1}{4\pi} \left[\frac{2mn\sqrt{m^{2} + n^{2} + 1}}{m^{2} + n^{2} + m^{2}n^{2} + 1} \left(\frac{m^{2} + n^{2} + 2}{m^{2} + n^{2} + 1} \right) + \tan^{-1} \left(\frac{2mn\sqrt{m^{2} + n^{2} + 1}}{m^{2} + n^{2} - m^{2}n^{2} + 1} \right) \right]$$
$$m = \frac{B}{z}, \ n = \frac{L}{z}$$

The calculated stress increases at these four locations are plotted in Figure 4-10 with respect of depth.

Calculation of Primary Consolidation Settlement

The primary consolidation settlement was calculated using the conventional 1-D consolidation theory as expressed in the following equations (Figure 4-11):

$$S = C_{r\varepsilon}H\log\frac{\sigma_{0}^{'} + \Delta\sigma'}{\sigma_{0}^{'}} \qquad \text{for } \sigma_{0}^{'} + \Delta\sigma' < p_{c}^{'}$$

$$S = C_{r\varepsilon}H\log\frac{p_{c}^{'}}{\sigma_{0}^{'}} + C_{c\varepsilon}H\log\frac{\sigma_{0}^{'} + \Delta\sigma'}{p_{c}^{'}} \qquad \text{for } \sigma_{0}^{'} < p_{c}^{'} \text{ and } \sigma_{0}^{'} + \Delta\sigma' > p_{c}^{'}$$

$$S = C_{c\varepsilon}H\log\frac{\sigma_{0}^{'} + \Delta\sigma'}{\sigma_{0}^{'}} \qquad \text{for } \sigma_{0}^{'} > p_{c}^{'}$$

where,

S = primary consolidation settlement

H = thickness of compressible layer

 $\sigma_0^{'}$ = initial effective stress

 $\Delta \sigma$ = effective stress increase due to fill placement

 $p_{c}^{'}$ = pre-consolidation pressure

 $C_{r\varepsilon}$ = modified recompression index

 $C_{c\varepsilon}$ = modified compression index

The primary settlement was calculated using the Excel spreadsheet as presented in Table 4-2 at the four selected locations.

GA090382/Attach B - Data package_Final_071409.doc

						Geosy	ecv		
						cor	consultan		
					Page	102	of	129	
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Date:	03/0	06/2008	
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Task	No.:	04	

Part III. Comparison of Predicted Settlement with Measured Settlement on January 10, 2008

Table 4-3 summarizes the predicted primary consolidation settlement based on the field monitoring data and the laboratory testing data discussed in Part I and Part II, respectively, of this attachment. The settlement measured on January 10, 2008 is also presented in this table.

The predicted settlements are compared to the measured settlements as shown in Figures 4-12 and 4-13. The plotted data points are in general close to the 45 degree line, indicating a good agreement between the predicted settlement and the settlement measured from the field test on January 10, 2008.

There are several factors that may contribute to the slight difference between the predicted settlement and the measured settlement:

- 1. The shape of the test fill: The constructed test fill has an irregular shape (Figure 4-14); while in the stress distribution calculation it was idealized to have a 200 ft by 200 ft square footprint.
- 2. The thickness of SOLW: Under the footprint of the test fill, the thickness of SOLW varies slightly as presented in Table 4-4; while in the prediction calculation a uniform thickness of 72 ft was used.
- 3. Material properties: The SOLW beneath the test fill is heterogeneous with inter-layered hard and soft zones; while in the prediction calculation the SOLW was divided into two zones and within each zone the SOLW was assumed homogeneous.
- 4. Secondary consolidation settlement: The predicted settlement includes only the primary settlement; while the measured settlement on January 10, 2008 includes the primary settlement and part of the secondary consolidation settlement. The total secondary consolidation settlement was estimated to be about 10 inches over 30 years based on the lab consolidation test data.
- 5. Limitation of the 1-D consolidation theory: Consolidation of the SOLW material under the test fill is a 3-D process; while the 1-D consolidation theory, which has been widely accepted in typical engineering practice, was used to predict the consolidation settlement.

				Geosyntec ^D					
		con	sulta	nts					
			Page	103	of	129			
Written by: Ming Zhu	Date: 03/06/2008	Reviewed by:	R. Kulasingam/Jay Beech	Date:	03/0	6/2008			
Client: Honeywell Pro	oject: Onondaga Lal	ke SCA IDS	Project/ Proposal No.: GI	03944 Task	No.:	04			

Part IV. Calculation of Time Rate of Consolidation for Test Pad

Methodology

Terzaghi's 1-D consolidation theory was used to calculate the time rate of the consolidation. The consolidation time t can be calculated using

$$t = \frac{T_v H_{dr}^2}{c_v}$$

where, H_{dr} is the longest drainage path and equals 36 ft for SOLW in the test pad area (assuming two-way drainage). T_v is the time factor and determined according to the degree of consolidation (U) using the following relationship

$$T_{v} = \frac{\pi}{4}U^{2} \qquad \text{for } U = 0 \text{ to } 60\%$$

$$T_{v} = 1.781 - 0.933\log(100 - 100U) \qquad \text{for } U > 60\%$$

 c_v is the coefficient of consolidation. The recommended value of c_v is presented in Table 21 of this package. Using the above equations, the time *t* corresponding to a certain degree of consolidation U(t) can be calculated.

The settlement at the time t, i.e., S(t), can be calculated using

$$S(t) = U(t) \cdot S_n$$

where, the S_p is the predicted primary consolidation settlement as presented in Part I of this attachment.

Results of Time Rate of Consolidation

The time rate of consolidation was calculated using the Excel spreadsheet as presented in Table 4-5 at the four selected locations. It is noted that the value of c_{ν} interpreted from the field piezometer data was used in the calculation. The calculated consolidation settlement is plotted with respect to time in Figures 4-15 to 4-18 together with the field monitoring data at the four selected locations, respectively. The results indicate a good agreement between the predicted and measured time rate of consolidation.

consultants

					Page	10	4 0	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task No	o.: 04

Part V. Summary

The subsurface model and the design material properties (i.e., unit weight and compressibility parameters) of SOLW were verified using the results of the WB-13 settlement pilot test performed in 2005. The results indicate a good agreement between the prediction and the measurement for both the primary consolidation settlement and the time rate of settlement.

					Page	10	5	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task N	ío.:	04



Figure 4-1. Locations of Monitoring Instruments Across Test Fill

consultants

					Page	10)6	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04





Note: Fill placement began at time t=0 (October 7, 2005)











Figure 4-3. Calculation Results for Degree of Consolidation

consultants

					Page	108	3 of	129
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech D	Date: 0.	3/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04



80.00







Figure 4-3. Calculation Results for Degree of Consolidation (Continued)

					Page	10	9	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2	2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.:	04



Figure 4-4. Calculation of Average Degree of Consolidation

					Page	110) of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech l	Date: ()3/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task No.	: 04



Figure 4-5. Calculated Average Degree of Consolidation

Geosyntec <a>>

					Page	11	1	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04



Figure 4-6. Calculated Coefficient of Consolidation

consultants

					Page	11	2	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	No.:	04



Figure 4-7. Predicted Primary Consolidation Settlement

Note: This figure shows the predicted primary consolidation settlement at a given time using the measured settlement and the corresponding calculated average degree of consolidation at this time.

					Page	11	3	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/00	5/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04



Figure 4-8. Location of Calculation Points

consultants

					Page	11	4	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/00	5/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task N	No.:	04



Height of test fill = 10 ft; Side length of bottom surface =200 ft; Side length of top surface = 160 ft; Sideslope = 2H:1V; Total unit weight of test fill = 120 pcf $q = q_1 + q_2 = 120 \times 10 = 1200 \text{ psf}$ Total volume = $\frac{1}{3} \times 10 \times (160 \times 160 + 200 \times 200 + \sqrt{160 \times 160 \times 200 \times 200}) = 325333 \text{ ft}^3$ $q_2 = 120 \times \frac{325333 - 160 \times 160 \times 10}{200 \times 200 - 160 \times 160} = 578 \text{ psf}$ $q_1 = q - q_2 = 1200 - 578 = 622 \text{ psf}$

Figure 4-9. Calculation of Test Fill Loading

					Page	11	5	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04



Figure 4-10. Calculated Stress Increase with Depth due to Loading from Test Fill

					Page	11	6	of 129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task N	o.: 04



Figure 4-11. 1-D consolidation curve





Reviewed by:

Figure 4-12. Comparison of Predicted Primary Settlement Based on Field Data with Measured Settlement

Written by:

Ming Zhu

Date:

03/06/2008

					Page	118	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Beed	c h Da	ate: 03	/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04



Figure 4-13. Comparison of Predicted Primary Settlement Based on Lab Data with Measured Settlement

A-19

consultants

						Page	11	9	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasing	am/Jay Bee	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga Lal	ke SCA IDS	Project/ Prop	osal No.:	GD3944	Task I	No.:	04
					🖶 A-15					
					● A-14					
					A-13 📫					
				A7 +6 15 A7 +6 A7 +7 +7 +7 +7 +7 +7 +7 +7 +7 +7 +7 +7 +7 +	3	+16 +2	A-9			

+18

NATIVE

15'



+3

Figure 4-14. Constructed Test Fill

					Page	12	0	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04



Figure 4-15. Calculation of Time Rate of Consolidation at Point 1

					Page	121	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ch D	ate: ()3/06/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task No.	: 04



Figure 4-16. Calculation of Time Rate of Consolidation at Point 2

					Page	12	2	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task I	No.:	04



Figure 4-17. Calculation of Time Rate of Consolidation at Point 3

					Page	12	3	of	129
Written by	: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech]	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	nke SCA IDS	Project/ Proposal No.:	GD3944	Task N	lo.:	04



Figure 4-18. Calculation of Time Rate of Consolidation at Point 4

	Geosyntec [▷]							
consultants								
		Page	124	of 129				
Written by: <u>Ming Zhu</u> Date:	03/06/2008 Reviewed by:	Date:	03/06/2008					
Client: Honeywell Project:	Onondaga Lake SCA IDS	Project/ Proposal No.: GD3	3944 Task	No.: 04				

Table 4-1. Predicted Primary Consolidation Settlement Based on Calculated Average Degree of Consolidation

Piezometer			Time	(days)			Average	
ID	18	45	60	77	89	104	Settlement ^[1] (ft)	
A-1	30.5	37.1	37.1	38.4	38.2	40.1	38.2	
A-2	31.4	35.4	35.8	35.6	35.2	36.9	35.8	
A-3	26.2	30.0	30.5	31.7	31.5	31.7	31.1	
A-4	28.0	32.6	33.3	34.2	34.0	35.3	33.9	
A-5	23.8	27.9	27.7	28.2	27.9	29.7	28.3	
A-6	26.7	30.2	30.1	29.9	29.9	31.6	30.3	
A-7	13.7	18.2	18.7	19.0	19.2	18.8	18.8	
A-8	25.0	28.6	28.2	28.8	28.9	30.2	28.9	
A-9	15.0	18.4	19.2	20.2	20.7	20.3	19.7	
A-10	21.0		26.5	27.5	27.7	28.9	27.7	
A-11	8.9	11.5	12.7	12.4	12.1	13.2	12.4	

Note:

[1]. The predicted primary consolidation settlements at time = 18 days were not considered in calculating the average settlement.

					Page	12	25	of	129
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944	Task I	No.:	04

Table 4-2. Calculation of Primary Consolidation Settlement

SOLW Den	sity (pcf) 82	ļ												
Ccε	Zone 2	0.46 2	Zone 3	0.38										
Cre	Zone 2	0.014 2	Zone 3	0.021										
	Point 1													
	Depth (ft)	Mid-point	S_initial	S_increment	S_final	water_pressure	effective_ini	Effective_final	OCR	Pc' (psf)	a1	a2	Strain	Settlement(ft)
	0	2.5	205.00	1199.98	1404.98	0	205.00	1404.98	4.5	923	0.653213	0.182703	0.093189	0.47
	5	7.5	615.00	1199.44	1814.44	0	615.00	1814.44	4.5	2768	0.469867	0	0.006578	0.03
	10	12.5	1025.00	1197.44	2222.44	0	1025.00	2222.44	2.0	2050	0.30103	0.035077	0.02035	0.10
70	15	17.5	1435.00	1193.17	2628.17	0	1435.00	2628.17	2.0	2870	0.262801	0	0.003679	0.02
Zone 2	20	22.5	1845.00	1185.96	3030.96	0	1845.00	3030.96	1.0	1845	0	0.215584	0.099168	0.50
	25	27.5	2255.00	1175.39	3430.39	0	2255.00	3430.39	1.0	2255	0	0.182197	0.083811	0.42
	30	32.5	2665.00	1161.27	3826.27	0	2665.00	3826.27	1.0	2665	0	0.157078	0.072256	0.36
	35	37.5	3075.00	1143.60	4218.60	0	3075.00	4218.60	1.0	3075	0	0.137323	0.063169	0.32
	40	42.5	3485.00	1122.57	4607.57	0	3485.00	4607.57	1.0	3485	0	0.121269	0.046082	0.23
	45	47.5	3895.00	1098.49	4993.49	0	3895.00	4993.49	1.0	3895	0	0.107897	0.041001	0.21
	50	52.5	4305.00	1071.79	5376.79	0	4305.00	5376.79	1.0	4305	0	0.09655	0.036689	0.18
Zono 2	55	57.5	4715.00	1042.91	5757.91	468	4247.00	5289.91	1.0	4247	0	0.095366	0.036239	0.18
ZUIIE 3	60	62.5	5125.00	1012.32	6137.32	780	4345.00	5357.32	1.0	4345	0	0.090958	0.034564	0.17
	65	67.5	5535.00	980.50	6515.50	1092	4443.00	5423.50	1.0	4443	0	0.086603	0.032909	0.16
	70	71	5822.00	957.71	6779.71	1310	4511.60	5469.31	1.0	4512	0	0.083602	0.031769	0.06
	72													
													Total =	3.4
														40.9

	Point 2													
	Depth (ft)	Mid-point	S_initial	S_increment	S_final	water_pressure	effective_ini	Effective_final	OCR	Pc' (psf)	a1	a2	Strain	Settlement(ft)
	0	2.5	205.00	1199.92	1404.92	0	205.00	1404.92	4.5	923	0.653213	0.182685	0.09318	0.47
	5	7.5	615.00	1197.92	1812.92	0	615.00	1812.92	4.5	2768	0.469504	0	0.006573	0.03
	10	12.5	1025.00	1190.97	2215.97	0	1025.00	2215.97	2.0	2050	0.30103	0.033809	0.019767	0.10
Zono 2	15	17.5	1435.00	1177.29	2612.29	0	1435.00	2612.29	2.0	2870	0.260169	0	0.003642	0.02
Zone z	20	22.5	1845.00	1156.63	3001.63	0	1845.00	3001.63	1.0	1845	0	0.211361	0.097226	0.49
	25	27.5	2255.00	1129.83	3384.83	0	2255.00	3384.83	1.0	2255	0	0.176391	0.08114	0.41
	30	32.5	2665.00	1098.28	3763.28	0	2665.00	3763.28	1.0	2665	0	0.149869	0.06894	0.34
	35	37.5	3075.00	1063.46	4138.46	0	3075.00	4138.46	1.0	3075	0	0.128994	0.059337	0.30
	40	42.5	3485.00	1026.70	4511.70	0	3485.00	4511.70	1.0	3485	0	0.112137	0.042612	0.21
	45	47.5	3895.00	989.06	4884.06	0	3895.00	4884.06	1.0	3895	0	0.098274	0.037344	0.19
	50	52.5	4305.00	951.34	5256.34	0	4305.00	5256.34	1.0	4305	0	0.08671	0.03295	0.16
7 2	55	57.5	4715.00	914.11	5629.11	468	4247.00	5161.11	1.0	4247	0	0.08466	0.032171	0.16
Zone 3	60	62.5	5125.00	877.74	6002.74	780	4345.00	5222.74	1.0	4345	0	0.079908	0.030365	0.15
	65	67.5	5535.00	842.48	6377.48	1092	4443.00	5285.48	1.0	4443	0	0.075408	0.028655	0.14
	70	71	5822.00	818.53	6640.53	1310	4511.60	5330.13	1.0	4512	0	0.072407	0.027515	0.06
	72													
													Total =	3.2
														38.7

						Page		126	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulas	singam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ I	Proposal No.:	GD394	4 Task	No.:	04

Table 4-2. Calculation of Primary Consolidation Settlement (Continued)

-	Point 3													
	Depth (ft)	Mid-point	S_initial	S_increment	S_final	water_pressure	effective_ini	Effective_final	OCR	Pc' (psf)	a1	a2	Strain	Settlement(ft)
	0	2.5	205.00	733.06	938.06	0	205.00	938.06	4.5	923	0.653213	0.007263	0.012486	0.06
	5	7.5	615.00	723.14	1338.14	0	615.00	1338.14	4.5	2768	0.337626	0	0.004727	0.02
	10	12.5	1025.00	696.12	1721.12	0	1025.00	1721.12	2.0	2050	0.225088	0	0.003151	0.02
7000 2	15	17.5	1435.00	657.88	2092.88	0	1435.00	2092.88	2.0	2870	0.163892	0	0.002294	0.01
Zone z	20	22.5	1845.00	617.10	2462.10	0	1845.00	2462.10	1.0	1845	0	0.12531	0.057642	0.29
	25	27.5	2255.00	579.07	2834.07	0	2255.00	2834.07	1.0	2255	0	0.099264	0.045662	0.23
	30	32.5	2665.00	545.71	3210.71	0	2665.00	3210.71	1.0	2665	0	0.080904	0.037216	0.19
	35	37.5	3075.00	517.15	3592.15	0	3075.00	3592.15	1.0	3075	0	0.067509	0.031054	0.16
	40	42.5	3485.00	492.83	3977.83	0	3485.00	3977.83	1.0	3485	0	0.057444	0.021829	0.11
	45	47.5	3895.00	472.02	4367.02	0	3895.00	4367.02	1.0	3895	0	0.049678	0.018878	0.09
	50	52.5	4305.00	454.03	4759.03	0	4305.00	4759.03	1.0	4305	0	0.043545	0.016547	0.08
Zone 3	55	57.5	4715.00	438.27	5153.27	468	4247.00	4685.27	1.0	4247	0	0.042653	0.016208	0.08
20110-5	60	62.5	5125.00	424.29	5549.29	780	4345.00	4769.29	1.0	4345	0	0.040464	0.015376	0.08
	65	67.5	5535.00	411.69	5946.69	1092	4443.00	4854.69	1.0	4443	0	0.038485	0.014624	0.07
	70	71	5822.00	403.55	6225.55	1310	4511.60	4915.15	1.0	4512	0	0.037206	0.014138	0.03
	72													
													Total =	1.5 f

1.5	π.
18.2	in

	Point 4													
	Depth (ft)	Mid-point	S_initial	S_increment	S_final	water_pressure	effective_ini	Effective_final	OCR	Pc' (psf)	a1	a2	Strain	Settlement(ft)
	0	2.5	205.00	888.76	1093.76	0	205.00	1093.76	4.5	923	0.653213	0.073955	0.043164	0.22
	5	7.5	615.00	883.30	1498.30	0	615.00	1498.30	4.5	2768	0.386723	0	0.005414	0.03
	10	12.5	1025.00	868.09	1893.09	0	1025.00	1893.09	2.0	2050	0.266447	0	0.00373	0.02
Zono 2	15	17.5	1435.00	845.70	2280.70	0	1435.00	2280.70	2.0	2870	0.201217	0	0.002817	0.01
Zone z	20	22.5	1845.00	820.46	2665.46	0	1845.00	2665.46	1.0	1845	0	0.159777	0.073497	0.37
	25	27.5	2255.00	795.14	3050.14	0	2255.00	3050.14	1.0	2255	0	0.131173	0.060339	0.30
	30	32.5	2665.00	770.85	3435.85	0	2665.00	3435.85	1.0	2665	0	0.110337	0.050755	0.25
	35	37.5	3075.00	747.84	3822.84	0	3075.00	3822.84	1.0	3075	0	0.094541	0.043489	0.22
	40	42.5	3485.00	725.97	4210.97	0	3485.00	4210.97	1.0	3485	0	0.082179	0.031228	0.16
	45	47.5	3895.00	705.01	4600.01	0	3895.00	4600.01	1.0	3895	0	0.072251	0.027455	0.14
	50	52.5	4305.00	684.75	4989.75	0	4305.00	4989.75	1.0	4305	0	0.064106	0.02436	0.12
Zone 3	55	57.5	4715.00	665.05	5380.05	468	4247.00	4912.05	1.0	4247	0	0.06318	0.024009	0.12
20110-5	60	62.5	5125.00	645.79	5770.79	780	4345.00	4990.79	1.0	4345	0	0.06018	0.022868	0.11
	65	67.5	5535.00	626.91	6161.91	1092	4443.00	5069.91	1.0	4443	0	0.057324	0.021783	0.11
	70	71	5822.00	613.91	6435.91	1310	4511.60	5125.51	1.0	4512	0	0.055407	0.021055	0.04
	72													
-													Total =	2.2 f

Total =	2.2	ft
	26.6	in

					Page	_1	27	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech	Date:	03/0	6/2008
Client:	Honeywell	Project:	Onondaga La	ike SCA IDS	Project/ Proposal No.:	GD3944	Task l	No.:	04

Table 4-3. Summary of Predicted and Measured Consolidation Settlement

		Consolidation Settlement (inches)											
	Poi	nt 1	Point 2					Point 3		Point 4			
	A-1	A-2	A-3	A-4	A-5	A-6	A-7	A-9	A-11	A-8	A-10		
Prediction based on field data	39.79	35.78	31.09	33.9	28.29	30.32	18.82	19.75	12.37	28.95	27.66		
Prediction based on lab data	40	.94		38	.69			18.20	-	26	.60		
Measurement on 1/10/2008	37.12	35.6	35.31	34.78	27.98	31.33	20.46	22.54	12.48	30.43	30.03		

consultants

					Page	128	of	129
Written by	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Bee	ech Date:	03/0	06/2008
Client:	Honeywell	Project:	Onondaga La	ake SCA IDS	Project/ Proposal No.:	GD3944 Tas	sk No.:	04

Table 4-4. Thickness of SOLW Beneath Test Fill

Piezometer	Thickness of
Location	SOLW (ft)
A-1	74
A-2	74
A-3	73
A-4	70
A-5	71
A-6	75
A-7	74
A-8	74
A-9	74
A-10	76
A-11	67

consultants

					Page	129	of	129
Written b	y: Ming Zhu	Date:	03/06/2008	Reviewed by:	R. Kulasingam/Jay Be	ech Da	ate: 03/	/06/2008
Client:	Honeywell	Project:	Onondaga La	ke SCA IDS	Project/ Proposal No.:	GD3944	Task No.:	04

Table 4-5. Summary of Consolidation Settlement

Thickness of SOLW	72	ft
Drainage distance	36	ft
Cv of SOLW	0.14	cm^2/s
Predicted settlement		
Point 1	40.9	inch
Point 2	38.7	inch
Point 3	18.2	inch
Point 4	26.6	inch

t =	_	$T_v H_{dr}^2$

Degree of Consolidation (U(t))	Time Factor (Tv)	Time (t, days)	Predicted Settlement (S(t), ft)			
			Point 1	Point 2	Point 3	Point 4
0%	0.0000	0	0.00	0.00	0.00	0.00
5%	0.0020	0	2.05	1.93	0.91	1.33
10%	0.0079	1	4.09	3.87	1.82	2.66
15%	0.0177	2	6.14	5.80	2.73	3.99
20%	0.0314	3	8.19	7.74	3.64	5.32
25%	0.0491	5	10.24	9.67	4.55	6.65
30%	0.0707	7	12.28	11.61	5.46	7.98
35%	0.0962	10	14.33	13.54	6.37	9.31
40%	0.126	13	16.38	15.48	7.28	10.64
45%	0.159	16	18.42	17.41	8.19	11.97
50%	0.196	20	20.47	19.35	9.10	13.30
55%	0.238	24	22.52	21.28	10.01	14.63
60%	0.286	28	24.57	23.22	10.92	15.96
65%	0.340	34	26.61	25.15	11.83	17.29
70%	0.403	40	28.66	27.09	12.74	18.62
75%	0.477	47	30.71	29.02	13.65	19.95
80%	0.567	56	32.75	30.96	14.56	21.28
85%	0.684	68	34.80	32.89	15.47	22.61
90%	0.848	84	36.85	34.83	16.38	23.94
95%	1.129	112	38.90	36.76	17.29	25.27
99%	1.781	177	40.53	38.31	18.02	26.33
99.5%	2.062	205	40.74	38.50	18.11	26.47
99.8%	2.433	242	40.86	38.62	18.16	26.55
99.9%	2.714	270	40.90	38.66	18.18	26.57
99.99%	3.647	363	40.94	38.69	18.20	26.60